

2517 : Former and Counter-Former for Ministem®

Description



Aluminium formers to optimise resistance to wear and bending loads. Fiberglass reinforced PA6 counter-formers for improved pipe sliding and better resistance to effort.

 $* \emptyset 18$ and 22 mm for Ministem® / Eurostem® III - 3/8 GAS and 1/2 GAS only for Eurostem® III.



References

Sku	Туре	Pipe O.D.	For pipe	Bending radius mm	MINISTEM®	EUROSTEM® II / III	kg
887819	Former	10mm	Copper, Electro- galvanized steel, Stainless steel	40	ok	ok	0,200
251812	Former	12mm	Copper, Electro- galvanized steel, Stainless steel	45	ok	ok	0,220
251814	Former	14mm	Copper, Multilayer, Electro-galvanized steel, Stainless steel	50	ok	ok	0,290

Sku	Туре	Pipe O.D.	For pipe	Bending radius mm	MINISTEM®	EUROSTEM® II / III	kg
251815	Former	15mm	Copper, Multilayer, Electro-galvanized steel, Stainless steel	55	ok	ok	0,325
251816	Former	16mm	Copper, Multilayer, Electro-galvanized steel, Stainless steel	60	ok	ok	0,380
251818	Former	18mm	Copper, Electro- galvanized steel, Stainless steel	70	ok*	ok	0,590
887809	Former	20mm	Copper, Multilayer	77	ok	ok	0,670
251822	Former	22mm	Copper	77	ok*	ok	0,710
888227	Former	26mm	Multilayer	98	ok	ok	1,500
887822	Former	3/8''	Copper refrigeration	40	ok	ok	0,220
251863	Former	1/2''	Copper refrigeration	45	ok	ok	0,240
251866	Former	5/8''	Copper refrigeration	55	ok	ok	0,320
251869	Former	3/4''	Copper refrigeration	70	ok	ok	0,600
251872	Former	7/8''	Copper refrigeration	77	ok	ok	0,690
892260	Counter-former	12mm -15mm	Copper, Multilayer, Electro-galvanized steel, Stainless steel	-	ok	-	0,080
892261	Counter-former	14mm - 16mm	Copper, Multilayer, Electro-galvanized steel, Stainless steel	-	ok	-	0,096
892262	Counter-former	18mm - 22mm	Copper, Multilayer, Electro-galvanized steel, Stainless steel	-	ok	-	0,124
892263	Counter-former	20mm - 26mm	Copper, Multilayer	-	ok	-	0,121
892264	Counter-former	10mm and 3/8"	Copper, Copper refrigeration, Electro-galvanized steel, Stainless steel	-	ok	-	0,080
892265	Counter-former	1/2'' - 5/8''	Copper refrigeration	-	ok	-	0,080
892266	Counter-former	3/4'' - 7/8''	Copper refrigeration	-	ok	-	0,136
892280	Counter-form pin	-	-	-	ok	-	0,220

