

ALLE MIT DEN VIRAX EINSÄTZEN UND ZANGEN KOMPATIBLEN SYSTEME

*WERKSTOFF	STAHL / KOHLENSTOFFSTAHL	MEHRSCHICHT / KUPFER PE-RT	PEX / PB / PER / PE	KUPFER	MESSING / BRONZE	EDELSTAHL
------------	--------------------------	----------------------------	---------------------	--------	------------------	-----------



SYSTEM	*	Ø (mm)			
--------	---	--------	--	--	--

A

ACOME Acome MT		12-16-20-25	RF-P	RF	H
ACOME – Acopex Alu		16-20-32	TH/U	TH/U	TH/H/U
		26	TH	TH	TH/H/U
		40-50-63	-	-	TH/H/U
AC-FIX Press		12-16-20-25-32	RF-P/U	RF/U	H/U
AC-FIX Press-Multi		16-18-20-25-32	RF-P/U	RF/U	H/U
		40	-	U	U
		50-60	-	-	U
AHLSELL A-Press elforzinkad		12-15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
		42-54	-	-	M
AHLSELL A-press koppar		12-15-18-22-28	V	V	V
		35-42-54	-	-	V
AHLSELL A-press rostfritt		12-15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
		42-54	-	-	M
AIRBEL Pressclim		12-15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
		42-54	-	-	M
AIRBEL Sertinox		15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
		42-54	-	-	M 3 ELTS
ALB Sistema multicapa		14-16-18-20-32	TH/U	TH/U	H/TH/U
		26	TH	TH	H/TH
ANQUIER Aser		12-16-20-25	RF-P	RF	H
APE ANSCHLUSSSTÜCK, Pressfitting		16-20	TH/U	TH/U	TH/H/U
		18	TH	TH	TH
		26-32	TH	TH	TH/H
		40	-	U	U
		50-63	-	-	U
ATLAS COPCO Airnet		15	M	M	M
		28	M	-	M
		35	-	-	M
		42-54-76,1-88,9-107	-	-	M

B

BAMPI Balpex		14-16-18-20-26-32	TH	TH	TH
		40	-	TH	TH
		50	-	-	TH
BARBI Easypress		12-16-20-25-32	RF-P/U	RF/U	H/U
BARBI Multipex		16-20 x 2,0-25-26-32	RF-P/U/TH	RF/U/TH	TH/H/U
		18 – 20 x 2,5	U/RF-P	U/RF	H/U
		40	-	U	U
		50-63	-	-	U
BRASELLI Pressfitting PE-X		16-20-25-32	RF-P	RF	-
BRASELLI Pressfitting Multicapa		16-18-20-25-32	U	U	U
		40	-	U	U
		50	-	-	U
BRASS & FITTING RetiPRESS		16-32	RF-P	-	-
BRASS & Kombi Multi- PRESS		16-32	U	U	U
		40-50-63	-	-	U
BROEN Ballofix Pres		15-18-22	M/V	V	M/V
BROSSETTE Eurobasic		12-16-20-25	RF-P	RF	H
BUCCHI Tech MP		14-16-20-26-32	TH	TH	TH

C

CEDEO Altech (Comap)		12-16-20-25	RF-P	RF	H
CEDEO Altech (IBP B Press)		12-14-15-16-18-22-28	V	V	V
		35-42-54	-	-	V
COES Coesklima		14	U	-	U
		16-18-20-25-32	U	U	U
COES Coesklima (K-Fit)		40	-	U	U
		50	-	-	U
		63-75	-	-	U KETTEN
COMAP PexPress		12-16-20-25	RF-P	RF	H
COMAP SkinPress		14-16-18-20-26-32	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH
COMAP Multiskin		16-20-26-32	TH/U	TH/U	TH/H/U
		40	-	TH/U	TH/U
		50-63	-	-	TH/U
COMAPSudoPress Cu		12-14-15-16-18-22-28	V	V	V
		35-42-54	-	-	V
COMAP Xpress		12-15-18-22	M	-	M
		28	M	-	M
		35-42-54	-	-	M
COMAP Xpress		15-18-22	M	M	M
		28	M	-	M
		35-42-54	-	-	M
COMISA Press		14-16-18-20-26-32	TH	TH	H/TH
		25	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH

ALLE MIT DEN VIRAX EINSÄTZEN UND ZANGEN KOMPATIBLEN SYSTEME

*WERKSTOFF	STAHL / KOHLENSTOFFSTAHL	MEHRSCHICHT / KUPFER PE-RT	PEX / PB / PER / PE	KUPFER	MESSING / BRONZE	EDELSTAHL
------------	--------------------------	----------------------------	---------------------	--------	------------------	-----------



SYSTEM	*	Ø (mm)			
--------	---	--------	--	--	--

COMPTOIR DE PICARDIE Multiquick	16-20	U/TH	U/TH	U/TH
	26	TH	TH	TH
PICARDIE-THEKE Quick Sanitär	16-20	TH/U	TH/U	H/TH/U
	26	TH	TH	TH/H
CONEL Connect multi	16-20-32	TH/U	TH/U	TH/H/U
	26	TH	TH	TH/H
CORUS Forcas	28	M	M	M
	35	-	-	M

DALPEX Laser multi Dalpex	14-16-18-20-26-32	TH	TH	TH
	40	-	TH	TH
	50-63	-	-	TH
DIWA Flex Systems	14-16-18-20-26-32	TH	TH	TH
	40	-	TH	TH
DUOFIL Maximetal	16-20-32	RF-P/U	RF/U	U
DW VERBUNDROHR Multitubo	16-20-25-32	U	U	U
	40	-	U	U
	50	-	-	U
	63-75	-	-	U KETTEN

EBRILLE Monflex	16-18-20-25-32	U	U	U
	40	-	U	U
	50-63-75	-	-	U
EBRILLE Monflex (F5)	16-18-20-25-32	U	U	U
	40	-	U	U
	50-63-75	-	-	U
EBRILLE Monflex (F8)	16-20-25-26-32	U	U	U
EBRILLE Monflex (F9)	16-20-25-26-32	TH	TH	TH
EBRILLE Monflex (F18)	16-20-25	TH/U	TH/U	TH/H/U
	26	TH	TH	TH/H
	32	TH/U	TH/U	TH/H/U
EFFEBI Prestige	15-18-22-28	M/V	V	M/V
	35	-	-	M/V
EFFEBI Tof Multipinza	16-18-20-32	TH/U	TH/U	TH/H/U
	25	TH/U	TH/U	TH/H/U
	26	TH	TH	TH/H
EFFEBI Press Kohlenstoffstahl	12-15-18-22-28	M	M	M
	28	M	-	M
	35	-	-	M
	42-54	-	-	M 3 ELTS
EFFEBI Press Edelstahl	12-15-18-22-28	M	M	M
	28	M	-	M
	35	-	-	M
	42-54	-	-	M 3 ELTS
EMCAL C-Stahl	15-18-22	M	M	M
	28	M	-	M
	35	-	-	M
EMCAL Perfect Aqua	16-20-25-32	U	U	U
	40	-	U	U
	50	-	-	U
	63	-	-	U KETTEN

SYSTEM	*	Ø (mm)			
--------	---	--------	--	--	--

EMCAL Presso	16-20-26-32	TH	TH	TH
	40	-	TH	TH
EMCAL Presso Nox	15-18-22-28	M	M	M
	28	M	-	M
	35	-	-	M
EMMETI Gerpex-Fivipress Easytec	14-16-18-20-26-32	TH	TH	TH
	40	-	TH	TH
	50	-	-	TH
ESTA ROHR Simplesta	15-18-22	M	M	M
	28	M	-	M
	35	-	-	M
EUROTUBI EUROPA Pressfitting-System	12-15-18-22	M	M	M
	28	M	-	M
	35	-	-	M

FAR RUBINETTERIE Pressfar-Anschlüsse	14	TH/U	TH	H/TH/U
	16-18-20-32	TH/U	TH/U	H/TH/U
	25	TH/U	TH/U	H/TH/U
	26	TH	TH	H/TH
	40	-	TH/U	H/TH/U
	50-63	-	-	TH/U
FBQ BARONIO BQ Press Kohlenstoffstahl	15-18-22-28	V	V	V
	35-42-54	-	-	V
FBQ BARONIO BQ Press rame	12-14-15-16-18-22-28	V	V	V
	35-42-54	-	-	V
FERCOFLOOR Duo Press Ferco Pex	16-20-25-32	RF-P/TH/U	RF/TH/U	TH/U
FERCOFLOOR Duo Press Multifer	16-20-25-32	RF-P/TH/U	RF/TH/U	TH/U
	18	TH/U	TH/U	TH/U
FG INOX	15-18-22	M	M	M
	28	M	-	M
	35	-	-	M
FILTUBE Installpress	12-15-18-22	M	M	M
	28	M	-	M
	35-42-54	-	-	M
FILTUBE Installpress	15-18-22	M	M	M
	28	M	-	M
	35-42-54	-	-	M
FITTINGS ESTANDAR Eco-Press	16-20-25-32	RF-P	RF	-
FITTINGS ESTANDAR PEX-A	16-20-25-32	RF-P/U	RF/U	U
FITTINGS ESTANDAR Multicapa	16-20-25-32	RF-P/U	RF/U	U
	18	U	U	U
FORNARA SPA	16-20-26-32	TH	TH	TH
FRABO Frabopress C-Steel	15-18-22-28	V	V	V
	35-42-54	-	-	V
FRABO Frabopress H20	12-15-18-22-28	V	V	V
	35-42-54	-	-	V
FRABO Frabopress 316	15-18-22-28	V	V	V
	35-42-54	-	-	V
FRABO Multi-Brass	16-20	TH/U	TH/U	TH/U
	26-32	TH	TH	TH

ALLE MIT DEN VIRAX EINSÄTZEN UND ZANGEN KOMPATIBLEN SYSTEME

* WERKSTOFF STAHL / KOHLENSTOFFSTAHL MEHRSCHICHT / KUPFER PE-RT PEX / PB / PER / PE KUPFER MESSING / BRONZE EDELSTAHL



SYSTEM	*	Ø (mm)			
--------	---	--------	--	--	--

FRABO Multi-Plus	16-20-32	U	U	H/U
	26	-	-	H
FRÄNKISCHE Alpex Duo-Alpex L	16-20-26-32	TH	TH	TH
FRÄNKISCHE Alpex Duo XS	16-20-26-32	TH	TH	TH
FRÄNKISCHE Turatec System	16-20-26-32	TH	TH	TH
FRIATEC Friatherm Uni	16-20-26-32	-	-	H
	40	-	-	H
	50-63	-	-	TH

G

GEBERIT MAPRESS	12-15-18-22	M	M	M
	28	M	-	M
	35	-	-	M
GEBERIT MAPRESS	14-16	-	-	M
	12-15-18-22-28	M	-	M
	35	-	-	M
GEBERIT MAPRESS	42-54	-	-	M 3 ELTS
	12-15-18-22-28	M	-	M
	35	-	-	M
GEBERIT Volex	16-20	TH/U	TH/U	TH/U
	26	TH	TH	TH
GEBERIT Mepla	16-20-26-32	G	G	G
	40	-	G	G
	50	-	-	G
GENERAL FITTINGS Serie 5000	14	TH/U	TH	H/TH/U
	16-18-20-32	TH/U	TH/U	H/TH/U
	25	TH/U	TH/U	H/TH/U
	26	TH	TH	H/TH
	40	-	U	H/U
	50	-	-	TH/U
GIACOMINI RM-Anschlüsse	16-20-32	TH/U	TH/U	H/TH/U
	26	TH	TH	H/TH
	40	-	TH/U	TH/U
	50	-	-	TH/U
	63	-	-	TH
GLOBAL PIPING SYSTEM Ac-Fix Press	75-90	-	-	U
	12-16-20-25-32	RF-P/U	RF/U	H/U
GLOBAL PIPING SYSTEM Ac-Fix Press	16-18-20-25-32	RF-P/U	RF/U	H/U
	40	-	U	U
	50-60	-	-	U
GLOBAL TRADE Aqualpress System	16-20-25-32	U	U	U
GOLAN	16-18-20-25-32	U	U	U
	40	-	U	U
	50-63	-	-	U

SYSTEM	*	Ø (mm)			
--------	---	--------	--	--	--

H

HAKA GERODUR Hakathen-L	14-16-18-20-26-32	TH	TH	TH
HAMMEL ROBINETTERIE	12-14-15-16-18-22-28	V	V	V
	35-42-54	-	-	V
HAMMEL ROBINETTERIE	16-20-26-32	TH	TH	TH
HAMMEL ROBINETTERIE	12-16-20-25	RF-P	RF	H
HEIMA Press-Fittings	16-20-26-32	TH	TH	TH
	40	-	TH	TH
	50	-	-	TH
HELIROMA Klimapress	16-18-20-25-32	U	U	U
	40	-	U	U
	50-63-75	-	-	U
HELIROMA Romapress	16-20-25-32	RF-P	RF	-
HENCO – PE-Xc/AL/PE-Xc (Lati-on- oder PVDF-Anschlüsse)	14-16-18-20-26	TH	TH	TH
HENCO HPL	16-20	TH/U	TH/U	TH/H/U
	26	TH/U	TH/U	TH/U
	32	TH/U	TH/U	TH/H/U
HEROTEC Tempuss-Press	14-16-20-26-32	TH	TH	TH
	40	-	TH	TH
HERZ Pipefix	14-16-18-20-25-26-32	TH	TH	TH
	40	-	TH	TH
	50-63	-	-	TH

I

IBP CONEX/BANNINGER >B<Flex	12-16-20-25-32	RF-P	RF	H
IBP CONEX/BANNINGER >B<Flex (F5)	16-18-20-25-32	U	U	U
	40	-	U	U
	50-63-75	-	-	U
IBP CONEX/BANNINGER >B<Flex (F8)	16-20-25-32	U	U	U
IBP CONEX/BANNINGER >B<Flex (F9)	16-20-25-26-32	TH	TH	TH
IBP CONEX/BANNINGER >B<Flex (F18)	16-20-25	TH/U	TH/U	TH/H/U
	26	TH	TH	TH/H
	32	TH/U	TH/U	TH/H/U
IBP CONEX/BANNINGER >B<MaxiPro	1/4 – 3/8 – 1/2 – 5/8 – 3/4 – 7/8 – 1	R	-	R
	1.1/8 – 1.3/8"	-	-	R
	12-14-15-16-18-22-28	V	V	V
IBP CONEX/BANNINGER >B<Press	35	-	-	V
	42-54	-	-	V
	15-18-22-28	V	V	V
IBP CONEX/BANNINGER >B<Press	35	-	-	V
	42-54	-	-	V
	15-18-22-28	V	V	V
IBP CONEX/BANNINGER >B<Press	35	-	-	V
	42-54	-	-	V
	16-18-20-26-32	TH	TH	TH
IDROSANITARIA BONOMI Idropress	40	-	TH	TH
	50-63	-	-	TH
	15-18-22	M	M	M
ILTA INOX Chibro Pressfitting	28	M	-	M
	35	-	-	M
	42-54	-	-	M 3 ELTS

ALLE MIT DEN VIRAX EINSÄTZEN UND ZANGEN KOMPATIBLEN SYSTEME

* WERKSTOFF STAHL / KOHLENSTOFFSTAHL MEHRSCICHT / KUPFER PE-RT PEX / PB / PER / PE KUPFER MESSING / BRONZE EDELSTAHL



SYSTEM	*	Ø (mm)			
--------	---	--------	--	--	--

INDUSTRIAL BLANSOL Multiplex	16	U/RF-P/TH	U/RF/TH	U/H/TH
	18	U	U/RF	U/H
	20x2,5	U/RF-P	U/RF	U/H
	20x2	U/RF-P/TH	U/RF/TH	U/H/TH
	25	U/RF-P/TH	U/RF/TH	U/H/TH
	26	TH	RF/TH	H/TH
	32	U/RF-P/TH	U/RF/TH	U/H/TH
	40	-	U	U KLAMMER
INSTALPRESS Carbon steel	12-15-18-22	M	M	M
	28	M	-	M
	35	-	-	M
IPA Ipalpex	14-16-18-20-26-32	TH	TH	TH
	40	-	TH	TH
	50-63	-	-	TH
ISOLTUBEX Isolpex	16-20-25-32	RF-P	RF	-
ISOLTUBEX	16-20-25-32	RF-P/U	RF/U	U
	18	U	U	U
	63	-	-	U KETTEN
ISOTUBI Numepress	15-18-22	M	M	M
	28	M	-	M
IVAR Multi-Press	16-18-20-25-32	TH/U	TH/U	TH/H/U
	26	TH	TH	TH/H
	40	-	TH/U	TH/U
	50-63	-	-	U KETTEN
IVAR Plastic Multi-Press	16-20-32	TH/U	TH/U	TH/H/U
	25	TH/U	TH/U	TH/H/U
	26	TH	TH	TH/H

J

JANSEN AG JANSEN Comisa Ravani Prima	16-20-26-32	TH	TH	TH
	40	-	TH	TH
	50-63	-	-	TH

K

KAN Kan-Therm	16-20-25-32	TH/U	TH/U	TH/U
	26	TH	TH	TH
	40	-	TH/U	TH/U
KAN Kan-Therm LBP	16-20-25-32	TH/U	TH/U	TH/U
	26	TH	TH	TH
	40	-	TH/U	TH/U
KAN Kan-Therm	15-18-22	M	M	M
	28	M	-	M
	35-42-54	-	-	M
KAN Kan-Therm	15-18-22	M	M	M
	28	M	-	M
	35-42-54	-	-	M
KE KELIT Kelox	16-20-25-32	U	U	U
	40	-	U	U
	50-63	-	-	U
	75	-	-	U KETTE

SYSTEM	*	Ø (mm)			
--------	---	--------	--	--	--

KE KELIT Steelfix	15-18-22	M	M	M
	28	M	-	M
	35-42-54	-	-	M
KE KELIT Steelfix	15-18-22-28	M	-	M
	35-42-54	-	-	M
KME Q-Tec	14-16-20-26	TH	TH	TH
	16-20-26	HA	-	HA
KOHLER Inox Press	15-18-22	M	M	M
	28	M	-	M
	35	-	-	M

N

NICOLL Fluxo	16-20-26-32	TH	TH	TH
	40	-	TH	TH
	50-63	-	-	TH
NINGBO Press-ID	12-16-20-25-32	RF-P	RF	H
NINGBO Press-ID Carbon	15-18-22	M	M	M
	28	M	-	M
	35	-	-	M
	42-54	-	-	M 3 ELMTS
NINGBO Press-ID Edelstahl	15-18-22	M/V	M/V	M/V
	28	M/V	V	M/V
	35	-	-	M/V
	42-54	-	-	M/V
NOYON & THIEBAULT Anschluss F5	16-18-20-25-32	U	U	U
	40	-	U	U
	50-63-75	-	-	U
NOYON & THIEBAULT Anschluss F9	16-20-25-26-32	TH	TH	TH
NOYON & THIEBAULT Anschluss F17	16-20-25-32	U/TH	U/TH	U/TH/H
	26	TH	TH	TH/H
KNOCHEN & THIEBAULT Mehrlagiges Crimpen	16-20	TH/U	TH/U	H/TH/U
	26	TH	TH	TH/H
N.T.M. Winny-Al	14	TH/U	TH	TH/U
	16-18-20-25-32	TH/U	TH/U	TH/U
	26	TH	TH	TH
	40	-	TH/U	TH/U
	50	-	-	TH/U
NUPI ITALIENISCHE INDUSTRIE Multinupi	63	-	-	U
	14	U	U	U
	16-18-20-32	U/TH	U/TH	U/TH/H
	26	TH	TH	H/TH
	40	-	U	U
	50-63	-	-	U

O

OVENTROP Cofit P	16-20-26-32	HA	-	HA
	40	-	-	HA
	50	-	-	U
	63	-	-	U

ALLE MIT DEN VIRAX EINSÄTZEN UND ZANGEN KOMPATIBLEN SYSTEME

*WERKSTOFF	STAHL / KOHLENSTOFFSTAHL	MEHRSCHICHT / KUPFER PE-RT	PEX / PB / PER / PE	KUPFER	MESSING / BRONZE	EDELSTAHL
------------	--------------------------	----------------------------	---------------------	--------	------------------	-----------



SYSTEM	*	Ø (mm)			
--------	---	--------	--	--	--

P

PB TUB Sertipress		12-16-20-25	RF-P	RF	H
PB TUB Serti-steel		12-15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
		42-54	-	-	M 3 ELMTS
PB TUB Alpex Duo & Turatec		16-20-26-32	TH	TH	TH
YORKSHIRE Xpress PEGLER		12-14-15-18-22	M	M	M
		16	-	-	M
		28	M	-	M
		35	-	-	M
PEGLER YORKSHIRE Sudo Press Kupfer Visu Control		12-14-15-16-18-22-28	V	V	V
		35	-	-	V
		42-54	-	-	V
PERFILTUBO Perfialupex		16-18-20-25-32	U	U	U
		40	-	U	U
		50-63	-	-	U
PERFILTUBO PerfiPress		15-18-22	M	M	M
		28	M	-	M
		35-42-54	-	-	M
PEXTUBE Pextube		16-20-25-32	RF-P	RF	-
PIETRO RAVANI		16-18-20-26-32	TH	TH	TH
PIPELIFE Radopress		16-18-20-26-32	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH
POLYSAN Rainbow		16-18-20-25-32	U	U	U
		40	-	U	U
		50-63	-	-	U
PRANDELLI Multyrama (PF)		16-20-26-32	RF-P	-	H
		40	-	U	U
		50	-	-	U
PRANDELLI Multyrama (PFM)		16-20	RF-P/TH/U	TH/U	H/TH/U
		26	RF-P/TH	TH	H/TH
		32	RF-P/TH/U	TH/U	H/TH/U
		40	-	TH/U	TH/U
		50	-	-	TH/U
		63	-	-	U

R

RACCORDERIE METALLICHE (RM) Steelpres		15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
		42-54	-	-	M 3 ELTS
RACCORDERIE METALLICHE (RM) Inoxpres		15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
		42-54	-	-	M 3 ELTS
RBM Tita-fix		14	TH/U	TH	TH/H/U
		16-18-20	TH/U	TH/U	TH/H/U
		26	TH	TH	TH/H
		32	TH	TH	TH/H
		40	-	TH	TH
		50-63	-	-	TH
RIFENG Raccords F5		16-18-20-25-32	U	U	U
		40	-	U	U
		50-63-75	-	-	U

SYSTEM	*	Ø (mm)			
--------	---	--------	--	--	--

RIFENG Raccords F8		16-20-25-26-32	U	U	U
RIFENG Raccords F9		16-20-25-32	TH	TH	TH
RIFENG Raccords F18		16-20-25	TH/U	TH/U	TH/H/U
		26	TH	TH	TH/H
		32	TH/U	TH/U	TH/H/U
RIFENG Raccords F17		16-20-25-32	U/TH	U/TH	U/TH/H
		26	TH	TH	TH/H
RIQUIER A sertir		12-16-20-25	RF-P	RF	H
RUBINETTERIE BRESCIANE BONOMI Turbo Cu-Ni		15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
RUBINETTERIE BRESCIANE BONOMI Turbo Edelstahl		15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
RUBINETTERIE BRESCIANE BONOMI Turbo Steel		15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
RUBINETTERIE BRESCIANE BONOMI Turbo Press		14	TH/U	TH	TH/H/U
		16-18-20-32	TH/U	TH/U	TH/H/U
		26	TH	TH	TH/H
		40	-	TH	TH
		50-63	-	-	TH
RUBINETTERIE BRESCIANE BONOMI – Turbo Press LBP		16-20-26-32	TH	TH	TH
RUBINETTERIE BRESCIANE BONOMI Evenes System		16-20-26-32	TH	TH	TH
		40	-	TH	TH
		50	-	-	TH

S

SANHA Multifit-Flex		16-20-32	TH/U	TH/U	TH/U
		26	TH	TH	TH
		40	-	TH	TH
		50	-	-	TH
SANHA Pressfittings		12-14-15-16-18-22-28	V	V	V/M
		35	-	-	V/M
		42-54	-	-	V
SANHA NiroSan Press		15-18-22-28	V/M	V	V/M
		35	-	-	V/M
		42-54	-	-	V
SANHA Therm		12-15-18-22-28	V/M	V	V/M
		35	-	-	V/M
		42-54	-	-	V
SCHWER Aquapress		15-18-22	M	M	M
		28	M	-	M
		35-42-54	-	-	M
SESTA Sistema multistrato		16-20	TH/U	TH/U	H/TH/U
		18-26-32	TH	TH	TH
SOMATHERM Fixomultix (F5)		16-18-20-25-32	U	U	U
		40	-	U	U
		50-63-75	-	-	U
SOMATHERM Fixomultix (F9)		16-20-25-26-32	TH	TH	TH
SOMATHERM Fixomultix (F17)		16-20-25-32	U/TH	U/TH	U/TH/H
		26	TH	TH	TH/H
SOMATHERM Pronorm Pressfitting		12-14-16-18-22-28	V	V	V
		35	-	-	V

ALLE MIT DEN VIRAX EINSÄTZEN UND ZANGEN KOMPATIBLEN SYSTEME

* WERKSTOFF STAHL / KOHLENSTOFFSTAHL MEHRSCHICHT / KUPFER PE-RT PEX / PB / PER / PE KUPFER MESSING / BRONZE EDELSTAHL



SYSTEM	*	Ø (mm)			
--------	---	--------	--	--	--

SOMATHERM Soma multi (Duofil)		16-20-32	RF-P/U	RF/U	U
SOMATHERM Somapress		12	RF-P	RF	H
		16-20-25-32	RF-P/U	RF/U	H/U
STPC Sopalpe Fit		16-20-26	TH	TH	TH
STELBI Polikraft		14-16-18-20-26-32	TH	TH	TH
		40	-	TH	TH
		50	-	-	TH
SYSTEM Woprex		14-16-20-26-32	HA	-	HA

T

TERMALINE Termiplex		16-20-32	TH/U	TH/U	TH/U
		26	TH	TH	TH
THERMADOR		14-16	V	V	V/M
		12-15-18-22-28	V/M	V	V/M
		35	-	-	V/M
		42-54	-	-	V
TIEMME Cobra-Pex Serie 1700		16-20-25-32	RF-P	RF	-
TIEMME Cobrapress		14-16-18-20-25-26-32	TH	TH	TH
		40	-	TH	TH
		50	-	-	TH
		63-75	-	-	TH
TRA Multitrapress		16-20-25-32	U	U	U
		40	-	U	U
		50-63	-	-	U
TRA Trapress		12-16-20-25-32	RF-P	RF	H
TWEETOP		16-18-20-25-32	U	U	U
		40	-	U	U
		50-63-75	-	-	U

U

UNICAL Max Multiplex		16-20-32	U	U	U
		26	-	-	H
UNIDELTA Deltall		16-20-32	TH/U	TH/U	TH/H/U
		26	TH	TH	TH/H
		40	-	TH/U	TH/H/U
		50-63	-	-	TH/U
UPONOR Mehrschichtsystem		16-20-25-32	U	U	U
		40	-	U	U
		50	-	-	U
		63-75-90-110	-	-	U KETTEN

V

VALSIR Bravopress PPSU		16-20	TH/U	TH/U	H/TH/U
		26	TH	TH	H/TH
		32	TH/U	TH/U	H/TH/U
		40-50-63	-	TH/U	TH/U
VALSIR Messingfittings		14	-	-	H
		16-20	TH/U	TH/U	H/TH/U
		26	TH	TH	H/TH
		32	TH/U	TH/U	H/TH/U
		40	-	TH/U	TH/U
		50-63	-	-	TH/U
		75	-	-	U
		90	-	-	U

SYSTEM	*	Ø (mm)			
--------	---	--------	--	--	--

VAN MARCKE Tubipex		16-18-20-26-32	TH	TH	TH
VAN MARCKE Tubipex		16-20-26-32	TH	TH	TH
		40-50-63-75	-	-	TH
VIEGA Prestabo		12-15-18-22-28	V	V	V
		35-42-54	-	-	V
VIEGA Profipress		12-14-15-16-18-22-28	V	V	V
		35-42-54	-	-	V
VIEGA Sanpress		12-14-15-16-18-22-28	V	V	V
		35-42-54	-	-	V
VIEGA Sanpress Inox		15-18-22-28	V	V	V
		35-42-54	-	-	V
VSH Skinpress		14-16-18-20-26-32	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH
VSH Sudopress		12-15-18-22-28	V	V	V
		35-42-54	-	-	V
VSH Xpress		12-15-18-22	M	M	M
		28	M	-	M
		35-42-54	-	-	M
VSH Xpress		12-15-18-22	M	M	M
		28	M	-	M
		35-42-54	-	-	M
VSH Xpress		12-15-18-22	M	M	M
		28	M	-	M
		35-42-54	-	-	M

W

WAVIN Tigris M1		16-20-25-32	U	U	U
		40	-	U	U
		50-63	-	-	U
WAVIN Tigris M5		16-20-25-32-40	H/TH/U	H/TH/U	H/TH/U
WIEDLAND Cuprotherm CTX		14-16-20	TH	TH	TH

Z

ZETAESSE Europex Isolex		14	TH/U	TH	TH/U
		16-20	TH/U	TH/U	TH/U
		26-32	TH	TH	TH
ZETAESSE HydroSan / ThermoSan		14	TH/U	TH	TH/U
		16-20	TH/U	TH/U	TH/U
ZEWOHERM		14-16-20-26-32	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH