

ALL SYSTEMS COMPATIBLE WITH VIRAX JAWS AND INSERTS



* MATERIAL	STEEL / CARBON STEEL	MULTI-LAYER / PE-RT COPPER	PEX / PB / PER / PE	COPPER	BRASS / BRONZE	STAINLESS STEEL
------------	----------------------	----------------------------	---------------------	--------	----------------	-----------------

SYSTEM	*	Ø (mm)			
--------	---	--------	--	--	--

A					
ACOME Acome MT		12-16-20-25	RF-P	RF	H
		16-20-32	TH/U	TH/U	TH/H/U
ACOME - Acopex Alu		26	TH/	TH	TH/H/U
		40-50-63	-	-	TH/H/U
AC-FIX Press		12-16-20-25-32	RF-P/U	RF/U	H/U
AC-FIX Press Multi		16-18-20-25-32	RF-P/U	RF/U	H/U
		40	-	U	U
		50-60	-	-	U
AHLSELL A-Press elforzinkad		12-15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
		42-54	-	-	M
AHLSELL A-Press koppar		12-15-18-22-28	V	V	V
		35-42-54	-	-	V
AHLSELL A-Press rostfritt		12-15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
		42-54	-	-	M
AIRBEL Pressclim		12-15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
		42-54	-	-	M
AIRBEL Sertinox		15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
		42-54	-	-	M 3 ELTS
ALB Sistema Multicapa		14-16-18-20-32	TH/U	TH/U	H/TH/U
		26	TH	TH	H/TH
ANQUIER Aser		12-16-20-25	RF-P	RF	H
APE RACCORDERIE Raccordi a pressare		16-20	TH/U	TH/U	TH/H/U
		18	TH	TH	TH
		26-32	TH	TH	TH/H
		40	-	U	U
		50-63	-	-	U
ATLAS COPCO Airnet		15	M	M	M
		28	M	-	M
		35	-	-	M
		42-54-76.1-88.9-107	-	-	M

SYSTEM	*	Ø (mm)			
--------	---	--------	--	--	--

B					
BAMPI Balpex		14-16-18-20-26-32	TH	TH	TH
		40	-	TH	TH
		50	-	-	TH
BARBI Easypress		12-16-20-25-32	RF-P/U	RF/U	H/U
BARBI Multipex		16-20 x 2.0-25-26-32	RF-P/U/TH	RF/U/TH	TH/H/U
		18 - 20 x 2.5	U/RF-P	U/RF	H/U
		40	-	U	U
		50-63	-	-	U
BRASELLI Pressfitting PE-X		16-20-25-32	RF-P	RF	-
BRASELLI Pressfitting Multicapa		16-18-20-25-32	U	U	U
		40	-	U	U
		50	-	-	U
BRASS & FITTING RetiPRESS		16-32	RF-P	-	-
BRASS & FITTING MultiPRESS		16-32	U	U	U
		40-50-63	-	-	U
BROEN Ballofix Press		15-18-22	M/V	V	M/V
BROSSETTE Eurobasic		12-16-20-25	RF-P	RF	H
BUCCHI tech MP		14-16-20-26-32	TH	TH	TH

C

CEDEO Altech (Comap)		12-16-20-25	RF-P	RF	H
CEDEO Altech (IBP B Press)		12-14-15-16-18-22-28	V	V	V
		35-42-54	-	-	V
COES Coesklima		14	U	-	U
		16-18-20-25-32	U	U	U
COES Coesklima (K-Fit)		40	-	U	U
		50	-	-	U
		63-75	-	-	U CHAINS
COMAP PexPress		12-16-20-25	RF-P	RF	H
COMAP SkinPress		14-16-18-20-26-32	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH
COMAP Multiskin		16-20-26-32	TH/U	TH/U	TH/H/U
		40	-	TH/U	TH/U
		50-63	-	-	TH/U
COMAP Sudopress Cu		12-14-15-16-18-22-28	V	V	V
		35-42-54	-	-	V
COMAP XPress		12-15-18-22	M	-	M
		28	M	-	M
		35-42-54	-	-	M
COMAP XPress		15-18-22	M	M	M
		28	M	-	M
		35-42-54	-	-	M
COMISA Evo Press		14-16-18-20-26-32	TH	TH	H/TH
		25	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH
COMPTOIR DE PICARDIE Multiquick		16-20	U/TH	U/TH	U/TH
		26	TH	TH	TH
COMPTOIR DE PICARDIE Quick plomberie		16-20	TH/U	TH/U	H/TH/U
		26	TH	TH	TH/H
CONEL Connect Multi		16-20-32	TH/U	TH/U	TH/H/U
		26	TH	TH	TH/H

ALL SYSTEMS COMPATIBLE WITH VIRAX JAWS AND INSERTS



* MATERIAL	STEEL / CARBON STEEL	MULTI-LAYER / PE-RT COPPER	PEX / PB / PER / PE	COPPER	BRASS / BRONZE	STAINLESS STEEL
------------	----------------------	----------------------------	---------------------	--------	----------------	-----------------

SYSTEM	*	Ø (mm)			
--------	---	--------	--	--	--

CORUS Forcas	28	M	M	M
	35	-	-	M

D

DALPEX Laser multi Dalpex	14-16-18-20-26-32	TH	TH	TH
	40	-	TH	TH
	50-63	-	-	TH
DIWA Flex Systems	14-16-18-20-26-32	TH	TH	TH
	40	-	TH	TH
DUOFIL Maximetal	16-20-32	RF-P/U	RF/U	U
	16-20-25-32	U	U	U
DW VERBUNDROHR Multitubo	40	-	U	U
	50	-	-	U
	63-75	-	-	U CHAINS

E

EBRILLE Monflex	16-18-20-25-32	U	U	U
	40	-	U	U
	50-63-75	-	-	U
EBRILLE Monflex (F5)	16-18-20-25-32	U	U	U
	40	-	U	U
	50-63-75	-	-	U
EBRILLE Monflex (F8)	16-20-25-26-32	U	U	U
EBRILLE Monflex (F9)	16-20-25-26-32	TH	TH	TH
EBRILLE Monflex (F18)	16-20-25	TH/U	TH/U	TH/H/U
	26	TH	TH	TH/H
	32	TH/U	TH/U	TH/H/U
EFFEBI Prestige	15-18-22-28	M/V	V	M/V
	35	-	-	M/V
EFFEBI ToF Multipinza	16-18-20-32	TH/U	TH/U	TH/H/U
	25	TH/U	TH/U	TH/H/U
	26	TH	TH	TH/H
EFFEBI Press Carbon	12-15-18-22-28	M	M	M
	28	M	-	M
	35	-	-	M
	42-54	-	-	M 3 ELTS
EFFEBI Press Inox	12-15-18-22-28	M	M	M
	28	M	-	M
	35	-	-	M
	42-54	-	-	M 3 ELTS
EMCAL C-Stahl	15-18-22	M	M	M
	28	M	-	M
	35	-	-	M
EMCAL Perfect Aqua	16-20-25-32	U	U	U
	40	-	U	U
	50	-	-	U
	63	-	-	U CHAINS
EMCAL Presso	16-20-26-32	TH	TH	TH
	40	-	TH	TH
EMCAL Presso Nox	15-18-22-28	M	M	M
	28	M	-	M
	35	-	-	M

SYSTEM	*	Ø (mm)			
--------	---	--------	--	--	--

EMMETI Gerpex-Fivpress Easytec	14-16-18-20-26-32	TH	TH	TH
	40	-	TH	TH
	50	-	-	TH
ESTA ROHR Simplesta	15-18-22	M	M	M
	28	M	-	M
	35	-	-	M
EUROTUBI EUROPA Pressfitting System	12-15-18-22	M	M	M
	28	M	-	M
	35	-	-	M

F

FAR RUBINETTERIE Raccordi Pressfar	14	TH/U	TH	H/TH/U
	16-18-20-32	TH/U	TH/U	H/TH/U
	25	TH/U	TH/U	H/TH/U
	26	TH	TH	H/TH
	40	-	TH/U	H/TH/U
FBQ BARONIO BQ Press carbon steel	15-18-22-28	V	V	V
	35-42-54	-	-	V
FBQ BARONIO BQ press rame	12-14-15-16-18-22-28	V	V	V
	35-42-54	-	-	V
FERCOFLOOR Duo Press Ferco Pex	16-20-25-32	RF-P/TH/U	RF/TH/U	TH/U
FERCOFLOOR Duo Press Multifir	16-20-25-32	RF-P/TH/U	RF/TH/U	TH/U
	18	TH/U	TH/U	TH/U
FG INOX	15-18-22	M	M	M
	28	M	-	M
	35	-	-	M
FILTUBE Installpress	12-15-18-22	M	M	M
	28	M	-	M
	35-42-54	-	-	M
FILTUBE Installpress	15-18-22	M	M	M
	28	M	-	M
	35-42-54	-	-	M
FITTINGS ESTANDAR Eco-Press	16-20-25-32	RF-P	RF	-
	16-20-25-32	RF-P/U	RF/U	U
FITTINGS ESTANDAR Multicapa	16-20-25-32	RF-P/U	RF/U	U
	18	U	U	U
FORNARA SPA	16-20-26-32	TH	TH	TH
FRABO Frabopress C-Steel	15-18-22-28	V	V	V
	35-42-54	-	-	V
FRABO Frabopress H20	12-15-18-22-28	V	V	V
	35-42-54	-	-	V
FRABO Frabopress 316	15-18-22-28	V	V	V
	35-42-54	-	-	V
FRABO Multi-Brass	16-20	TH/U	TH/U	TH/U
	26-32	TH	TH	TH
FRABO Multi-Plus	16-20-32	U	U	H/U
	26	-	-	H
FRANKISCHE Alpex Duo-Alpex L	16-20-26-32	TH	TH	TH
FRANKISCHE Alpex Duo XS	16-20-26-32	TH	TH	TH



ALL SYSTEMS COMPATIBLE WITH VIRAX JAWS AND INSERTS



* MATERIAL	STEEL / CARBON STEEL	MULTI-LAYER / PE-RT COPPER	PEX / PB / PER / PE	COPPER	BRASS / BRONZE	STAINLESS STEEL
------------	----------------------	----------------------------	---------------------	--------	----------------	-----------------

SYSTEM	*	Ø (mm)			
--------	---	--------	--	--	--

FRANKISCHE Turatec System		16-20-26-32	TH	TH	TH
FRIATEC Friatherm Uni		16-20-26-32	-	-	H
		40	-	-	H
		50-63	-	-	TH

G

GEBERIT MAPRESS		12-15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
GEBERIT MAPRESS		14-16	-	-	M
		12-15-18-22-28	M	-	M
		35	-	-	M
GEBERIT MAPRESS		42-54	-	-	M 3 ELTS
		12-15-18-22-28	M	-	M
		35	-	-	M
GEBERIT Volex		16-20	TH/U	TH/U	TH/U
		26	TH	TH	TH
GEBERIT Mepla		16-20-26-32	G	G	G
		40	-	G	G
		50	-	-	G
GENERAL FITTINGS Series 5000		14	TH/U	TH	H/TH/U
		16-18-20-32	TH/U	TH/U	H/TH/U
		25	TH/U	TH/U	H/TH/U
		26	TH	TH	H/TH
		40	-	U	H/U
GIACOMINI Raccords RM		50	-	-	TH/U
		63	-	-	TH
		75-90	-	-	U
		16-20-32	TH/U	TH/U	H/TH/U
		26	TH	TH	H/TH
GLOBAL PIPING SYSTEM Ac-Fix Press		40	-	U	U
		50-60	-	-	U
GALE TRADE Aqualpress System		16-20-25-32	U	U	U
GOLAN		16-18-20-25-32	U	U	U
		40	-	U	U
		50-63	-	-	U

H

HAKA GERODUR Hakathen-L		14-16-18-20-26-32	TH	TH	TH
HAMMEL ROBINETTERIE		12-14-15-16-18-22-28	V	V	V
		35-42-54	-	-	V
HAMMEL ROBINETTERIE		16-20-26-32	TH	TH	TH
HAMMEL ROBINETTERIE		12-16-20-25	RF-P	RF	H
HEIMA Press-Fittings		16-20-26-32	TH	TH	TH
		40	-	TH	TH
		50	-	-	TH

SYSTEM	*	Ø (mm)			
--------	---	--------	--	--	--

HELIROMA Klimapress		16-18-20-25-32	U	U	U
		40	-	U	U
		50-63-75	-	-	U
HELIROMA Romapress		16-20-25-32	RF-P	RF	-
HENCO - PE-Xc/AL/Pe-Xc (Brass or PVDF connectors)		14-16-18-20-26	TH	TH	TH
HENCO HPL		16-20	TH/U	TH/U	TH/H/U
		26	TH/U	TH/U	TH/U
		32	TH/U	TH/U	TH/H/U
HEROTEC Tempuss-press		14-16-20-26-32	TH	TH	TH
		40	-	TH	TH
HERZ Pipefix		14-16-18-20-25-26-32	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH

I

IBP CONEX/BANNINGER >B<Flex		12-16-20-25-32	RF-P	RF	H
IBP CONEX/BANNINGER >B<Flex (F5)		16-18-20-25-32	U	U	U
		40	-	U	U
		50-63-75	-	-	U
IBP CONEX/BANNINGER >B<Flex (F8)		16-20-25-32	U	U	U
IBP CONEX/BANNINGER >B<Flex (F9)		16-20-25-26-32	TH	TH	TH
IBP CONEX/BANNINGER >B<Flex (F18)		16-20-25	TH/U	TH/U	TH/H/U
		26	TH	TH	TH/H
		32	TH/U	TH/U	TH/H/U
IBP CONEX/BANNINGER >B<MaxiPro		1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1	R	-	R
		1.1/8 - 1.3/8"	-	-	R
IBP CONEX/BANNINGER >B<Press		12-14-15-16-18-22-28	V	V	V
		35	-	-	V
		42-54	-	-	V
IBP CONEX/BANNINGER >B<Press		15-18-22-28	V	V	V
		35	-	-	V
		42-54	-	-	V
IBP CONEX/BANNINGER >B<Press		15-18-22-28	V	V	V
		35	-	-	V
		42-54	-	-	V
IDROSANITARIA BONOMI Idropress		16-18-20-26-32	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH
ILTA INOX Chibro Pressfitting		15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
		42-54	-	-	M 3 ELTS
INDUSTRIAL BLANSOL Multipex		16	U/RF-P/TH	U/RF/TH	U/H/TH
		18	U	U/RF	U/H
		20x2.5	U/RF-P	U/RF	U/H
		20x2	U/RF-P/TH	U/RF/TH	U/H/TH
		25	U/RF-P/TH	U/RF/TH	U/H/TH
		26	TH	RF/TH	H/TH
		32	U/RF-P/TH	U/RF/TH	U/H/TH
		40	-	U	U CLAMP
		50-63	-	-	U CLAMP

ALL SYSTEMS COMPATIBLE WITH VIRAX JAWS AND INSERTS



* MATERIAL	STEEL / CARBON STEEL	MULTI-LAYER / PE-RT COPPER	PEX / PB / PER / PE	COPPER	BRASS / BRONZE	STAINLESS STEEL
------------	----------------------	----------------------------	---------------------	--------	----------------	-----------------

SYSTEM	*	Ø (mm)			
--------	---	--------	--	--	--

INSTALPRESS Carbon Steel	12-15-18-22	M	M	M
	28	M	-	M
	35	-	-	M
IPA Ipalpex	14-16-18-20-26-32	TH	TH	TH
	40	-	TH	TH
	50-63	-	-	TH
ISOLTUBEX Isolpex	16-20-25-32	RF-P	RF	-
ISOLTUBEX	16-20-25-32	RF-P/U	RF/U	U
	18	U	U	U
	63	-	-	U CHAINS
ISOTUBI Numeppress	15-18-22	M	M	M
	28	M	-	M
	16-18-20-25-32	TH/U	TH/U	TH/H/U
IVAR Multi-Press	26	TH	TH	TH/H
	40	-	TH/U	TH/U
	50-63	-	-	U CHAINS
	16-20-32	TH/U	TH/U	TH/H/U
IVAR Plastic-Multi-Press	25	TH/U	TH/U	TH/H/U
	26	TH	TH	TH/H

J

JANSEN AG Jansen Comisa Ravani Prima	16-20-26-32	TH	TH	TH
	40	-	TH	TH
	50-63	-	-	TH

K

KAN Kan-Therm	16-20-25-32	TH/U	TH/U	TH/U
	26	TH	TH	TH
	40	-	TH/U	TH/U
KAN Kan-Therm LBP	16-20-25-32	TH/U	TH/U	TH/U
	26	TH	TH	TH
	40	-	TH/U	TH/U
KAN Kan-Therm	15-18-22	M	M	M
	28	M	-	M
	35-42-54	-	-	M
KAN Kan-Therm	15-18-22	M	M	M
	28	M	-	M
	35-42-54	-	-	M
	16-20-25-32	U	U	U
KE KELIT Kelox	40	-	U	U
	50-63	-	-	U
	75	-	-	U CHAIN
	15-18-22	M	M	M
KE KELIT Steelfix	28	M	-	M
	35-42-54	-	-	M
	15-18-22-28	M	-	M
KE KELIT Steelfix	35-42-54	-	-	M
	14-16-20-26	TH	TH	TH
KME Q-tec	16-20-26	HA	-	HA
	15-18-22	M	M	M
KOHLER Inox Pres	28	M	-	M
	35	-	-	M

SYSTEM	*	Ø (mm)			
--------	---	--------	--	--	--

N

NICOLL Fluxo	16-20-26-32	TH	TH	TH
	40	-	TH	TH
	50-63	-	-	TH
NINGBO Press-ID	12-16-20-25-32	RF-P	RF	H
NINGBO Press-ID Carbon	15-18-22	M	M	M
	28	M	-	M
	35	-	-	M
	42-54	-	-	M 3 ELMTS
NINGBO Press-ID Inox	15-18-22	M/V	M/V	M/V
	28	M/V	V	M/V
	35	-	-	M/V
	42-54	-	-	M/V
NOYON & THIEBAULT Raccord F5	16-18-20-25-32	U	U	U
	40	-	U	U
	50-63-75	-	-	U
NOYON & THIEBAULT Raccord F9	16-20-25-26-32	TH	TH	TH
NOYON & THIEBAULT Raccord F17	16-20-25-32	U/TH	U/TH	U/TH/H
	26	TH	TH	TH/H
NOYON & THIEBAULT Multicouche à sertir	16-20	TH/U	TH/U	H/TH/U
	26	TH	TH	TH/H
	14	TH/U	TH	TH/U
N.T.M. Winny-Al	16-18-20-25-32	TH/U	TH/U	TH/U
	26	TH	TH	TH
	40	-	TH/U	TH/U
	50	-	-	TH/U
	63	-	-	U
NUPI INDUSTRIE ITALIANE Multinupi	14	U	U	U
	16-18-20-32	U/TH	U/TH	U/TH/H
	26	TH	TH	H/TH
	40	-	U	U
	50-63	-	-	U

O

OVENTROP Cofit P	16-20-26-32	HA	-	HA
	40	-	-	HA
	50	-	-	U
	63	-	-	U

P

PB TUB Sertipress	12-16-20-25	RF-P	RF	H
PB TUB Serti-Steel	12-15-18-22	M	M	M
	28	M	-	M
	35	-	-	M
	42-54	-	-	M 3 ELMTS
PB TUB Alpex duo & Turatec	16-20-26-32	TH	TH	TH
PEGLER YORKSHIRE Xpress	12-14-15-18-22	M	M	M
	16	-	-	M
	28	M	-	M
	35	-	-	M
PEGLER YORKSHIRE Sudo Press cuivre visu control	12-14-15-16-18-22-28	V	V	V
	35	-	-	V
	42-54	-	-	V

ALL SYSTEMS COMPATIBLE WITH VIRAX JAWS AND INSERTS



* MATERIAL	STEEL / CARBON STEEL	MULTI-LAYER / PE-RT COPPER	PEX / PB / PER / PE	COPPER	BRASS / BRONZE	STAINLESS STEEL
------------	----------------------	----------------------------	---------------------	--------	----------------	-----------------

SYSTEM	*	Ø (mm)			
--------	---	--------	--	--	--

PERFILTUBO Perfilupex	16-18-20-25-32	U	U	U
	40	-	U	U
	50-63	-	-	U
PERFILTUBO PerfiPress	15-18-22	M	M	M
	28	M	-	M
	35-42-54	-	-	M
PEXTUBE Pextube	16-20-25-32	RF-P	RF	-
PIETRO RAVANI	16-18-20-26-32	TH	TH	TH
PIPELIFE Radopress	16-18-20-26-32	TH	TH	TH
	40	-	TH	TH
	50-63	-	-	TH
POLYSAN Rainbow	16-18-20-25-32	U	U	U
	40	-	U	U
	50-63	-	-	U
PRANDELLI Multyrama (PF)	16-20-26-32	-	-	H
	40	-	U	U
	50	-	-	U
PRANDELLI Multyrama (PFM)	16-20	TH/U	TH/U	H/TH/U
	26	TH	TH	H/TH
	32	TH/U	TH/U	H/TH/U
	40	-	TH/U	TH/U
	50	-	-	TH/U
	63	-	-	U

R

RACCORDERIE METALLICHE (RM) Steelpres	15-18-22	M	M	M
	28	M	-	M
	35	-	-	M
	42-54	-	-	M 3 ELTS
RACCORDERIE METALLICHE (RM) Inoxpres	15-18-22	M	M	M
	28	M	-	M
	35	-	-	M
	42-54	-	-	M 3 ELTS
RBM Tita-fix	14	TH/U	TH	TH/H/U
	16-18-20	TH/U	TH/U	TH/H/U
	26	TH	TH	TH/H
	32	TH	TH	TH/H
	40	-	TH	TH
	50-63	-	-	TH
RIFENG Raccords F5	16-18-20-25-32	U	U	U
	40	-	U	U
	50-63-75	-	-	U
RIFENG Raccords F8	16-20-25-26-32	U	U	U
RIFENG Raccords F9	16-20-25-32	TH	TH	TH
RIFENG Raccords F18	16-20-25	TH/U	TH/U	TH/H/U
	26	TH	TH	TH/H
	32	TH/U	TH/U	TH/H/U
RIFENG Raccords F17	16-20-25-32	U/TH	U/TH	U/TH/H
	26	TH	TH	TH/H
RIQUIER A sertir	12-16-20-25	RF-P	RF	H
RUBINETTERIE BRESCIANE BONOMI Turbo Cu-Ni	15-18-22	M	M	M
	28	M	-	M
	35	-	-	M

SYSTEM	*	Ø (mm)			
--------	---	--------	--	--	--

RUBINETTERIE BRESCIANE BONOMI Turbo inox	15-18-22	M	M	M
	28	M	-	M
	35	-	-	M
RUBINETTERIE BRESCIANE BONOMI Turbo Steel	15-18-22	M	M	M
	28	M	-	M
	35	-	-	M
RUBINETTERIE BRESCIANE BONOMI Turbo Press	14	TH/U	TH	TH/H/U
	16-18-20-32	TH/U	TH/U	TH/H/U
	26	TH	TH	TH/H
	40	-	TH	TH
	50-63	-	-	TH
RUBINETTERIE BRESCIANE BONOMI - Turbo Press LBP	16-20-26-32	TH	TH	TH
RUBINETTERIE BRESCIANE BONOMI Evenes System	16-20-26-32	TH	TH	TH
	40	-	TH	TH
	50	-	-	TH

S

SANHA Multifit-Flex	16-20-32	TH/U	TH/U	TH/U
	26	TH	TH	TH
	40	-	TH	TH
	50	-	-	TH
SANHA Pressfittings	12-14-15-16-18-22-28	V	V	V/M
	35	-	-	V/M
	42-54	-	-	V
SANHA NiroSan Press	15-18-22-28	V/M	V	V/M
	35	-	-	V/M
	42-54	-	-	V
SANHA Therm	12-15-18-22-28	V/M	V	V/M
	35	-	-	V/M
	42-54	-	-	V
SCHWER Aquapress	15-18-22	M	M	M
	28	M	-	M
	35-42-54	-	-	M
SESTA Sistema multistrato	16-20	TH/U	TH/U	H/TH/U
	18-26-32	TH	TH	TH
SOMATHERM Fixomultix (F5)	16-18-20-25-32	U	U	U
	40	-	U	U
	50-63-75	-	-	U
SOMATHERM Fixomultix (F9)	16-20-25-26-32	TH	TH	TH
SOMATHERM Fixomultix (F17)	16-20-25-32	U/TH/	U/TH	U/TH/H
	26	TH	TH	TH/H
SOMATHERM Pronorm Pressfitting	12-14-16-18-22-28	V	V	V
	35	-	-	V
SOMATHERM Soma multi (duofil)	16-20-32	RF-P/U	RF/U	U
SOMATHERM Somapress	12	RF-P	RF	H
	16-20-25-32	RF-P/U	RF/U	H/U
STPC Sopalpe Fit	16-20-26	TH	TH	TH
STELBI Polikraft	14-16-18-20-26-32	TH	TH	TH
	40	-	TH	TH
	50	-	-	TH
SYSTEM Woprex	14-16-20-26-32	HA	-	HA

ALL SYSTEMS COMPATIBLE WITH VIRAX JAWS AND INSERTS



* MATERIAL	STEEL / CARBON STEEL	MULTI-LAYER / PE-RT COPPER	PEX / PB / PER / PE	COPPER	BRASS / BRONZE	STAINLESS STEEL
------------	----------------------	----------------------------	---------------------	--------	----------------	-----------------

SYSTEM	*	Ø (mm)			
--------	---	--------	--	--	--

T

TERMICALINE Termiplex	16-20-32	TH/U	TH/U	TH/U
	26	TH	TH	TH
THERMADOR	14-16	V	V	VM
	12-15-18-22-28	VM	V	VM
	35	-	-	VM
	42-54	-	-	V
TIEMME Cobra-Pex series 1700	16-20-25-32	RF-P	RF	-
TIEMME Cobrapress	14-16-18-20-25-26-32	TH	TH	TH
	40	-	TH	TH
	50	-	-	TH
	63-75	-	-	TH
TRA Multitrapress	16-20-25-32	U	U	U
	40	-	U	U
	50-63	-	-	U
TRA Trapress	12-16-20-25-32	RF-P	RF	H
TWEETOP	16-18-20-25-32	U	U	U
	40	-	U	U
	50-63-75	-	-	U

U

UNICAL Max Multiplex	16-20-32	U	U	U
	26	-	-	H
UNIDELTA Deltall	16-20-32	TH/U	TH/U	TH/H/U
	26	TH	TH	TH/H
	40	-	TH/U	TH/H/U
	50-63	-	-	TH/U
UPONOR Système Multicouche	16-20-25-32	U	U	U
	40	-	U	U
	50	-	-	U
	63-75-90-110	-	-	U CHAINS

V

VALSIR Bravopress PPSU	16-20	/TH/U	TH/U	H/TH/U
	26	/TH	TH	H/TH
	32	/TH/U	TH/U	H/TH/U
	40-50-63	-	TH/U	TH/U
VALSIR Brass connectors	14	-	-	H
	16-20	/TH/U	TH/U	H/TH/U
	26	/TH	TH	H/TH
	32	/TH/U	TH/U	H/TH/U
	40	-	TH/U	TH/U
	50-63	-	-	TH/U
	75	-	-	U
90	-	-	U	
VAN MARCKE Tubipex	16-18-20-26-32	TH	TH	TH
VAN MARCKE Tubipex	16-20-26-32	TH	TH	TH
	40-50-63-75	-	-	TH
VIEGA Prestabo	12-15-18-22-28	V	V	V
	35-42-54	-	-	V
VIEGA Profipress	12-14-15-16-18-22-28	V	V	V
	35-42-54	-	-	V

SYSTEM	*	Ø (mm)			
--------	---	--------	--	--	--

VIEGA Sanpress	12-14-15-16-18-22-28	V	V	V
	35-42-54	-	-	V
VIEGA Sanpress inox	15-18-22-28	V	V	V
	35-42-54	-	-	V
VSH Skinpress	14-16-18-20-26-32	TH	TH	TH
	40	-	TH	TH
	50-63	-	-	TH
VSH Sudopress	12-15-18-22-28	V	V	V
	35-42-54	-	-	V
VSH Xpress	12-15-18-22	M	M	M
	28	M	-	M
	35-42-54	-	-	M
VSH Xpress	12-15-18-22	M	M	M
	28	M	-	M
	35-42-54	-	-	M
VSH Xpress	12-15-18-22	M	M	M
	28	M	-	M
	35-42-54	-	-	M

W

WAVIN Tigris M1	16-20-25-32	U	U	U
	40	-	U	U
	50-63	-	-	U
WAVIN Tigris M5	16-20-25-32-40	H/TH/U	H/TH/U	H/TH/U
WIEDLAND Cuprotherm CTX	14-16-20	TH	TH	TH

Z

ZETAESSE Europex Isolex	14	TH/U	TH	TH/U
	16-20	TH/U	TH/U	TH/U
	26-32	TH	TH	TH
ZETAESSE HydroSan / ThermoSan	14	TH/U	TH	TH/U
	16-20	TH/U	TH/U	TH/U
ZEWOThERM	14-16-20-26-32	TH	TH	TH
	40	-	TH	TH
	50-63	-	-	TH