

CONJUNTO DE LOS SISTEMAS COMPATIBLES CON LAS INSERCIONES Y PINZAS VIRAX

* MATERIAL ACERO / ACERO AL CARBONO MULTICAPAS / COBRE PE-RT PEX / PB / PER / PE COBRE LATÓN / BRONCE INOXIDABLE



SISTEMA	*	Ø mm			
---------	---	------	--	--	--

A					
ACOME Acome MT		12-16-20-25	RF-P	RF	H
ACOME - Acopex Alu		16-20-32	TH/U	TH/U	TH/H/U
		26	TH	TH	TH/H/U
		40-50-63	-	-	TH/H/U
AC-FIX Press		12-16-20-25-32	RF-P/U	RF/U	H/U
AC-FIX Multi Press		16-18-20-25-32	RF-P/U	RF/U	H/U
		40	-	U	U
		50-60	-	-	U
AHLSELL A-press elforzinkad		12-15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
		42-54	-	-	M
AHLSELL A-Press koppar		12-15-18-22-28	V	V	V
		35-42-54	-	-	V
AHLSELL A-Press rostfritt		12-15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
		42-54	-	-	M
AIRBEL Pressclim		12-15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
		42-54	-	-	M
AIRBEL Sertinox		15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
		42-54	-	-	M 3 ELTS
ALB Sistema multicapa		14-16-18-20-32	TH/U	TH/U	H/TH/U
		26	TH	TH	H/TH
ANQUIER Aser		12-16-20-25	RF-P	RF	H
APE RACCORDERIE Raccordi a pressare		16-20	TH/U	TH/U	TH/H/U
		18	TH	TH	TH
		26-32	TH	TH	TH/H
		40	-	U	U
		50-63	-	-	U
ATLAS COPCO Airnet		15	M	M	M
		28	M	-	M
		35	-	-	M
		42-54-76,1-88,9-107	-	-	M

B

SISTEMA	*	Ø mm			
---------	---	------	--	--	--

BAMPI Balpex		14-16-18-20-26-32	TH	TH	TH
		40	-	TH	TH
		50	-	-	TH
BARBI Easypress		12-16-20-25-32	RF-P/U	RF/U	H/U
BARBI Multiplex		16-20 x 2,0-25-26-32	RF-P/U/TH	RF/U/TH	TH/H/U
		18-20 x 2,5	U/RF-P	U/RF	H/U
		40	-	U	U
		50-63	-	-	U
BRASELLI Pressfitting PE-X		16-20-25-32	RF-P	RF	-
BRASELLI Pressfitting Multicapa		16-18-20-25-32	U	U	U
		40	-	U	U
		50	-	-	U
BRASS & FITTING RetiPRESS		16-32	RF-P	-	-
BRASS & FITTING MultiPRESS		16-32	U	U	U
		40-50-63	-	-	U
BROEN Ballofix Pres		15-18-22	M/V	V	M/V
BROSSETTE Eurobasic		12-16-20-25	RF-P	RF	H
BUCCHI tech MP		14-16-20-26-32	TH	TH	TH

C

CEDEO Altech (Comap)		12-16-20-25	RF-P	RF	H
CEDEO Altech (IBP B Press)		12-14-15-16-18-22-28	V	V	V
		35-42-54	-	-	V
COES Coesklima		14	U	-	U
		16-18-20-25-32	U	U	U
COES Coesklima (K-Fit)		40	-	U	U
		50	-	-	U
		63-75	-	-	U CHAINES
COMAP PexPress		12-16-20-25	RF-P	RF	H
COMAP SkinPress		14-16-18-20-26-32	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH
COMAP Multiskin		16-20-26-32	TH/U	TH/U	TH/H/U
		40	-	TH/U	TH/U
		50-63	-	-	TH/U
COMAPSudoPress Cu		12-14-15-16-18-22-28	V	V	V
		35-42-54	-	-	V
COMAP XPress		12-15-18-22	M	-	M
		28	M	-	M
		35-42-54	-	-	M
COMAP XPress		15-18-22	M	M	M
		28	M	-	M
		35-42-54	-	-	M
COMISA Press		14-16-18-20-26-32	TH	TH	H/TH
		25	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH
COMPTOIR DE PICARDIE Multiquick		16-20	U/TH	U/TH	U/TH
		26	TH	TH	TH
COMPTOIR DE PICARDIE Quick plomberie		16-20	TH/U	TH/U	H/TH/U
		26	TH	TH	TH/H
CONEL Connect multi		16-20-32	TH/U	TH/U	TH/H/U
		26	TH	TH	TH/H
CORUS Forcas		28	M	M	M
		35	-	-	M

CONJUNTO DE LOS SISTEMAS COMPATIBLES CON LAS INSERCIONES Y PINZAS VIRAX

* MATERIAL ACERO / ACERO AL CARBONO MULTICAPAS / COBRE PE-RT PEX / PB / PER / PE COBRE LATÓN / BRONCE INOXIDABLE



SISTEMA	*	Ø mm			
---------	---	------	--	--	--

D

DALPEX Laser multi Dalpex	14-16-18-20-26-32	TH	TH	TH
	40	-	TH	TH
	50-63	-	-	TH
DIWA Flex Systems	14-16-18-20-26-32	TH	TH	TH
	40	-	TH	TH
DUOFIL Maximetal	16-20-32	RF-P/U	RF/U	U
DW VERBUNDROHR Multitubo	16-20-25-32	U	U	U
	40	-	U	U
	50	-	-	U
	63-75	-	-	U CHAINES

E

EBRILLE Monflex	16-18-20-25-32	U	U	U
	40	-	U	U
	50-63-75	-	-	U
EBRILLE Monflex (F5)	16-18-20-25-32	U	U	U
	40	-	U	U
	50-63-75	-	-	U
EBRILLE Monflex (F8)	16-20-25-26-32	U	U	U
EBRILLE Monflex (F9)	16-20-25-26-32	TH	TH	TH
EBRILLE Monflex (F18)	16-20-25	TH/U	TH/U	TH/H/U
	26	TH	TH	TH/H
	32	TH/U	TH/U	TH/H/U
EFFEBI Prestige	15-18-22-28	M/V	V	M/V
	35	-	-	M/V
EFFEBI Tof Multipinza	16-18-20-32	TH/U	TH/U	TH/H/U
	25	TH/U	TH/U	TH/H/U
	26	TH	TH	TH/H
EFFEBI Press Carbon	12-15-18-22-28	M	M	M
	28	M	-	M
	35	-	-	M
	42-54	-	-	M 3 ELTS
EFFEBI Press Inox	12-15-18-22-28	M	M	M
	28	M	-	M
	35	-	-	M
	42-54	-	-	M 3 ELTS
EMCAL C-Stahl	15-18-22	M	M	M
	28	M	-	M
	35	-	-	M
EMCAL Perfect Aqua	16-20-25-32	U	U	U
	40	-	U	U
	50	-	-	U
	63	-	-	U CHAINES
EMCAL Presso	16-20-26-32	TH	TH	TH
	40	-	TH	TH
EMCAL PRESSO Nox	15-18-22-28	M	M	M
	28	M	-	M
	35	-	-	M
EMMETI Gerpex-Fivipress Easytec	14-16-18-20-26-32	TH	TH	TH
	40	-	TH	TH
	50	-	-	TH

SISTEMA	*	Ø mm			
---------	---	------	--	--	--

ESTA ROHR Simplesta	15-18-22	M	M	M
	28	M	-	M
	35	-	-	M
EUROTUBI EUROPA Pressfitting System	12-15-18-22	M	M	M
	28	M	-	M
	35	-	-	M

F

FAR RUBINETTERIE Raccordi Pressfar	14	TH/U	TH	H/TH/U
	16-18-20-32	TH/U	TH/U	H/TH/U
	25	TH/U	TH/U	H/TH/U
	26	TH	TH	H/TH
	40	-	TH/U	H/TH/U
FBQ BARONIO BQ Press carbon steel	15-18-22-28	V	V	V
	35-42-54	-	-	V
FBQ BARONIO BQ Press rame	12-14-15-16-18-22-28	V	V	V
	35-42-54	-	-	V
FERCOFLOOR Duo Press Ferco Pex	16-20-25-32	RF-P/TH/U	RF/TH/U	TH/U
FERCOFLOOR Duo Press Multifir	16-20-25-32	RF-P/TH/U	RF/TH/U	TH/U
	18	TH/U	TH/U	TH/U
FG INOX	15-18-22	M	M	M
	28	M	-	M
	35	-	-	M
FILTUBE Installpress	12-15-18-22	M	M	M
	28	M	-	M
	35-42-54	-	-	M
FILTUBE Installpress	15-18-22	M	M	M
	28	M	-	M
	35-42-54	-	-	M
FITTINGS ESTANDAR Eco-Press	16-20-25-32	RF-P	RF	-
FITTINGS ESTANDAR PEX-A	16-20-25-32	RF-P/U	RF/U	U
FITTINGS ESTANDAR Multicapa	16-20-25-32	RF-P/U	RF/U	U
	18	U	U	U
FORNARA SPA	16-20-26-32	TH	TH	TH
FRABO Frabopress C-Steel	15-18-22-28	V	V	V
	35-42-54	-	-	V
FRABO Frabopress H20	12-15-18-22-28	V	V	V
	35-42-54	-	-	V
FRABO Frabopress 316	15-18-22-28	V	V	V
	35-42-54	-	-	V
FRABO Multi-Brass	16-20	TH/U	TH/U	TH/U
	26-32	TH	TH	TH
FRABO Multi-Plus	16-20-32	U	U	H/U
	26	-	-	H
FRANKISCHE Alpex Duo-Alpex L	16-20-26-32	TH	TH	TH
FRANKISCHE Alpex Duo XS	16-20-26-32	TH	TH	TH
FRANKISCHE Turatec System	16-20-26-32	TH	TH	TH
FRIATEC Friatherm Uni	16-20-26-32	-	-	H
	40	-	-	H
	50-63	-	-	TH

CONJUNTO DE LOS SISTEMAS COMPATIBLES CON LAS INSERCIONES Y PINZAS VIRAX

* MATERIAL ACERO / ACERO AL CARBONO MULTICAPAS / COBRE PE-RT PEX / PB / PER / PE COBRE LATÓN / BRONCE INOXIDABLE



SISTEMA	*	Ø mm			
---------	---	------	--	--	--

G

GEBERIT MAPRESS		12-15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
GEBERIT MAPRESS		14-16	-	-	M
		12-15-18-22-28	M	-	M
		35	-	-	M
GEBERIT MAPRESS		42-54	-	-	M 3 ELTS
		12-15-18-22-28	M	-	M
		35	-	-	M
GEBERIT Volex		16-20	TH/U	TH/U	TH/U
		26	TH	TH	TH
GEBERIT Mepla		16-20-26-32	G	G	G
		40	-	G	G
		50	-	-	G
GENERAL FITTINGS Série 5000		14	TH/U	TH	H/TH/U
		16-18-20-32	TH/U	TH/U	H/TH/U
		25	TH/U	TH/U	H/TH/U
		26	TH	TH	H/TH
		40	-	U	H/U
		50	-	-	TH/U
GIACOMINI Raccords RM		16-20-32	TH/U	TH/U	H/TH/U
		26	TH	TH	H/TH
		40	-	TH/U	TH/U
		50	-	-	TH/U
		63	-	-	TH
GLOBAL PIPING SYSTEM Ac-Fix Press		75-90	-	-	U
		12-16-20-25-32	RF-P/U	RF/U	H/U
GLOBAL PIPING SYSTEM Ac-Fix Press		16-18-20-25-32	RF-P/U	RF/U	H/U
		40	-	U	U
		50-60	-	-	U
GLOBALE TRADE Aqualpress System		16-20-25-32	U	U	U
		16-18-20-25-32	U	U	U
GOLAN		40	-	U	U
		50-63	-	-	U

H

HAKA GERODUR Hakathen-L		14-16-18-20-26-32	TH	TH	TH
HAMMEL ROBINETTERIE		12-14-15-16-18-22-28	V	V	V
		35-42-54	-	-	V
HAMMEL ROBINETTERIE		16-20-26-32	TH	TH	TH
HAMMEL ROBINETTERIE		12-16-20-25	RF-P	RF	H
HEIMA Press-Fittings		16-20-26-32	TH	TH	TH
		40	-	TH	TH
		50	-	-	TH
HELIROMA Klimapress		16-18-20-25-32	U	U	U
		40	-	U	U
		50-63-75	-	-	U
HELIROMA Romapress		16-20-25-32	RF-P	RF	-
HENCO - PE-Xc/AL/PE-Xc (Conexiones Latón o PVDf)		14-16-18-20-26	TH	TH	TH
HENCO HPL		16-20	TH/U	TH/U	TH/H/U
		26	TH/U	TH/U	TH/H/U
		32	TH/U	TH/U	TH/H/U

SISTEMA	*	Ø mm			
---------	---	------	--	--	--

HEROTEC Tempuss-Press		14-16-20-26-32	TH	TH	TH
		40	-	TH	TH
HERZ Pipefix		14-16-18-20-25-26-32	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH

I

IBP CONEX/BANNINGER >B<Flex		12-16-20-25-32	RF-P	RF	H
		16-18-20-25-32	U	U	U
		40	-	U	U
IBP CONEX/BANNINGER >B<Flex (F5)		50-63-75	-	-	U
		16-20-25-32	U	U	U
		16-20-25-26-32	TH	TH	TH
IBP CONEX/BANNINGER >B<Flex (F8)		16-20-25-32	U	U	U
		16-20-25-26-32	TH	TH	TH
		16-20-25	TH/U	TH/U	TH/H/U
IBP CONEX/BANNINGER >B<Flex (F18)		26	TH	TH	TH/H
		32	TH/U	TH/U	TH/H/U
IBP CONEX/BANNINGER >B<MaxiPro		1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1	R	-	R
		1.1/8 - 1.3/8"	-	-	R
		12-14-15-16-18-22-28	V	V	V
IBP CONEX/BANNINGER >B<Press		35	-	-	V
		42-54	-	-	V
		15-18-22-28	V	V	V
IBP CONEX/BANNINGER >B<Press		35	-	-	V
		42-54	-	-	V
		15-18-22-28	V	V	V
IBP CONEX/BANNINGER >B<Press		35	-	-	V
		42-54	-	-	V
		16-18-20-26-32	TH	TH	TH
IDROSANITARIA BONOMI Idropress		40	-	TH	TH
		50-63	-	-	TH
		15-18-22	M	M	M
ILTA INOX Chibro Pressfitting		28	M	-	M
		35	-	-	M
		42-54	-	-	M 3 ELTS
INDUSTRIAL BLANSOL Multipex		16	U/RF-P/TH	U/RF/TH	U/H/TH
		18	U	U/RF	U/H
		20x2,5	U/RF-P	U/RF	U/H
		20x2	U/RF-P/TH	U/RF/TH	U/H/TH
		25	U/RF-P/TH	U/RF/TH	U/H/TH
		26	TH	RF/TH	H/TH
		32	U/RF-P/TH	U/RF/TH	U/H/TH
		40	-	U	U PINZA
		50-63	-	-	U PINZA
		12-15-18-22	M	M	M
INSTALPRESS Carbon Steel		28	M	-	M
		35	-	-	M
		14-16-18-20-26-32	TH	TH	TH
IPA Ipalpex		40	-	TH	TH
		50-63	-	-	TH
		16-20-25-32	RF-P	RF	-

CONJUNTO DE LOS SISTEMAS COMPATIBLES CON LAS INSERCIONES Y PINZAS VIRAX

* MATERIAL ACERO / ACERO AL CARBONO MULTICAPAS / COBRE PE-RT PEX / PB / PER / PE COBRE LATÓN / BRONCE INOXIDABLE



SISTEMA	*	Ø mm			
ISOLTUBEX	16-20-25-32		RF-P/U	RF/U	U
	18		U	U	U
	63		-	-	U CHAINES
ISOTUBI Numepress	15-18-22		M	M	M
	28		M	-	M
IVAR Multi-Press	16-18-20-25-32		TH/U	TH/U	TH/H/U
	26		TH	TH	TH/H
	40		-	TH/U	TH/U
	50-63		-	-	U CHAINES
IVAR Plastic Multi-Press	16-20-32		TH/U	TH/U	TH/H/U
	25		TH/U	TH/U	TH/H/U
	26		TH	TH	TH/H

J

JANSEN AG Jansen Comisa Ravani Prima	16-20-26-32		TH	TH	TH
	40		-	TH	TH
	50-63		-	-	TH

K

KAN Kan-Therm	16-20-25-32		TH/U	TH/U	TH/U
	26		TH	TH	TH
	40		-	TH/U	TH/U
KAN Kan-Therm LBP	16-20-25-32		TH/U	TH/U	TH/U
	26		TH	TH	TH
	40		-	TH/U	TH/U
KAN Kan-Therm	15-18-22		M	M	M
	28		M	-	M
	35-42-54		-	-	M
KAN Kan-Therm	15-18-22		M	M	M
	28		M	-	M
	35-42-54		-	-	M
KE KELIT Kelox	16-20-25-32		U	U	U
	40		-	U	U
	50-63		-	-	U
	75		-	-	U CHAINE
KE KELIT Steelfix	15-18-22		M	M	M
	28		M	-	M
	35-42-54		-	-	M
KE KELIT Steelfix	15-18-22-28		M	-	M
	35-42-54		-	-	M
KME Q-Tec	14-16-20-26		TH	TH	TH
	16-20-26		HA	-	HA
KOHLER Inox Press	15-18-22		M	M	M
	28		M	-	M
	35		-	-	M

N

NICOLL Fluxo	16-20-26-32		TH	TH	TH
	40		-	TH	TH
	50-63		-	-	TH
NINGBO Press-ID	12-16-20-25-32		RF-P	RF	H

SISTEMA	*	Ø mm			
NINGBO Press-ID Carbon	15-18-22		M	M	M
	28		M	-	M
	35		-	-	M
	42-54		-	-	M 3 ELMTS
NINGBO Press-ID Inox	15-18-22		MV	MV	MV
	28		MV	V	MV
	35		-	-	MV
	42-54		-	-	MV
NOYON & THIEBAULT Conexión F5	16-18-20-25-32		U	U	U
	40		-	U	U
	50-63-75		-	-	U
NOYON & THIEBAULT Conexión F9	16-20-25-26-32		TH	TH	TH
NOYON & THIEBAULT Conexión F17	16-20-25-32		U/TH	U/TH	U/TH/H
	26		TH	TH	TH/H
NOYON & THIEBAULT Multicapa para engastar	16-20		TH/U	TH/U	H/TH/U
	26		TH	TH	TH/H
N.T.M Winny-AL	14		TH/U	TH	TH/U
	16-18-20-25-32		TH/U	TH/U	TH/U
	26		TH	TH	TH
	40		-	TH/U	TH/U
	50		-	-	TH/U
	63		-	-	U
NUPI INDUSTRIAL ITALIANO Multinupi	14		U	U	U
	16-18-20-32		U/TH	U/TH	U/TH/H
	26		TH	TH	H/TH
	40		-	U	U
	50-63		-	-	U

O

OVENTROP Cofit P	16-20-26-32		HA	-	HA
	40		-	-	HA
	50		-	-	U
	63		-	-	U

P

PB TUB Sertipress	12-16-20-25		RF-P	RF	H
PB TUB Serti-Steel	12-15-18-22		M	M	M
	28		M	-	M
	35		-	-	M
	42-54		-	-	M 3 ELMTS
PB TUB Alpex duo y Turatec	16-20-26-32		TH	TH	TH
PEGLER YORKSHIRE Xpress	12-14-15-18-22		M	M	M
	16		-	-	M
	28		M	-	M
	35		-	-	M
PEGLER YORKSHIRE Sudo Press cobre visu control	12-14-15-16-18-22-28		V	V	V
	35		-	-	V
	42-54		-	-	V
PERFILTUBO Perfialupex	16-18-20-25-32		U	U	U
	40		-	U	U
	50-63		-	-	U
PERFILTUBO Perfipress	15-18-22		M	M	M
	28		M	-	M
	35-42-54		-	-	M

CONJUNTO DE LOS SISTEMAS COMPATIBLES CON LAS INSERCIONES Y PINZAS VIRAX

* MATERIAL ACERO / ACERO AL CARBONO MULTICAPAS / COBRE PE-RT PEX / PB / PER / PE COBRE LATÓN / BRONCE INOXIDABLE



SISTEMA	*	Ø mm			
---------	---	------	--	--	--

PEXTUBE Pextube		16-20-25-32	RF-P	RF	-
PIETRO RAVANI		16-18-20-26-32	TH	TH	TH
PIPELIFE Radopress		16-18-20-26-32	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH
POLYSAN Rainbow		16-18-20-25-32	U	U	U
		40	-	U	U
		50-63	-	-	U
PRANDELLI Multyrama (PF)		16-20-26-32	-	-	H
		40	-	U	U
		50	-	-	U
PRANDELLI Multyrama (PFM)		16-20	TH/U	TH/U	H/TH/U
		26	TH	TH	H/TH
		32	TH/U	TH/U	H/TH/U
		40	-	TH/U	TH/U
		50	-	-	TH/U
		63	-	-	U

R

RACCORDERIE METALLICHE (RM) Steelpres		15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
		42-54	-	-	M 3 ELTS
RACCORDERIE METALLICHE (RM) Inoxpres		15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
		42-54	-	-	M 3 ELTS
RBM Tita-fix		14	TH/U	TH	TH/H/U
		16-18-20	TH/U	TH/U	TH/H/U
		26	TH	TH	TH/H
		32	TH	TH	TH/H
		40	-	TH	TH
RIFENG Raccords F5		16-18-20-25-32	U	U	U
		40	-	U	U
		50-63-75	-	-	U
		16-20-25-32	TH	TH	TH
RIFENG Raccords F8		16-20-25	TH/U	TH/U	TH/H/U
		26	TH	TH	TH/H
		32	TH/U	TH/U	TH/H/U
		16-20-25-32	U/TH	U/TH	U/TH/H
RIFENG Raccords F17		26	TH	TH	TH/H
		12-16-20-25	RF-P	RF	H
		15-18-22	M	M	M
		28	M	-	M
RUBINETTERIE BRESCIANE BONOMI Turbo Cu-Ni		35	-	-	M
		15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
RUBINETTERIE BRESCIANE BONOMI Turbo inox		15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
		15-18-22	M	M	M
RUBINETTERIE BRESCIANE BONOMI Turbo Steel		28	M	-	M
		35	-	-	M
		15-18-22	M	M	M
		28	M	-	M

SISTEMA	*	Ø mm			
---------	---	------	--	--	--

RUBINETTERIE BRESCIANE BONOMI Turbo Press		14	TH/U	TH	TH/H/U
		16-18-20-32	TH/U	TH/U	TH/H/U
		26	TH	TH	TH/H
		40	-	TH	TH
		50-63	-	-	TH
RUBINETTERIE BRESCIANE BONOMI - Turbo Press LBP		16-20-26-32	TH	TH	TH
RUBINETTERIE BRESCIANE BONOMI Evenes System		16-20-26-32	TH	TH	TH
		40	-	TH	TH
		50	-	-	TH

S

SANHA Multifit-Flex		16-20-32	TH/U	TH/U	TH/U
		26	TH	TH	TH
		40	-	TH	TH
		50	-	-	TH
		12-14-15-16-18-22-28	V	V	V/M
SANHA Pressfittings		35	-	-	V/M
		42-54	-	-	V
		15-18-22-28	V/M	V	V/M
SANHA NiroSan Press		35	-	-	V/M
		42-54	-	-	V
		12-15-18-22-28	V/M	V	V/M
SANHA Therm		35	-	-	V/M
		42-54	-	-	V
		15-18-22	M	M	M
SCHWER Aquapress		28	M	-	M
		35-42-54	-	-	M
		16-20	TH/U	TH/U	H/TH/U
SESTA Sistema multistrato		18-26-32	TH	TH	TH
		16-18-20-25-32	U	U	U
SOMATHERM Fixomultix (F5)		40	-	U	U
		50-63-75	-	-	U
		16-20-25-26-32	TH	TH	TH
SOMATHERM Fixomultix (F9)		16-20-25-32	U/TH	U/TH	U/TH/H
		26	TH	TH	TH/H
SOMATHERM Fixomultix (F17)		12-14-16-18-22-28	V	V	V
		35	-	-	V
SOMATHERM Pronorm Pressfitting		16-20-32	RF-P/U	RF/U	U
SOMATHERM Soma multi (duofil)		12	RF-P	RF	H
SOMATHERM Somapress		16-20-25-32	RF-P/U	RF/U	H/U
STPC Sopalplex Fit		16-20-26	TH	TH	TH
STELBI Polikraft		14-16-18-20-26-32	TH	TH	TH
		40	-	TH	TH
		50	-	-	TH
SYSTEM Woprex		14-16-20-26-32	HA	-	HA

T

TERMICALINE Termiplex		16-20-32	TH/U	TH/U	TH/U
		26	TH	TH	TH
THERMADOR		14-16	V	V	V/M
		12-15-18-22-28	V/M	V	V/M
		35	-	-	V/M
		42-54	-	-	V
TIEMME Cobra-Pex série 1700		16-20-25-32	RF-P	RF	-

CONJUNTO DE LOS SISTEMAS COMPATIBLES CON LAS INSERCIONES Y PINZAS VIRAX

* MATERIAL ACERO / ACERO AL CARBONO MULTICAPAS / COBRE PE-RT PEX / PB / PER / PE COBRE LATÓN / BRONCE INOXIDABLE



SISTEMA	*	Ø mm			
---------	---	------	--	--	--

TIEMME Cobrapress	14-16-18-20-25-26-32	TH	TH	TH
	40	-	TH	TH
	50	-	-	TH
	63-75	-	-	TH
TRA Multitrapress	16-20-25-32	U	U	U
	40	-	U	U
	50-63	-	-	U
TRA Trapress	12-16-20-25-32	RF-P	RF	H
TWEETOP	16-18-20-25-32	U	U	U
	40	-	U	U
	50-63-75	-	-	U

U

UNICAL Max Multipex	16-20-32	U	U	U
	26	-	-	H
UNIDELTA Deltall	16-20-32	TH/U	TH/U	TH/H/U
	26	TH	TH	TH/H
	40	-	TH/U	TH/H/U
	50-63	-	-	TH/U
UPONOR Sistema Multicapa	16-20-25-32	U	U	U
	40	-	U	U
	50	-	-	U
	63-75-90-110	-	-	U CHAINES

V

VALSIR Bravopress PPSU	16-20	TH/U	TH/U	H/TH/U
	26	TH	TH	H/TH
	32	TH/U	TH/U	H/TH/U
	40-50-63	-	TH/U	TH/U
VALSIR Conexiones latón	14	-	-	H
	16-20	TH/U	TH/U	H/TH/U
	26	TH	TH	H/TH
	32	TH/U	TH/U	H/TH/U
	40	-	TH/U	TH/U
	50-63	-	-	TH/U
	75	-	-	U
VAN MARCKE Tubipex	16-18-20-26-32	TH	TH	TH
	40-50-63-75	-	-	TH
VIEGA Prestabo	12-15-18-22-28	V	V	V
	35-42-54	-	-	V
VIEGA Profipress	12-14-15-16-18-22-28	V	V	V
	35-42-54	-	-	V
VIEGA Sanpress	12-14-15-16-18-22-28	V	V	V
	35-42-54	-	-	V
VIEGA Sanpress inox	15-18-22-28	V	V	V
	35-42-54	-	-	V
VSH Skinpress	14-16-18-20-26-32	TH	TH	TH
	40	-	TH	TH
	50-63	-	-	TH
VSH Sudopress	12-15-18-22-28	V	V	V
	35-42-54	-	-	V
VSH Xpress	12-15-18-22	M	M	M
	28	M	-	M
	35-42-54	-	-	M

SISTEMA	*	Ø mm			
---------	---	------	--	--	--

VSH Xpress	12-15-18-22	M	M	M
	28	M	-	M
	35-42-54	-	-	M
VSH Xpress	12-15-18-22	M	M	M
	28	M	-	M
	35-42-54	-	-	M

W

WAVIN Tigris M1	16-20-25-32	U	U	U
	40	-	U	U
	50-63	-	-	U
WAVIN Tigris M5	16-20-25-32-40	H/TH/U	H/TH/U	H/TH/U
WIEDLAND Cuprotherm CTX	14-16-20	TH	TH	TH

Z

ZETAESSE Europex Isolex	14	TH/U	TH	TH/U
	16-20	TH/U	TH/U	TH/U
	26-32	TH	TH	TH
ZETAESSE HydroSan / ThermoSan	14	TH/U	TH	TH/U
	16-20	TH/U	TH/U	TH/U
ZEWOTHERM	14-16-20-26-32	TH	TH	TH
	40	-	TH	TH
	50-63	-	-	TH