

CONJUNTO DE LOS SISTEMAS COMPATIBLES

* MATERIAL ACERO / ACERO AL CARBONO MULTICAPAS / COBRE PE-RT PEX / PB / PER / PE COBRE LATÓN / BRONCE INOXIDABLE



SISTEMA	*	Ø (mm)				
---------	---	--------	--	--	--	--

SISTEMA	*	Ø (mm)				
---------	---	--------	--	--	--	--

A

ACOME Acome MT		12-16-20-25	RF-P	-	RF	H
ACOME Acopex Alu		16-20-32	TH/U	TH/U	TH/U	TH/H/U
		26	TH	TH	TH	TH/H/U
		40-50-63	-	-	-	TH/H/U
AC-FIX Press		12	RF-P/U	-	RF/U	H/U
		16-20-25-32	RF-P/U	U	RF/U	H/U
AC-FIX Press Multi		16-20-25-32	RF-P/U	U	RF/U	H/U
		18	RF-P/U	-	RF/U	H/U
		40	-	-	U	U
AHLSELL A-Press elforzinkad		12-15-18	M	M	M	M
		22	M	-	M	M
		28	M	-	-	M
		35	-	-	-	M
		42-54	-	-	-	M 3 ELTS M CHAINE
AHLSELL A-Press koppar		12-15-18	V	V	V	V
		22-28	V	-	V	V
		35-42-54	-	-	-	V
AHLSELL A-Press rostfritt		12-15-18	M	M	M	M
		22	M	-	M	M
		28	M	-	-	M
		35	-	-	-	M
	42-54	-	-	-	M 3 ELTS M CHAINE	
AIRBEL Pressclim		12-15-18	M	M	M	M
		22	M	-	M	M
		28	M	-	-	M
		35	-	-	-	M
	42-54	-	-	-	M 3 ELTS M CHAINE	
AIRBEL Sertinox		15-18-22	M	M	M	M
		28	M	-	-	M
		35	-	-	-	M
	42-54	-	-	-	M 3 ELTS M CHAINE	
ALB Sistema Multicapa		14-18	TH/U	-	TH/U	H/TH/U
		16-20-32	TH/U	TH/U	TH/U	H/TH/U
	26	TH	-	TH	H/TH	
ANQUIER Aser		12-16-20-25	RF-P	-	RF	H
APE RACCORDERIE Raccordi a pressare		16-20	TH/U	TH/U	TH/U	TH/H/U
		18	TH	-	TH	TH
		26	TH	TH	TH	TH/H
		32	TH	-	TH	TH/H
		40	-	-	U	U
	50-63	-	-	-	U	
ATLAS COPCO Airmet		15	M	M	M	M
		28	M	-	-	M
		35	-	-	-	M
		42-54	-	-	-	M 3 ELTS M CHAINE
AYOR Fixomultix		16-20-32	U/TH/RF-P	TH/U	U/TH/RF	U/TH/H
		25	U	U	U	U
		26	TH/U	TH	TH/U	TH/U
		40-50-63-75	TH/U	-	TH/U	TH/U
AYOR Pronorm Pressfitting		12-14-16-18	V	V	V	V
		22-28	V	-	V	V
		35-42-54	-	-	-	V
AYOR Fixoconnect		12	RF-P/U	-	RF/U	H/U
		16-20-25	RF-P/U	U	RF/U	H/U

B

BAMPI Balpex		14-18	TH	-	TH	TH
		16-20-26-32	TH	TH	TH	TH
		40	-	-	TH	TH
		50	-	-	-	TH
BARBI Easypress		12	RF-P/U	-	RF/U	H/U
		16-20-25-32	RF-P/U	U	RF/U	H/U
BARBI Multipex		16-20x2,0-32	RF-P/TH/U	TH/U	RF/TH/U	H/TH/U
		18	RF-P/U	-	U/RF	H/U
		20x2,5	RF-P/U	U	U/RF	H/U
		25	RF-P/TH/U	U	RF/TH/U	H/TH/U
		26	RF-P/TH/U	TH	RF/TH/U	H/TH/U
		40	-	-	U	U
	50-63	-	-	-	U	
BEGETUBE Multipress leak		16-20-26-32	TH	TH	TH	TH
BEGETUBE Alpex Duo XS		16-20-26-32	TH	TH	TH	TH
BEGETUBE Alpex Duo XL		40-50-63	TH	-	TH	TH
BRASELLI Pressfitting PE-X		16-20-25-32	RF-P	-	RF	-
BRASELLI Pressfitting Multicapa		16-20-25-32	U	U	U	U
		18	U	-	U	U
		40	-	-	U	U
	50	-	-	-	U	
BROEN Ballofix Press		15-18-22	MV	-	V	MV
BROSETTE Eurobasic		12-16-20-25	RF-P	-	RF	H
BUCCHI Tech MP		14	TH	-	TH	TH
		16-20-26-32	TH	TH	TH	TH

C

CEDEO Altech (Comap)		12-16-20-25	RF-P	-	RF	H
CEDEO Altech (RBM)		16-20-32	TH/U	TH/U	TH/U	TH/U
		26	TH/U	TH	TH/U	TH/U
		40	-	-	TH	TH
	50-63	-	-	-	TH	
CEDEO Altech (IBP B Press)		12-14-15-16-18	V	V	V	V
		22-28	V	-	V	V
		35-42-54	-	-	-	V
COES Coesklima (K-Fit)		14	U	-	-	U
		16-20-25-32	U	U	U	U
		18	U	-	U	U
		40	-	-	U	U
		50	-	-	-	U
	63-75	-	-	-	U CHAINES	
COMAP PexPress		12-16-20-25	RF-P	-	RF	H
COMAP SkinPress		14-18	TH	-	TH	TH
		16-20-26-32	TH	TH	TH	TH
		40	-	-	TH	TH
		50-63	-	-	-	TH
COMAP Multiskin		16-20-32	TH/U	TH/U	TH/U	TH/H/U
		26	TH/U	TH	TH/U	TH/U
		40	-	-	TH/U	TH/U
		50-63	-	-	-	TH/U
COMAP SudoPress Cu		12-14-15-16-18	V	V	V	V
		22-28	V	-	V	V
		35-42-54	-	-	-	V
COMAP Xpress		12-15-18	M	M	-	M
		22-28	M	-	-	M
		35-42-54	-	-	-	M
COMAP Xpress		15-18	M	M	M	M
		22	M	-	M	M
		28	M	-	-	M
		35-42-54	-	-	-	M

CONJUNTO DE LOS SISTEMAS COMPATIBLES

* MATERIAL ACERO / ACERO AL CARBONO MULTICAPAS / COBRE PE-RT PEX / PB / PER / PE COBRE LATÓN / BRONCE INOXIDABLE



SISTEMA	*	Ø (mm)				
COMISA Press	14-18		TH	-	TH	H/TH
	16-20-26-32		TH	TH	TH	TH
	25		TH	-	TH	TH
	40		-	-	TH	TH
	50-63		-	-	-	TH
COMPTOIR DE PICARDIE Multiquick	16-20		TH/U	TH/U	TH/U	TH/U
	26		TH	TH	TH	TH
COMPTOIR DE PICARDIE Quick plomberie	16-20		TH/U	TH/U	TH/U	H/TH/U
	26		TH	TH	TH	TH/H
CONEL Connect multi	16-20-32		TH/U	TH/U	TH/U	TH/H/U
	26		TH	TH	TH	TH/H
CORUS Forcas	28		M	-	M	M
	35		-	-	-	M

D

DALPEX Laser multi Dalpex	14-18		TH	-	TH	TH
	16-20-26-32		TH	TH	TH	TH
	40		-	-	TH	TH
	50-63		-	-	-	TH
DIWA Flex Systems	14-18		TH	-	TH	TH
	16-20-26-32		TH	TH	TH	TH
	40		-	-	TH	TH
DUOFIL Maximetel	16-20-32		RF-P/U	U	RF/U	U
DW VERBUNDROHR Multitubo	16-20-25-32		U	U	U	U
	40		-	-	U	U
	50		-	-	-	U
	63-75		-	-	-	U CHAINES

E

EBRILLE Monflex	16-20-25-32		U	U	U	U
	18		U	-	U	U
	40		-	-	U	U
	50-63-75		-	-	-	U
EBRILLE Monflex (F5)	16-20-25-32		U	U	U	U
	18		U	-	U	U
	40		-	-	U	U
	50-63-75		-	-	-	U
EBRILLE Monflex (F8)	16-20-25-32		U	-	U	U
EBRILLE Monflex (F9)	16-20-26-32		TH	TH	TH	TH
	25		TH	-	TH	TH
EBRILLE Monflex (F18)	16-20-32		TH/U	TH/U	TH/U	TH/H/U
	25		TH/U	U	TH/U	TH/H/U
	26		TH	TH	TH	TH/H
EFFEBI Prestige	15-18		M/V	M/V	V	M/V
	22-28		M/V	-	V	M/V
	35		-	-	-	M/V
EFFEBI Tof Multipinza	16-20-32		TH/U	TH/U	TH/U	TH/H/U
	18		TH/U	-	TH/U	TH/H/U
	25		TH/U	U	TH/U	TH/H/U
	26		TH	TH	TH	TH/H
EFFEBI Press Carbon	12-15-18		M	M	M	M
	22		M	-	M	M
	28		M	-	-	M
	35		-	-	-	M
	42-54		-	-	-	M 3 ELTS
EFFEBI Press Inox	12-15-18		M	M	M	M
	22		M	-	M	M
	28		M	-	-	M
	35		-	-	-	M
	42-54		-	-	-	M 3 ELTS M CHAINE
EMCAL C-Stahl	15-18-22		M	M	M	M
	22		M	-	M	M
	28		M	-	-	M
	35		-	-	-	M
	42-54		-	-	-	M 3 ELTS M CHAINE

SISTEMA	*	Ø (mm)				
EMCAL Perfect Aqua	16-20-25-32		U	U	U	U
	40		-	-	U	U
	50		-	-	-	U
	63		-	-	-	U CHAINES
EMCAL Presso	16-20-26-32		TH	TH	TH	TH
	40		-	-	TH	TH
EMCAL Presso Nox	15-18		M	M	M	M
	22		M	-	-	M
	28		M	-	-	M
	35		-	-	-	M
	42-54		-	-	-	M CHAINE
EMMETI Gerpex-Fivpress Easytec	14-18		TH	-	TH	TH
	16-20-26-32		TH	TH	TH	TH
	40		-	-	TH	TH
	50		-	-	-	TH
ESTA ROHR Simplesta	15-18		M	M	M	M
	22		M	-	M	M
	28		M	-	-	M
	35		-	-	-	M
	42-54		-	-	-	M CHAINE
EUROTUBI EUROPA Pressfitting System	12-15-18		M	M	M	M
	22		M	-	M	M
	28		M	-	-	M
	35		-	-	-	M
	42-54		-	-	-	M 3 ELTS M CHAINE
EUROTUBI EUROPA Pressfitting System	12-15-18		M	M	M	M
	22		M	-	M	M
	28		M	-	-	M
	35		-	-	-	M
	42-54		-	-	-	M 3 ELTS M CHAINE

F

FAR RUBINETTERIE Raccords Pressstar	14		TH/U	-	TH	H/TH/U
	16-20-32		TH/U	TH/U	TH/U	H/TH/U
	18		TH/U	-	TH/U	H/TH/U
	25		TH/U	U	TH/U	H/TH/U
	26		TH	TH	TH	H/TH
	40		-	-	TH/U	H/TH/U
	50-63		-	-	-	TH/U
FBQ BARONIO BQ Press carbon steel	15-18		V	V	V	V
	22-28		V	-	V	V
	35-42-54		-	-	-	V
FBQ BARONIO BQ Press rame	12-14-15-16-18		V	V	V	V
	22-28		V	-	V	V
	35-42-54		-	-	-	V
FERCOFLOOR Duo Press Ferco Pex	16		RF-P/TH/U	TH/U	RF/TH/U	TH/U
	20-25-32		RF-P/TH/U	U	RF/TH/U	TH/U
FERCOFLOOR Duo Press Multifir	16-20-32		RF-P/TH/U	TH/U	RF/TH/U	TH/U
	18		TH/U	-	TH/U	TH/U
	25		RF-P/TH/U	U	RF/TH/U	TH/U
FG INOX	15-18		M	M	M	M
	22		M	-	M	M
	28		M	-	-	M
	35		-	-	-	M
	42-54		-	-	-	M CHAINE
FILTUBE Installpress	12-15-18		M	M	M	M
	22		M	-	M	M
	28		M	-	-	M
	35-42-54		-	-	-	M
FILTUBE Installpress	15-18		M	M	M	M
	22		M	-	M	M
	28		M	-	-	M
	35-42-54		-	-	-	M
FINIMETAL FIVPRESS LBP	16-20-32		TH/U	TH/U	TH/U	TH/U
	26		TH/U	TH	TH/U	TH/U

CONJUNTO DE LOS SISTEMAS COMPATIBLES

* MATERIAL ACERO / ACERO AL CARBONO MULTICAPAS / COBRE PE-RT PEX / PB / PER / PE COBRE LATÓN / BRONCE INOXIDABLE



SISTEMA	*	Ø (mm)				
FINIMETAL FIVPRESS		16-20-26-32 40-50-63	-	-	TH	TH
FITTINGS ESTANDAR Eco-Press		16-20-25-32	RF-P	-	RF	-
FITTINGS ESTANDAR PEX-A		16-20-25-32	RF-P/U	U	RF/U	U
FITTINGS ESTANDAR Multicapa		16-20-25-32	RF-P/U	U	RF/U	U
FORNARA SPA		16-20-26-32	TH	TH	TH	TH
FRABO Frabopress C-Steel		15-18	V	V	V	V
		22-28	V	-	V	V
		35-42-54	-	-	-	V
FRABO Frabopress H20		12-15-18	V	V	V	V
		22-28	V	-	V	V
		35-42-54	-	-	-	V
FRABO Frabopress 316		15-18	V	V	V	V
		22-28	V	-	V	V
		35-42-54	-	-	-	V
FRABO Multi-Brass		16-20	TH/U	TH/U	TH/U	TH/U
		26-32	TH	TH	TH	TH
FRABO Multi-Plus		16-20-32	U	U	U	H/U
		26	-	-	-	H
FRANKISCHE Alplex Duo-Alplex L		16-20-26-32	TH	TH	TH	TH
FRANKISCHE Alplex Duo XS		16-20-26-32	TH	TH	TH	TH
FRANKISCHE Turatec System		16-20-26-32	TH	TH	TH	TH
FRIATEC Friatherm Uni		16-20-26-32	-	-	-	H
		40 50-63	-	-	-	TH

SISTEMA	*	Ø (mm)				
GEBERIT MAPRESS		12-15-18	M	M	M	M
		22	M	-	M	M
		28	M	-	-	M
		38	-	-	-	M
GEBERIT MAPRESS		42-54	-	-	-	M 3 ELTS M CHAINE
		12-15-18	M	M	-	M
		22-28	M	-	M	M
		35	-	-	-	M
GEBERIT MAPRESS		42-54	-	-	-	M 3 ELTS M CHAINE
		12-15-18	M	M	M	M
		22-28	M	-	M	M
		35	-	-	-	M
GEBERIT Volex		16-20	TH/U	TH/U	TH/U	TH/U
		26	TH	TH	TH	TH
		16-20-26-32	G	-	G	G
		40	-	-	G	G
GEBERIT Mepla		50	-	-	-	G
		14	TH/U	-	TH	H/TH/U
		16-20-32	TH/U	TH/U	TH/U	H/TH/U
		18	TH/U	-	TH/U	H/TH/U
		25	TH/U	U	TH/U	H/TH/U
		26	TH	TH	TH	H/TH
GENERAL FITTINGS Série 5000		40	-	-	U	H/U
		50	-	-	-	TH/U
		16-20-32	TH/U	TH/U	TH/U	H/TH/U
		26	TH	TH	TH	H/TH
		40	-	-	TH/U	TH/U
GIACOMINI Raccords RM		50	-	-	-	TH/U
		63	-	-	-	TH
		75-90	-	-	-	U
		12	RF-P/U	-	RF/U	H/U
GLOBAL PIPING SYSTEM Ac-Fix Press		16-20-25-32	RF-P/U	U	RF/U	H/U

SISTEMA	*	Ø (mm)				
GLOBAL PIPING SYSTEM Ac-Fix Press		16-20-25-32	RF-P/U	U	RF/U	H/U
		18	-	-	U	U
		40 50-60	-	-	U	U
GLOBALE TRADE Aqualpress System		16-20-25-32	U	U	U	U
GOLAN		16-20-25-32	U	U	U	U
		18	U	-	U	U
		40 50-63	-	-	U	U

SISTEMA	*	Ø (mm)				
HAKA GERODUR Hakathen-L		14-18	TH	-	TH	TH
		16-20-26-32	TH	TH	TH	TH
HAMMEL ROBINETTERIE		12-14-15-16-18	V	V	V	V
		22-28	V	-	V	V
		35-42-54	-	-	-	V
HAMMEL ROBINETTERIE		16-20-26-32	TH	TH	TH	TH
HAMMEL ROBINETTERIE		12-16-20-25	RF-P	-	RF	H
HEIMA Press-Fittings		16-20-26-32	TH	TH	TH	TH
		40	-	-	TH	TH
		50	-	-	-	TH
HELIROMA Klimapress		16-20-25-32	U	U	U	U
		18	U	-	U	U
		40	-	-	U	U
		50-63-75	-	-	-	U
HELIROMA Romapress		16-20-25-32	RF-P	-	RF	-
HENCO - PE-Xc/AL/Pe-Xc (Raccords Laiton ou PVDf)		14-18	TH	-	TH	TH
		16-20-26	TH	TH	TH	TH
HENCO HPL		16-20	TH/U	TH/U	TH/U	TH/H/U
		26	TH	TH	TH	TH/H
		32	TH/U	-	TH/U	TH/H/U
		14	TH	-	TH	TH
HEROTEC Tempuss-Press		16-20-26-32	TH	TH	TH	TH
		40	-	-	TH	TH
HERZ Pipefix		14-18-25	TH	-	TH	TH
		16-20-26-32	TH	TH	TH	TH
		40	-	-	TH	TH
		50-63	-	-	-	TH

SISTEMA	*	Ø (mm)			
IBP CONEX/BANNINGER >B<Flex		12-16-20-25-32	RF-P	-	RF
IBP CONEX/BANNINGER >B<Flex (F5)		16-20-25-32	U	U	U
		18	U	-	U
		40 50-63-75	-	-	U
IBP CONEX/BANNINGER >B<Flex (F8)		16-20-25-32	U	U	U
IBP CONEX/BANNINGER >B<Flex (F9)		16-20-26-32	TH	TH	TH
		25	TH	-	TH
IBP CONEX/BANNINGER >B<Flex (F18)		16-20	TH/U	TH/U	TH/U
		25	TH/U	U	TH/U
		26	TH	-	TH
		32	TH/U	-	TH/U
IBP CONEX/BANNINGER >B<MaxiPro		1/4-3/8-1/2-5/8-3/4"	R	R	R
		7/8"	R	-	R
		1-1.1/8-1.3/8"	-	-	R
IBP CONEX/BANNINGER >B<Press >B<Press Gas		12-14-15-16-18	V	V	V
		22-28	V	-	V
		35	-	-	V
		42-54	-	-	V
IBP CONEX/BANNINGER >B<Press Inox		15-18	V	V	V
		22-28	V	-	V
		35-42-54	-	-	V

CONJUNTO DE LOS SISTEMAS COMPATIBLES

* MATERIAL ACERO / ACERO AL CARBONO MULTICAPAS / COBRE PE-RT PEX / PB / PER / PE COBRE LATÓN / BRONCE INOXIDABLE



SISTEMA	*	Ø (mm)				
IBP CONEX/BANNINGER >B-Press Carbon	15-18		V	V	V	V
	22-28		V	-	V	V
	35-42-54		-	-	-	V
IDROSANITARIA BONOMI Idropress	16-20-26-32		TH	TH	TH	TH
	18		TH	-	TH	TH
	40		-	-	TH	TH
ILTA INOX Chibro Pressfitting	15-18		M	M	M	M
	22		M	-	M	M
	28		M	-	-	M
INDUSTRIAL BLANSOL Multiplex	16		RF-P/TH/U	TH/U	RF/TH/U	H/TH/U
	18		U	-	RF/U	H/U
	20x2,5		RF-P/U	U	RF/U	H/U
	20x2-25		RF-P/TH/U	TH/U	RF/TH/U	H/TH/U
	26		TH	TH	RF/TH	H/TH
	32		RF-P/TH/U	-	RF/TH/U	U/H/TH
	40		-	-	U	U PINCE
50-63		-	-	-	U PINCE	
INSTALPRESS Carbon steel	12-15-18-22		M	M	M	M
	22		M	-	M	M
	28		M	-	-	M
	35		-	-	-	M
	42-54		-	-	-	M 3 ELTS M CHAINE
IPA Ipalpex	14-18		TH	-	TH	TH
	16-20-26-32		TH	TH	TH	TH
	40		-	-	TH	TH
	50-63		-	-	-	TH
ISOLTUBEX Isolpex	16-20-25-32		RF-P	-	RF	-
ISOLTUBEX	16-20-25-32-40		RF-P	-	RF	H
	18-50-63		U	-	U	U
ISOTUBI Numepress	15-18		M	M	M	M
	22		M	-	M	M
	28		M	-	-	M
	42-54		-	-	-	M 3 ELTS M CHAINE
IVAR Multi-Press	16-20-32		TH/U	TH/U	TH/U	TH/H/U
	18		TH/U	-	TH/U	TH/H/U
	25		TH/U	U	TH/U	TH/H/U
	26		TH	TH	TH	TH/H
	40		-	-	TH/U	TH/U
	50-63		-	-	-	TH 3 ELTS
IVAR Plastic Multi-Press	16-20-32		TH/U	TH/U	TH/U	TH/H/U
	25		TH/U	U	TH/U	TH/H/U
	26		TH	TH	TH	TH/H
JANSEN AG Jansen Comisa Ravani Prima	16-20-26-32		TH	TH	TH	TH
	40		-	-	TH	TH
	50-63		-	-	-	TH
KAN Kan-Therm	16-20-32		TH/U	TH/U	TH/U	TH/U
	25		TH/U	U	TH/U	TH/H/U
	26		TH	TH	TH	TH
	40		-	-	TH/U	TH/U
	16-20-25-32		TH/U	TH/U	TH/U	TH/U
KAN Kan-Therm LBP	25		TH/U	U	TH/U	TH/H/U
	26		TH	TH	TH	TH
	40		-	-	TH/U	TH/U
KAN Kan-Therm	15-18		M	M	M	M
	22		M	-	M	M
	28		M	-	-	M
	35-42-54		-	-	-	M

SISTEMA	*	Ø (mm)				
KAN Kan-Therm	15-18		M	M	M	M
	22		M	-	M	M
	28		M	-	-	M
	35-42-54		-	-	-	M
KE KELIT Kelox	16-20-25-32		U	U	U	U
	40		-	-	U	U
	50-63		-	-	-	U
	75		-	-	-	U CHAINE
KE KELIT Steelfix	15-18		M	M	M	M
	22		M	-	M	M
	28		M	-	-	M
	35-42-54		-	-	-	M
KE KELIT Steelfix	15-18		M	M	M	M
	22		M	-	M	M
	28		M	-	-	M
	35-42-54		-	-	-	M
KME Q-Tec	14		TH	-	TH	TH
	16-20		TH	TH	TH	TH
KOHLER Inox Press	15-18		M	M	M	M
	22		M	-	M	M
	28		M	-	-	M
	35		-	-	-	M
42-54		-	-	-	M CHAINE	

N

NICOLL Fluxo	16-20-26-32		TH	TH	TH	TH
	40		-	-	TH	TH
	50-63		-	-	-	TH
NINGBO Press-ID	12-16-20-25-32		RF-P	-	RF	H
NINGBO Press-ID Carbon	15-18		M	M	M	M
	22		M	-	M	M
	28		M	-	-	M
	35		-	-	-	M
	42-54		-	-	-	M 3 ELTS
NINGBO Press-ID Inox	15-18		M/V	M/V	M/V	M/V
	22		M/V	-	M/V	M/V
	28		M/V	-	V	M/V
	35		-	-	-	M/V
	42-54		-	-	-	M 3 ELTSV
NOYON & THIEBAULT Raccord F5	16-20-25		U	U	U	U
	18-32		U	-	U	U
	40		-	-	U	U
	50-63-75		-	-	-	U
NOYON & THIEBAULT Raccord F9	16-20-26-32		TH	TH	TH	TH
	25		TH	-	TH	TH
NOYON & THIEBAULT Raccord F17	16-20-32		TH/U	TH/U	TH/U	H/TH/U
	25		TH/U	U	TH/U	H/TH/U
	26		TH	TH	TH	TH/H
NOYON & THIEBAULT Multicouche à sertir	16-20		TH/U	TH/U	TH/U	H/TH/U
	26		TH	TH	TH	TH/H
N.T.M. Winny-Al	14		TH/U	-	TH	TH/U
	16-20-32		TH/U	TH/U	TH/U	TH/U
	18		TH/U	-	TH/U	TH/U
	25		TH/U	U	TH/U	TH/U
	26		TH	TH	TH	TH
	40		-	-	TH/U	TH/U
	50		-	-	-	TH/U
63		-	-	-	U	
NUPI INDUSTRIE ITALIANE Multinupi	14		U	-	U	U
	16-20-32		U/TH	TH/U	U/TH	U/TH/H
	18		U/TH	-	U/TH	U/TH/H
	26		TH	TH	TH	TH/H
	40		-	-	U	U
50-63		-	-	-	U	

CONJUNTO DE LOS SISTEMAS COMPATIBLES

* MATERIAL ACERO / ACERO AL CARBONO MULTICAPAS / COBRE PE-RT PEX / PB / PER / PE COBRE LATÓN / BRONCE INOXIDABLE



SISTEMA	*	Ø (mm)					
---------	---	--------	--	--	--	--	--

O

OVENTROP Cofit P	16-20-26-32	HA	-	-	HA
	40	-	-	-	HA
	50	-	-	-	U
	63	-	-	-	U

P

PB TUB Sertipress	12-16-20-25	RF-P	-	RF	H
PB TUB Serti-steel	12-15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35	-	-	-	M
	42-54	-	-	-	M 3 ELTS M CHAINE
PB TUB Alpex duo - Turatec - Alpex duo XS	16-20-26-32	TH	TH	TH	TH
PEGLER YORKSHIRE Xpress	12-15-22	M	M	M	M
	14-22	M	-	M	M
	16	-	-	-	M
	28	M	-	-	M
	35	-	-	-	M
42-54	-	-	-	M CHAINE	
PEGLER YORKSHIRE Sudo Press cuivre visu control	12-14-15-16-18	V	V	V	V
	22-28	V	-	V	V
	35	-	-	-	V
	42-54	-	-	-	V / V CHAINE
PERFILTUBO Perfialupex	16-20-25-32	U	U	U	U
	18	U	-	U	U
	40	-	-	U	U
	50-63	-	-	-	U
PERFILTUBO Perfipress	15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35-42-54	-	-	-	M
PEXTUBE Pextube	16-20-25-32	RF-P	-	RF	-
PIETRO RAVANI	16-20-26-32	TH	TH	TH	TH
PIPELIFE Radopress	18	TH	-	TH	TH
	40	-	-	TH	TH
	50-63	-	-	-	TH
POLYSAN Rainbow	16-20-25-32	U	U	U	U
	18	U	-	U	U
	40	-	-	U	U
50-63	-	-	-	U	
PRANDELLI Multyrama (PF)	16-20-26-32	RF-P	-	-	H
	40	-	-	U	U
	50	-	-	-	U
PRANDELLI Multyrama (PFM)	16-20	RF-P/TH/U	TH/U	TH/U	H/TH/U
	26	RF-P/TH	TH	TH	H/TH
	32	RF-P/TH/U	TH/U	TH/U	H/TH/U
	40	-	-	TH/U	TH/U
	50	-	-	-	TH/U
	63	-	-	-	U

R

RACCORDERIE METALLICHE (RM) Steelpres	15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35	-	-	-	M
42-54	-	-	-	M 3 ELTS M CHAINE	
RACCORDERIE METALLICHE (RM) Inoxpres	15-18-22	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35	-	-	-	M
	42-54	-	-	-	M 3 ELTS M CHAINE

SISTEMA	*	Ø (mm)					
---------	---	--------	--	--	--	--	--

RBM Tita-fix	14	TH/U	-	TH	TH/HU
	16-20	TH/U	TH/U	TH/U	TH/HU
	18	TH/U	-	TH/U	TH/HU
	26-32	TH	TH	TH	TH/H
	40	-	-	TH	TH
	50-63	-	-	-	TH
RIFENG Raccords F5	16-18-20-25-32	U	-	U	U
	40	-	-	U	U
	50-63-75	-	-	-	U
RIFENG Raccords F8	16-20-25-26-32	U	-	U	U
RIFENG Raccords F9	16-20-25-32	TH	-	TH	TH
RIFENG Raccords F17 Raccords F18	16-20-32	TH/U	TH/U	TH/U	H/TH/U
	25	TH/U	U	TH/U	H/TH/U
	26	TH	TH	TH	H/TH
RIQUIER A sertir	12	RF-P	-	-	H
	16-20-25	RF-P	-	RF	H
RUBINETTERIE BRESCIANE BONOMI Turbo Cu-Ni	15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35	-	-	-	M
	42-54	-	-	-	M CHAINE
RUBINETTERIE BRESCIANE BONOMI Turbo inox	15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35	-	-	-	M
	42-54	-	-	-	M CHAINE
RUBINETTERIE BRESCIANE BONOMI Turbo Steel	15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35	-	-	-	M
	42-54	-	-	-	M CHAINE
RUBINETTERIE BRESCIANE BONOMI Turbo Press	14	TH/U	-	TH	H/TH/U
	16-20-32	TH/U	TH/U	TH/U	H/TH/U
	18	TH/U	-	TH/U	H/TH/U
	26	TH	TH	TH	H/TH
	40	-	-	TH	TH
50-63	-	-	-	TH	
RUBINETTERIE BRESCIANE BONOMI Turbo Press LBP	16-20-26-32	TH	TH	TH	TH
RUBINETTERIE BRESCIANE BONOMI Evens System	16-20-26-32	TH	TH	TH	TH
	40	-	-	TH	TH
	50	-	-	-	TH

S

SANHA Multifit-Flex	16-20-32	TH/U	TH/U	TH/U	TH/U
	26	TH	TH	TH	TH
	40	-	-	TH	TH
	50	-	-	-	TH
	50	-	-	-	TH
SANHA Pressfittings	12	V	MV	MV	MV
	14	V	-	V	MV
	15-18	MV	MV	MV	MV
	16	V	V	V	MV
	22	MV	-	MV	MV
	28	MV	-	V	MV
	35	-	-	-	MV
42-54	-	-	-	M CHAINE / V	
SANHA NiroSan Press	15-18	MV	MV	V	MV
	22-28	MV	-	V	MV
	35	-	-	-	MV
	42-54	-	-	-	M CHAINE / V
	42-54	-	-	-	M CHAINE / V
SANHA Therm	12-15-18	MV	MV	V	MV
	22-28	MV	-	V	MV
	35	-	-	-	MV
	42-54	-	-	-	V

CONJUNTO DE LOS SISTEMAS COMPATIBLES C

* MATERIAL ACERO / ACERO AL CARBONO MULTICAPAS / COBRE PE-RT PEX / PB / PER / PE COBRE LATÓN / BRONCE INOXIDABLE



SISTEMA	*	Ø (mm)				
SCHWER Aquapress	15-18-22		M	M	M	M
	22		M	-	M	M
	28		M	-	-	M
	35-42-54		-	-	-	M
SESTA Sistema multistrato	16-20		TH/U	TH/U	TH/U	H/TH/U
	18		TH	-	TH	TH
	26-32		TH	TH	TH	TH
SIDER	16-20-26-32		TH	TH	TH	TH
	40		-	-	TH	TH
	50		-	-	-	TH
SIDER Sidpress	12-16-20-25-32		RF-P	-	RF	H
SOMATEM Trinnity (RBM)	16-20-26-32		TH	TH	TH	TH
	40		-	-	TH	TH
	50-63		-	-	-	TH
STPC Sopalplex Fit	16-20-26		TH	TH	TH	TH
STELBI Polikraft	14-18		TH	-	TH	TH
	16-20-26-32		TH	TH	TH	TH
	40		-	-	TH	TH
50		-	-	-	TH	
SYSTEM Woprex	14-16-20-26-32		HA	-	-	HA

T	SISTEMA	*	Ø (mm)				
TERMICALINE Termiplot	16-20-32		TH/U	TH/U	TH/U	TH/U	
	26		TH	TH	TH	TH	
THERMADOR	14-16		V	V	V	MV	
	12-15-18		MV	MV	V	MV	
	22-28		MV	-	V	MV	
	35		-	-	-	MV	
	42-54		-	-	-	V	
TIEMME Cobra-Pex série 1700	16-20-25-32		RF-P	-	RF	-	
TIEMME Cobrapress	14-18-25		TH	-	TH	TH	
	16-20-26-32		TH	TH	TH	TH	
	40		-	-	TH	TH	
	50-63		-	-	-	TH	
TRA Multitrapress	16-20-25-32		U	U	U	U	
	40		-	-	U	U	
	50-63		-	-	-	U	
TRA Trapress	12-16-20-25-32		RF-P	-	RF	H	
TWEETOP	16-20-25-32		U	U	U	U	
	18		U	-	U	U	
	40		-	-	U	U	
	50-63-75		-	-	-	U	

U	SISTEMA	*	Ø (mm)				
UNICAL Max Multiplex	16-20-32		U	U	U	U	
	26		-	-	-	H	
UNIDELTA Deltall	16-20-32		TH/U	TH/U	TH/U	H/TH/U	
	26		TH	TH	TH	H/TH	
	40		-	-	TH/U	H/TH/U	
	50-63		-	-	-	TH/U	
UPONOR Système Multi-couche	16-20-25-32		U	U	U	U	
	40		-	-	U	U	
	50		-	-	-	U	
	63-75-90-110		-	-	-	U CHAINES	

V	SISTEMA	*	Ø (mm)				
VALSIR Bravopress PPSU	16-20		TH/U	TH/U	TH/U	H/TH/U	
	26		TH	TH	TH	H/TH	
	32		TH/U	TH/U	TH/U	H/TH/U	
	40		-	-	TH/U	TH/U	
	50-63		-	-	-	TH/U	

SISTEMA	*	Ø (mm)				
VALSIR Raccords laiton	14		-	-	-	H
	16-20-32		TH/U	TH/U	TH/U	H/TH/U
	26		TH	TH	TH	H/TH
	32		TH/U	TH/U	TH/U	H/TH/U
	40		-	-	TH/U	TH/U
	50-63		-	-	-	TH/U
75-90		-	-	-	U	
VAN MARCKE Tubipex	16-20-26-32		TH	TH	TH	TH
	18		TH	-	TH	TH
VAN MARCKE Tubipex	16-20-26-32		TH	TH	TH	TH
	40-50-63		-	-	-	TH
VIEGA Prestabo	12-15-18		V	V	V	V
	22-28		V	-	V	V
	35-42-54		-	-	-	V
VIEGA Profipress	12-14-15-16-18		V	V	V	V
	22-28		V	-	V	V
	35-42-54		-	-	-	V
VIEGA Sanpress	12-14-15-16-18		V	V	V	V
	22-28		V	-	V	V
	35-42-54		-	-	-	V
VIEGA Sanpress Inox	15-18		V	V	V	V
	22-28		V	-	V	V
	35-42-54		-	-	-	V
VSH Skinpress	14-18		TH	-	TH	TH
	16-20-26-32		TH	TH	TH	TH
	40		-	-	TH	TH
	50-63		-	-	-	TH
VSH Sudopress	12-14-15-16-18		V	V	V	V
	22-28		V	-	V	V
	35-42-54		-	-	-	V
VSH Sudopress	12-14-15-16-18		V	V	V	V
	22-28		V	-	V	V
	35-42-54		-	-	-	V
VSH Xpress	12-15-18		M	M	M	M
	22		M	-	M	M
	28		M	-	-	M
	35-42-54		-	-	-	M
VSH Xpress	12-15-18		M	M	M	M
	22		M	-	M	M
	28		M	-	-	M
	35-42-54		-	-	-	M
VSH Xpress	12-15-18		M	M	M	M
	22		M	-	M	M
	28		M	-	-	M
	35-42-54		-	-	-	M

W	SISTEMA	*	Ø (mm)				
WAVIN Tigris M1	16-20-25-32		U	U	U	U	
	40		-	-	U	U	
	50-63		-	-	-	U	
WAVIN Tigris M5	16-20-32		H/TH/U	TH/U	H/TH/U	H/TH/U	
	25		H/TH/U	U	H/TH/U	H/TH/U	
	40		H/TH/U	-	H/TH/U	H/TH/U	
WIEDLAND Cuprotherm CTX	14		TH	-	TH	TH	
	16-20		TH	TH	TH	TH	

Z	SISTEMA	*	Ø (mm)				
ZETAESSE Europex Isolex	14		TH/U	-	TH	TH/U	
	16-20		TH/U	TH/U	TH/U	TH/U	
	26-32		TH	TH	TH	TH	
ZETAESSE HydroSan / ThermoSan	14		TH/U	-	TH	TH/U	
	16-20		TH/U	TH/U	TH/U	TH/U	
ZEWOTHERM	14		TH	-	TH	TH	
	16-20-26-32		TH	TH	TH	TH	
	40		-	-	TH	TH	
	50-63		-	-	-	TH	