

ALLE COMPATIBELE SYSTEMEN

* MATERIAAL	STAAL / KOOLSTOFSTAAL	MEERLAGEN / KOPER PE-RT	PEX / PB / PER / PE	KOPER	MESSING / BRONS	RVS
-------------	-----------------------	-------------------------	---------------------	-------	-----------------	-----



SYSTEEM/SYSTEM *	Ø (mm)				
------------------	--------	--	--	--	--

SYSTEEM/SYSTEM *	Ø (mm)				
------------------	--------	--	--	--	--

A

ACOME Acome MT	12-16-20-25	RF-P	-	RF	H
	16-20-32	TH/U	TH/U	TH/U	TH/H/U
ACOME Acopex Alu	26	TH	TH	TH	TH/H/U
	40-50-63	-	-	-	TH/H/U
	12	RF-P/U	-	RF/U	H/U
AC-FIX Press	16-20-25-32	RF-P/U	U	RF/U	H/U
	16-20-25-32	RF-P/U	U	RF/U	H/U
AC-FIX Press Multi	18	RF-P/U	-	RF/U	H/U
	40	-	-	U	U
	50-60	-	-	-	U
	12-15-18	M	M	M	M
AHLSELL A-Press elforzinkad	22	M	-	M	M
	28	M	-	-	M
	35	-	-	-	M
	42-54	-	-	-	M 3 ELTS M CHAINE
	12-15-18	V	V	V	V
AHLSELL A-Press koppar	22-28	V	-	V	V
	35-42-54	-	-	-	V
	12-15-18	M	M	M	M
AHLSELL A-Press rostfritt	22	M	-	M	M
	28	M	-	-	M
	35	-	-	-	M
	42-54	-	-	-	M 3 ELTS M CHAINE
	12-15-18	M	M	M	M
AIRBEL Pressclim	22	M	-	M	M
	28	M	-	-	M
	35	-	-	-	M
	42-54	-	-	-	M 3 ELTS M CHAINE
	15-18-22	M	M	M	M
AIRBEL Sertinox	28	M	-	-	M
	35	-	-	-	M
	42-54	-	-	-	M 3 ELTS M CHAINE
ALB Sistema Multicapa	14-18	TH/U	-	TH/U	H/TH/U
	16-20-32	TH/U	TH/U	TH/U	H/TH/U
	26	TH	-	TH	H/TH
ANQUIER Aser	12-16-20-25	RF-P	-	RF	H
APE RACCORDERIE Raccordi a pressare	16-20	TH/U	TH/U	TH/U	TH/H/U
	18	TH	-	TH	TH
	26	TH	TH	TH	TH/H
	32	TH	-	TH	TH/H
	40	-	-	U	U
	50-63	-	-	-	U
ATLAS COPCO Airmet	15	M	M	M	M
	28	M	-	-	M
	35	-	-	-	M
	42-54	-	-	-	M 3 ELTS M CHAINE
AYOR Fixomultix	16-20-32	U/TH/RF-P	TH/U	U/TH/RF	U/TH/H
	25	U	U	U	U
	26	TH/U	TH	TH/U	TH/U
	40-50-63-75	TH/U	-	TH/U	TH/U
AYOR Pronorm Pressfitting	12-14-16-18	V	V	V	V
	22-28	V	-	V	V
	35-42-54	-	-	-	V
AYOR Fixoconnect	12	RF-P/U	-	RF/U	H/U
	16-20-25	RF-P/U	U	RF/U	H/U

B

BAMPI Balpex	14-18	TH	-	TH	TH
	16-20-26-32	TH	TH	TH	TH
	40	-	-	TH	TH
	50	-	-	-	TH
BARBI Easypress	12	RF-P/U	-	RF/U	H/U
	16-20-25-32	RF-P/U	U	RF/U	H/U
BARBI Multipex	16-20x2,0-32	RF-P/TH/U	TH/U	RF/TH/U	H/TH/U
	18	RF-P/U	-	U/RF	H/U
	20x2,5	RF-P/U	U	U/RF	H/U
	25	RF-P/TH/U	U	RF/TH/U	H/TH/U
	26	RF-P/TH/U	TH	RF/TH/U	H/TH/U
	40	-	-	U	U
50-63	-	-	-	U	
BEGETUBE Multipress leak	16-20-26-32	TH	TH	TH	TH
BEGETUBE Alpex Duo XS	16-20-26-32	TH	TH	TH	TH
BEGETUBE Alpex Duo XL	40-50-63	TH	-	TH	TH
BRASELLI Pressfitting PE-X	16-20-25-32	RF-P	-	RF	-
BRASELLI Pressfitting Multicapa	16-20-25-32	U	U	U	U
	18	U	-	U	U
	40	-	-	U	U
	50	-	-	-	U
BROEN Ballofix Press	15-18-22	MV	-	V	MV
BROSETTE Eurobasic	12-16-20-25	RF-P	-	RF	H
BUCCHI Tech MP	14	TH	-	TH	TH
	16-20-26-32	TH	TH	TH	TH

C

CEDEO Altech (Comap)	12-16-20-25	RF-P	-	RF	H
CEDEO Altech (RBM)	16-20-32	TH/U	TH/U	TH/U	TH/U
	26	TH/U	TH	TH/U	TH/U
	40	-	-	TH	TH
	50-63	-	-	-	TH
CEDEO Altech (IBP B Press)	12-14-15-16-18	V	V	V	V
	22-28	V	-	V	V
	35-42-54	-	-	-	V
COES Coesklima (K-Fit)	14	U	-	-	U
	16-20-25-32	U	U	U	U
	18	U	-	U	U
	40	-	-	U	U
	50	-	-	-	U
	63-75	-	-	-	U CHAINES
COMAP PexPress	12-16-20-25	RF-P	-	RF	H
COMAP SkinPress	14-18	TH	-	TH	TH
	16-20-26-32	TH	TH	TH	TH
	40	-	-	TH	TH
	50-63	-	-	-	TH
COMAP Multiskin	16-20-32	TH/U	TH/U	TH/U	TH/H/U
	26	TH/U	TH	TH/U	TH/U
	40	-	-	TH/U	TH/U
	50-63	-	-	-	TH/U
COMAP SudoPress Cu	12-14-15-16-18	V	V	V	V
	22-28	V	-	V	V
	35-42-54	-	-	-	V
COMAP Xpress	12-15-18	M	M	-	M
	22-28	M	-	-	M
	35-42-54	-	-	-	M
COMAP Xpress	15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35-42-54	-	-	-	M

ALLE COMPATIBELE SYSTEMEN

* MATERIAAL STAAL / KOOLSTOFSTAAL MEERLAGEN / KOPER PE-RT PEX / PB / PER / PE KOPER MESSING / BRONS RVS



SYSTEEM/SYSTEM *	Ø (mm)				
COMISA Press	14-18	TH	-	TH	H/TH
	16-20-26-32	TH	TH	TH	TH
	25	TH	-	TH	TH
	40	-	-	TH	TH
	50-63	-	-	-	TH
COMPTOIR DE PICARDIE Multiquick	16-20	TH/U	TH/U	TH/U	TH/U
	26	TH	TH	TH	TH
COMPTOIR DE PICARDIE Quick plomberie	16-20	TH/U	TH/U	TH/U	H/TH/U
	26	TH	TH	TH	TH/H
CONEL Connect multi	16-20-32	TH/U	TH/U	TH/U	TH/H/U
	26	TH	TH	TH	TH/H
CORUS Forcas	28	M	-	M	M
	35	-	-	-	M

D

DALPEX Laser multi Dalpex	14-18	TH	-	TH	TH
	16-20-26-32	TH	TH	TH	TH
	40	-	-	TH	TH
	50-63	-	-	-	TH
DIWA Flex Systems	14-18	TH	-	TH	TH
	16-20-26-32	TH	TH	TH	TH
	40	-	-	TH	TH
DUOFIL Maximetel	16-20-32	RF-P/U	U	RF/U	U
DW VERBUNDROHR Multitubo	16-20-25-32	U	U	U	U
	40	-	-	U	U
	50	-	-	-	U
	63-75	-	-	-	U CHAINES

E

EBRILLE Moniflex	16-20-25-32	U	U	U	U
	18	U	-	U	U
	40	-	-	U	U
	50-63-75	-	-	-	U
EBRILLE Moniflex (F5)	16-20-25-32	U	U	U	U
	18	U	-	U	U
	40	-	-	U	U
	50-63-75	-	-	-	U
EBRILLE Moniflex (F8)	16-20-25-32	U	-	U	U
EBRILLE Moniflex (F9)	16-20-26-32	TH	TH	TH	TH
	25	TH	-	TH	TH
EBRILLE Moniflex (F18)	16-20-32	TH/U	TH/U	TH/U	TH/H/U
	25	TH/U	U	TH/U	TH/H/U
	26	TH	TH	TH	TH/H
EFFEBI Prestige	15-18	M/V	M/V	V	M/V
	22-28	M/V	-	V	M/V
	35	-	-	-	M/V
EFFEBI Tof Multipinza	16-20-32	TH/U	TH/U	TH/U	TH/H/U
	18	TH/U	-	TH/U	TH/H/U
	25	TH/U	U	TH/U	TH/H/U
	26	TH	TH	TH	TH/H
EFFEBI Press Carbon	12-15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35	-	-	-	M
	42-54	-	-	-	M 3 ELTS
EFFEBI Press Inox	12-15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35	-	-	-	M
	42-54	-	-	-	M 3 ELTS M CHAINE
EMCAL C-Stahl	15-18-22	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35	-	-	-	M
	42-54	-	-	-	M 3 ELTS M CHAINE

SYSTEEM/SYSTEM *	Ø (mm)				
EMCAL Perfect Aqua	16-20-25-32	U	U	U	U
	40	-	-	U	U
	50	-	-	-	U
	63	-	-	-	U CHAINES
EMCAL Presso	16-20-26-32	TH	TH	TH	TH
	40	-	-	TH	TH
EMCAL Presso Nox	15-18	M	M	M	M
	22	M	-	-	M
	28	M	-	-	M
	35	-	-	-	M
	42-54	-	-	-	M CHAINE
EMMETI Gerpex-Fivpress Easytec	14-18	TH	-	TH	TH
	16-20-26-32	TH	TH	TH	TH
	40	-	-	TH	TH
	50	-	-	-	TH
ESTA ROHR Simplesta	15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35	-	-	-	M
	42-54	-	-	-	M CHAINE
EUROTUBI EUROPA Pressfitting System	12-15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35	-	-	-	M
	42-54	-	-	-	M 3 ELTS M CHAINE
EUROTUBI EUROPA Pressfitting System	12-15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35	-	-	-	M
	42-54	-	-	-	M 3 ELTS M CHAINE

F

FAR RUBINETTERIE Raccords Pressstar	14	TH/U	-	TH	H/TH/U
	16-20-32	TH/U	TH/U	TH/U	H/TH/U
	18	TH/U	-	TH/U	H/TH/U
	25	TH/U	U	TH/U	H/TH/U
	26	TH	TH	TH	H/TH
	40	-	-	TH/U	H/TH/U
	50-63	-	-	-	TH/U
FBQ BARONIO BQ Press carbon steel	15-18	V	V	V	V
	22-28	V	-	V	V
	35-42-54	-	-	-	V
FBQ BARONIO BQ Press rame	12-14-15-16-18	V	V	V	V
	22-28	V	-	V	V
	35-42-54	-	-	-	V
FERCOFLOOR Duo Press Ferco Pex	16	RF-P/TH/U	TH/U	RF/TH/U	TH/U
	20-25-32	RF-P/TH/U	U	RF/TH/U	TH/U
FERCOFLOOR Duo Press Multifit	16-20-32	RF-P/TH/U	TH/U	RF/TH/U	TH/U
	18	TH/U	-	TH/U	TH/U
	25	RF-P/TH/U	U	RF/TH/U	TH/U
FG INOX	15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35	-	-	-	M
	42-54	-	-	-	M CHAINE
FILTUBE Installpress	12-15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35-42-54	-	-	-	M
FILTUBE Installpress	15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35-42-54	-	-	-	M
FINIMETAL FIVPRESS LBP	16-20-32	TH/U	TH/U	TH/U	TH/U
	26	TH/U	TH	TH/U	TH/U

ALLE COMPATIBELE SYSTEMEN

* MATERIAAL STAAL / KOOLSTOFSTAAL MEERLAGEN / KOPER PE-RT PEX / PB / PER / PE KOPER MESSING / BRONS RVS



SYSTEEM/SYSTEM *	Ø (mm)				
FINIMETAL FIVPRESS	16-20-26-32 40-50-63	-	-	-	TH
FITTINGS ESTANDAR Eco-Press	16-20-25-32	RF-P	-	RF	-
FITTINGS ESTANDAR PEX-A	16-20-25-32	RF-P/U	U	RF/U	U
FITTINGS ESTANDAR Multicapa	16-20-25-32	RF-P/U	U	RF/U	U
FORNARA SPA	16-20-26-32	TH	TH	TH	TH
FRABO Frabopress C-Steel	15-18	V	V	V	V
	22-28	V	-	V	V
	35-42-54	-	-	-	V
FRABO Frabopress H20	12-15-18	V	V	V	V
	22-28	V	-	V	V
	35-42-54	-	-	-	V
FRABO Frabopress 316	15-18	V	V	V	V
	22-28	V	-	V	V
	35-42-54	-	-	-	V
FRABO Multi-Brass	16-20	TH/U	TH/U	TH/U	TH/U
	26-32	TH	TH	TH	TH
FRABO Multi-Plus	16-20-32	U	U	U	H/U
	26	-	-	-	H
FRANKISCHE Alpex Duo-Alpex L	16-20-26-32	TH	TH	TH	TH
FRANKISCHE Alpex Duo XS	16-20-26-32	TH	TH	TH	TH
FRANKISCHE Turatec System	16-20-26-32	TH	TH	TH	TH
FRIATEC Friatherm Uni	16-20-26-32	-	-	-	H
	40 50-63	-	-	-	H TH

SYSTEEM/SYSTEM *	Ø (mm)				
GEBERIT MAPRESS	12-15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	38	-	-	-	M
GEBERIT MAPRESS	42-54	-	-	-	M 3 ELTS M CHAINE
	12-15-18	M	M	-	M
	22-28	M	-	M	M
	35	-	-	-	M
GEBERIT MAPRESS	42-54	-	-	-	M 3 ELTS M CHAINE
	12-15-18	M	M	M	M
	22-28	M	-	M	M
	35	-	-	-	M
GEBERIT Volex	42-54	-	-	-	M 3 ELTS M CHAINE
	16-20	TH/U	TH/U	TH/U	TH/U
	26	TH	TH	TH	TH
	16-20-26-32	G	-	G	G
GEBERIT Mepla	40	-	-	G	G
	50	-	-	-	G
GENERAL FITTINGS Série 5000	14	TH/U	-	TH	H/TH/U
	16-20-32	TH/U	TH/U	TH/U	H/TH/U
	18	TH/U	-	TH/U	H/TH/U
	25	TH/U	U	TH/U	H/TH/U
	26	TH	TH	TH	H/TH
	40	-	-	U	H/U
GIACOMINI Raccords RM	50	-	-	-	TH/U
	16-20-32	TH/U	TH/U	TH/U	H/TH/U
	26	TH	TH	TH	H/TH
	40	-	-	TH/U	TH/U
	50	-	-	-	TH/U
	63	-	-	-	TH
GLOBAL PIPING SYSTEM Ac-Fix Press	75-90	-	-	-	U
	12 16-20-25-32	RF-P/U	-	RF/U	H/U H/U

SYSTEEM/SYSTEM *	Ø (mm)				
GLOBAL PIPING SYSTEM Ac-Fix Press	16-20-25-32	RF-P/U	U	RF/U	H/U
	18	-	-	U	U
	40 50-60	-	-	U	U
GALE TRADE Aqualpress System	16-20-25-32	U	U	U	U
GOLAN	16-20-25-32	U	U	U	U
	18	U	-	U	U
	40 50-63	-	-	U	U

SYSTEEM/SYSTEM *	Ø (mm)				
HAKA GERODUR Hakathen-L	14-18	TH	-	TH	TH
	16-20-26-32	TH	TH	TH	TH
HAMMEL ROBINETTERIE	12-14-15-16-18	V	V	V	V
	22-28	V	-	V	V
	35-42-54	-	-	-	V
HAMMEL ROBINETTERIE	16-20-26-32	TH	TH	TH	TH
HAMMEL ROBINETTERIE	12-16-20-25	RF-P	-	RF	H
HEIMA Press-Fittings	16-20-26-32	TH	TH	TH	TH
	40	-	-	TH	TH
	50	-	-	-	TH
HELIROMA Klimapress	16-20-25-32	U	U	U	U
	18	U	-	U	U
	40	-	-	U	U
	50-63-75	-	-	-	U
HELIROMA Romapress	16-20-25-32	RF-P	-	RF	-
HENCO - PE-Xc/AL/Pe-Xc (Raccords Lation ou PVDf)	14-18	TH	-	TH	TH
	16-20-26	TH	TH	TH	TH
HENCO HPL	16-20	TH/U	TH/U	TH/U	TH/H/U
	26	TH	TH	TH	TH/H
	32	TH/U	-	TH/U	TH/H/U
	14	TH	-	TH	TH
HEROTEC Tempuss-Press	16-20-26-32	TH	TH	TH	TH
	40	-	-	TH	TH
HERZ Pipefix	14-18-25	TH	-	TH	TH
	16-20-26-32	TH	TH	TH	TH
	40	-	-	TH	TH
	50-63	-	-	-	TH

SYSTEEM/SYSTEM *	Ø (mm)				
IBP CONEX/BANNINGER >B<Flex	12-16-20-25-32	RF-P	-	RF	H
IBP CONEX/BANNINGER >B<Flex (F5)	16-20-25-32	U	U	U	U
	18	U	-	U	U
	40 50-63-75	-	-	U	U
IBP CONEX/BANNINGER >B<Flex (F8)	16-20-25-32	U	U	U	U
IBP CONEX/BANNINGER >B<Flex (F9)	16-20-26-32	TH	TH	TH	TH
	25	TH	-	TH	TH
IBP CONEX/BANNINGER >B<Flex (F18)	16-20	TH/U	TH/U	TH/U	TH/H/U
	25	TH/U	U	TH/U	TH/H/U
	26	TH	-	TH	TH/H
	32	TH/U	-	TH/U	TH/H/U
IBP CONEX/BANNINGER >B<MaxiPro	1/4-3/8-1/2-5/8-3/4"	R	R	R	R
	7/8"	R	-	-	R
	1-1.1/8-1.3/8"	-	-	-	R
IBP CONEX/BANNINGER >B<Press >B<Press Gas	12-14-15-16-18	V	V	V	V
	22-28	V	-	V	V
	35	-	-	-	V
	42-54	-	-	-	V
IBP CONEX/BANNINGER >B<Press Inox	15-18	V	V	V	V
	22-28	V	-	V	V
	35-42-54	-	-	-	V

ALLE COMPATIBELE SYSTEMEN

* MATERIAAL STAAL / KOOLSTOFSTAAL MEERLAGEN / KOPER PE-RT PEX / PB / PER / PE KOPER MESSING / BRONS RVS



SYSTEEM/SYSTEM *	Ø (mm)				
IBP CONEX/BANNINGER >B-Press Carbon	15-18	V	V	V	V
	22-28	V	-	V	V
	35-42-54	-	-	-	V
IDROSANITARIA BONOMI Idropress	16-20-26-32	TH	TH	TH	TH
	18	TH	-	TH	TH
	40	-	-	TH	TH
ILTA INOX Chibro Pressfitting	50-63	-	-	-	TH
	15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35	-	-	-	M
INDUSTRIAL BLANSOL Multipepex	42-54	-	-	-	M 3 ELTS M CHAINE
	16	RF-P/TH/U	TH/U	RF/TH/U	H/TH/U
	18	U	-	RF/U	H/U
	20x2,5	RF-P/U	U	RF/U	H/U
	20x2-25	RF-P/TH/U	TH/U	RF/TH/U	H/TH/U
	26	TH	TH	RF/TH	H/TH
	32	RF-P/TH/U	-	RF/TH/U	U/H/TH
	40	-	-	U	U PINCE
50-63	-	-	-	U PINCE	
INSTALPRESS Carbon steel	12-15-18-22	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35	-	-	-	M
	42-54	-	-	-	M 3 ELTS M CHAINE
IPA Ipalpex	14-18	TH	-	TH	TH
	16-20-26-32	TH	TH	TH	TH
	40	-	-	TH	TH
	50-63	-	-	-	TH
ISOLTUBEX Isolpex	16-20-25-32	RF-P	-	RF	-
ISOLTUBEX	16-20-25-32-40	RF-P	-	RF	H
	18-50-63	U	-	U	U
ISOTUBI Numepress	15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	42-54	-	-	-	M 3 ELTS M CHAINE
IVAR Multi-Press	16-20-32	TH/U	TH/U	TH/U	TH/H/U
	18	TH/U	-	TH/U	TH/H/U
	25	TH/U	U	TH/U	TH/H/U
	26	TH	TH	TH	TH/H
	40	-	-	TH/U	TH/U
	50-63	-	-	-	TH 3 ELTS
IVAR Plastic Multi-Press	16-20-32	TH/U	TH/U	TH/U	TH/H/U
	25	TH/U	U	TH/U	TH/H/U
	26	TH	TH	TH	TH/H
JANSEN AG Jansen Comisa Ravani Prima	16-20-26-32	TH	TH	TH	TH
	40	-	-	TH	TH
	50-63	-	-	-	TH
KAN Kan-Therm	16-20-32	TH/U	TH/U	TH/U	TH/U
	25	TH/U	U	TH/U	TH/H/U
	26	TH	TH	TH	TH
	40	-	-	TH/U	TH/U
	16-20-25-32	TH/U	TH/U	TH/U	TH/U
KAN Kan-Therm LBP	25	TH/U	U	TH/U	TH/H/U
	26	TH	TH	TH	TH
	40	-	-	TH/U	TH/U
KAN Kan-Therm	15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35-42-54	-	-	-	M

J

JANSEN AG Jansen Comisa Ravani Prima	16-20-26-32	TH	TH	TH	TH
	40	-	-	TH	TH
	50-63	-	-	-	TH

K

KAN Kan-Therm	16-20-32	TH/U	TH/U	TH/U	TH/U
	25	TH/U	U	TH/U	TH/H/U
	26	TH	TH	TH	TH
	40	-	-	TH/U	TH/U
	16-20-25-32	TH/U	TH/U	TH/U	TH/U
KAN Kan-Therm LBP	25	TH/U	U	TH/U	TH/H/U
	26	TH	TH	TH	TH
	40	-	-	TH/U	TH/U
KAN Kan-Therm	15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35-42-54	-	-	-	M

SYSTEEM/SYSTEM *	Ø (mm)				
KAN Kan-Therm	15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35-42-54	-	-	-	M
KE KELIT Kelox	16-20-25-32	U	U	U	U
	40	-	-	U	U
	50-63	-	-	-	U
	75	-	-	-	U CHAINE
KE KELIT Steelfix	15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35-42-54	-	-	-	M
KE KELIT Steelfix	15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35-42-54	-	-	-	M
KME Q-Tec	14	TH	-	TH	TH
	16-20	TH	TH	TH	TH
KOHLER Inox Press	15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35	-	-	-	M
42-54	-	-	-	M CHAINE	

N

NICOLL Fluxo	16-20-26-32	TH	TH	TH	TH
	40	-	-	TH	TH
	50-63	-	-	-	TH
NINGBO Press-ID	12-16-20-25-32	RF-P	-	RF	H
NINGBO Press-ID Carbon	15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35	-	-	-	M
	42-54	-	-	-	M 3 ELTS
NINGBO Press-ID Inox	15-18	M/V	M/V	M/V	M/V
	22	M/V	-	M/V	M/V
	28	M/V	-	V	M/V
	35	-	-	-	M/V
	42-54	-	-	-	M 3 ELTS/V
NOYON & THIEBAULT Raccord F5	16-20-25	U	U	U	U
	18-32	U	-	U	U
	40	-	-	U	U
	50-63-75	-	-	-	U
NOYON & THIEBAULT Raccord F9	16-20-26-32	TH	TH	TH	TH
	25	TH	-	TH	TH
NOYON & THIEBAULT Raccord F17	16-20-32	TH/U	TH/U	TH/U	H/TH/U
	25	TH/U	U	TH/U	H/TH/U
	26	TH	TH	TH	TH/H
NOYON & THIEBAULT Multicouche à sertir	16-20	TH/U	TH/U	TH/U	H/TH/U
	26	TH	TH	TH	TH/H
N.T.M. Winny-Al	14	TH/U	-	TH	TH/U
	16-20-32	TH/U	TH/U	TH/U	TH/U
	18	TH/U	-	TH/U	TH/U
	25	TH/U	U	TH/U	TH/U
	26	TH	TH	TH	TH
	40	-	-	TH/U	TH/U
	50	-	-	-	TH/U
63	-	-	-	U	
NUPI INDUSTRIE ITALIANE Multinupi	14	U	-	U	U
	16-20-32	U/TH	TH/U	U/TH	U/TH/H
	18	U/TH	-	U/TH	U/TH/H
	26	TH	TH	TH	TH/H
	40	-	-	U	U
50-63	-	-	-	U	

ALLE COMPATIBELE SYSTEMEN

* MATERIAAL	STAAL / KOOLSTOFSTAAL	MEERLAGEN / KOPER PE-RT	PEX / PB / PER / PE	KOPER	MESSING / BRONS	RVS
-------------	-----------------------	-------------------------	---------------------	-------	-----------------	-----



SYSTEEM/SYSTEM *	Ø (mm)					
------------------	--------	--	--	--	--	--

O

OVENTROP Cofit P	16-20-26-32	HA	-	-	HA
	40	-	-	-	HA
	50	-	-	-	U
	63	-	-	-	U

P

PB TUB Sertipress	12-16-20-25	RF-P	-	RF	H
PB TUB Serti-steel	12-15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35	-	-	-	M
	42-54	-	-	-	M 3 ELTS M CHAINE
PB TUB Alpex duo - Turatec - Alpex duo XS	16-20-26-32	TH	TH	TH	TH
PEGLER YORKSHIRE Xpress	12-15-22	M	M	M	M
	14-22	M	-	M	M
	16	-	-	-	M
	28	M	-	-	M
	35	-	-	-	M
42-54	-	-	-	M CHAINE	
PEGLER YORKSHIRE Sudo Press cuivre visu control	12-14-15-16-18	V	V	V	V
	22-28	V	-	V	V
	35	-	-	-	V
	42-54	-	-	-	V / V CHAINE
PERFILTUBO Perfialupex	16-20-25-32	U	U	U	U
	18	U	-	U	U
	40	-	-	U	U
	50-63	-	-	-	U
PERFILTUBO Perfipress	15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35-42-54	-	-	-	M
PEXTUBE Pextube	16-20-25-32	RF-P	-	RF	-
PIETRO RAVANI	16-20-26-32	TH	TH	TH	TH
PIPELIFE Radopress	18	TH	-	TH	TH
	40	-	-	TH	TH
	50-63	-	-	-	TH
POLYSAN Rainbow	16-20-25-32	U	U	U	U
	18	U	-	U	U
	40	-	-	U	U
	50-63	-	-	-	U
PRANDELLI Multyrama (PF)	16-20-26-32	RF-P	-	-	H
	40	-	-	U	U
	50	-	-	-	U
PRANDELLI Multyrama (PFM)	16-20	RF-P/TH/U	TH/U	TH/U	H/TH/U
	26	RF-P/TH	TH	TH	H/TH
	32	RF-P/TH/U	TH/U	TH/U	H/TH/U
	40	-	-	TH/U	TH/U
	50	-	-	-	TH/U
	63	-	-	-	U

R

RACCORDERIE METALLICHE (RM) Steelpres	15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35	-	-	-	M
42-54	-	-	-	M 3 ELTS M CHAINE	
RACCORDERIE METALLICHE (RM) Inoxpres	15-18-22	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35	-	-	-	M
	42-54	-	-	-	M 3 ELTS M CHAINE

SYSTEEM/SYSTEM *	Ø (mm)					
------------------	--------	--	--	--	--	--

RBM Tita-fix	14	TH/U	-	TH	TH/HU
	16-20	TH/U	TH/U	TH/U	TH/HU
	18	TH/U	-	TH/U	TH/HU
	26-32	TH	TH	TH	TH/H
	40	-	-	TH	TH
	50-63	-	-	-	TH
RIFENG Raccords F5	16-18-20-25-32	U	-	U	U
	40	-	-	U	U
	50-63-75	-	-	-	U
RIFENG Raccords F8	16-20-25-26-32	U	-	U	U
RIFENG Raccords F9	16-20-25-32	TH	-	TH	TH
RIFENG Raccords F17 Raccords F18	16-20-32	TH/U	TH/U	TH/U	H/TH/U
	25	TH/U	U	TH/U	H/TH/U
	26	TH	TH	TH	H/TH
RIQUIER A sertir	12	RF-P	-	-	H
	16-20-25	RF-P	-	RF	H
RUBINETTERIE BRESCIANE BONOMI Turbo Cu-Ni	15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35	-	-	-	M
	42-54	-	-	-	M CHAINE
	42-54	-	-	-	M CHAINE
RUBINETTERIE BRESCIANE BONOMI Turbo inox	15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35	-	-	-	M
	42-54	-	-	-	M CHAINE
RUBINETTERIE BRESCIANE BONOMI Turbo Steel	15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35	-	-	-	M
	42-54	-	-	-	M CHAINE
RUBINETTERIE BRESCIANE BONOMI Turbo Press	14	TH/U	-	TH	H/TH/U
	16-20-32	TH/U	TH/U	TH/U	H/TH/U
	18	TH/U	-	TH/U	H/TH/U
	26	TH	TH	TH	H/TH
	40	-	-	TH	TH
	50-63	-	-	-	TH
RUBINETTERIE BRESCIANE BONOMI Turbo Press LBP	16-20-26-32	TH	TH	TH	TH
RUBINETTERIE BRESCIANE BONOMI Evens System	16-20-26-32	TH	TH	TH	TH
	40	-	-	TH	TH
	50	-	-	-	TH

S

SANHA Multifit-Flex	16-20-32	TH/U	TH/U	TH/U	TH/U
	26	TH	TH	TH	TH
	40	-	-	TH	TH
	50	-	-	-	TH
	50	-	-	-	TH
SANHA Pressfittings	12	V	MV	MV	MV
	14	V	-	V	MV
	15-18	MV	MV	MV	MV
	16	V	V	V	MV
	22	MV	-	MV	MV
	28	MV	-	V	MV
	35	-	-	-	MV
	42-54	-	-	-	M CHAINE / V
SANHA NiroSan Press	15-18	MV	MV	V	MV
	22-28	MV	-	V	MV
	35	-	-	-	MV
	42-54	-	-	-	M CHAINE / V
	42-54	-	-	-	M CHAINE / V
SANHA Therm	12-15-18	MV	MV	V	MV
	22-28	MV	-	V	MV
	35	-	-	-	MV
	42-54	-	-	-	V

VT_04

ALLE COMPATIBELE SYSTEMEN

* MATERIAAL STAAL / KOOLSTOFSTAAL MEERLAGEN / KOPER PE-RT PEX / PB / PER / PE KOPER MESSING / BRONS RVS



SYSTEEM/SYSTEM *	Ø (mm)				
SCHWER Aquapress	15-18-22	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35-42-54	-	-	-	M
SESTA Sistema multistrato	16-20	TH/U	TH/U	TH/U	H/TH/U
	18	TH	-	TH	TH
	26-32	TH	TH	TH	TH
SIDER	16-20-26-32	TH	TH	TH	TH
	40	-	-	TH	TH
	50	-	-	-	TH
SIDER Sidpress	12-16-20-25-32	RF-P	-	RF	H
SOMATEM Trinnity (RBM)	16-20-26-32	TH	TH	TH	TH
	40	-	-	TH	TH
	50-63	-	-	-	TH
STPC Sopalplex Fit	16-20-26	TH	TH	TH	TH
STELBI Polikraft	14-18	TH	-	TH	TH
	16-20-26-32	TH	TH	TH	TH
	40	-	-	TH	TH
50	-	-	-	TH	
SYSTEM Woprex	14-16-20-26-32	HA	-	-	HA

T	SYSTEEM/SYSTEM *	Ø (mm)				
TERMICALINE Termi-plex	16-20-32	TH/U	TH/U	TH/U	TH/U	
	26	TH	TH	TH	TH	
THERMADOR	14-16	V	V	V	MV	
	12-15-18	MV	MV	V	MV	
	22-28	MV	-	V	MV	
	35	-	-	-	MV	
	42-54	-	-	-	V	
TIEMME Cobra-Pex série 1700	16-20-25-32	RF-P	-	RF	-	
TIEMME Cobrapress	14-18-25	TH	-	TH	TH	
	16-20-26-32	TH	TH	TH	TH	
	40	-	-	TH	TH	
	50-63	-	-	-	TH	
TRA Multitrapress	16-20-25-32	U	U	U	U	
	40	-	-	U	U	
	50-63	-	-	-	U	
TRA Trapress	12-16-20-25-32	RF-P	-	RF	H	
TWEETOP	16-20-25-32	U	U	U	U	
	18	U	-	U	U	
	40	-	-	U	U	
	50-63-75	-	-	-	U	

U	SYSTEEM/SYSTEM *	Ø (mm)				
UNICAL Max Multiplex	16-20-32	U	U	U	U	
	26	-	-	-	H	
UNIDELTA Deltall	16-20-32	TH/U	TH/U	TH/U	H/TH/U	
	26	TH	TH	TH	H/TH	
	40	-	-	TH/U	H/TH/U	
	50-63	-	-	-	TH/U	
UPONOR Système Multi-couche	16-20-25-32	U	U	U	U	
	40	-	-	U	U	
	50	-	-	-	U	
	63-75-90-110	-	-	-	U CHAINES	

V	SYSTEEM/SYSTEM *	Ø (mm)				
VALSIR Bravopress PPSU	16-20	TH/U	TH/U	TH/U	H/TH/U	
	26	TH	TH	TH	H/TH	
	32	TH/U	TH/U	TH/U	H/TH/U	
	40	-	-	TH/U	TH/U	
	50-63	-	-	-	TH/U	

SYSTEEM/SYSTEM *	Ø (mm)				
VALSIR Raccords laiton	14	-	-	-	H
	16-20-32	TH/U	TH/U	TH/U	H/TH/U
	26	TH	TH	TH	H/TH
	32	TH/U	TH/U	TH/U	H/TH/U
	40	-	-	TH/U	TH/U
	50-63	-	-	-	TH/U
	75-90	-	-	-	U
VAN MARCKE Tubipex	16-20-26-32	TH	TH	TH	TH
	18	TH	-	TH	TH
VAN MARCKE Tubipex	16-20-26-32	TH	TH	TH	TH
	40-50-63	-	-	-	TH
VIEGA Prestabo	12-15-18	V	V	V	V
	22-28	V	-	V	V
	35-42-54	-	-	-	V
VIEGA Profipress	12-14-15-16-18	V	V	V	V
	22-28	V	-	V	V
	35-42-54	-	-	-	V
VIEGA Sanpress	12-14-15-16-18	V	V	V	V
	22-28	V	-	V	V
	35-42-54	-	-	-	V
VIEGA Sanpress Inox	15-18	V	V	V	V
	22-28	V	-	V	V
	35-42-54	-	-	-	V
VSH Skinpress	14-18	TH	-	TH	TH
	16-20-26-32	TH	TH	TH	TH
	40	-	-	TH	TH
	50-63	-	-	-	TH
VSH Sudopress	12-14-15-16-18	V	V	V	V
	22-28	V	-	V	V
	35-42-54	-	-	-	V
VSH Sudopress	12-14-15-16-18	V	V	V	V
	22-28	V	-	V	V
	35-42-54	-	-	-	V
VSH Xpress	12-15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35-42-54	-	-	-	M
VSH Xpress	12-15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35-42-54	-	-	-	M
VSH Xpress	12-15-18	M	M	M	M
	22	M	-	M	M
	28	M	-	-	M
	35-42-54	-	-	-	M

W	SYSTEEM/SYSTEM *	Ø (mm)				
WAVIN Tigris M1	16-20-25-32	U	U	U	U	
	40	-	-	U	U	
	50-63	-	-	-	U	
WAVIN Tigris M5	16-20-32	H/TH/U	TH/U	H/TH/U	H/TH/U	
	25	H/TH/U	U	H/TH/U	H/TH/U	
	40	H/TH/U	-	H/TH/U	H/TH/U	
WIEDLAND Cuprotherm CTX	14	TH	-	TH	TH	
	16-20	TH	TH	TH	TH	

Z	SYSTEEM/SYSTEM *	Ø (mm)				
ZETAESSE Europex Isolex	14	TH/U	-	TH	TH/U	
	16-20	TH/U	TH/U	TH/U	TH/U	
	26-32	TH	TH	TH	TH	
ZETAESSE HydroSan / ThermoSan	14	TH/U	-	TH	TH/U	
	16-20	TH/U	TH/U	TH/U	TH/U	
ZEWOTHERM	14	TH	-	TH	TH	
	16-20-26-32	TH	TH	TH	TH	
	40	-	-	TH	TH	
	50-63	-	-	-	TH	