

ALLE MIT DEN VIRAX EINSÄTZEN UND ZANGEN KOMPATIBLEN SYSTEME



*Material	Stahl / Kohlenstoffstahl	Mehrschichtig / Kupfer PE-RT	PEX / PB / PER / PE	Kupfer	Messing / Bronze	Edelstahl
-----------	--------------------------	------------------------------	---------------------	--------	------------------	-----------

System	*	Ø (mm)			
--------	---	--------	--	--	--

A

ACOME Acome MT		12-16-20-25	RF-P	RF	H
ACOME - Acopex Alu		16-20-32	TH/H-ML/U	TH/U	TH/H/U
		26	TH/H-ML	TH	TH/H/U
		40-50-63	-	-	TH/H/U
AC-FIX Press		12-16-20-25-32	RF-P/U	RF/U	H/U
AC-FIX Press Multi		16-18-20-25-32	RF-P/H-ML/U	RF/U	H/U
		40	-	U	U
		50-60	-	-	U
AHLSELL A-Press elforzinkad		12-15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
AHLSELL A-Press elforzinkad		42-54	-	-	M
		12-15-18-22-28	V	V	V
		35-42-54	-	-	V
AHLSELL A-Press rostfritt		12-15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
AHLSELL A-Press rostfritt		42-54	-	-	M
	AIRBEL Pressclim	12-15-18-22	M	M	M
		28	M	-	M
35		-	-	M	
AIRBEL Pressclim	42-54	-	-	M	
	AIRBEL Sertinox	15-18-22	M	M	M
		28	M	-	M
35		-	-	M	
AIRBEL Sertinox	42-54	-	-	M	
	ALB Sistema Multicapa	14-16-18-20-32	H-ML/TH/U	TH/U	H/TH/U
		26	H-ML/TH	TH	H/TH
12-16-20-25		RF-P	RF	H	
ANQUIER Aser		16-20	TH/H-ML/U	TH/U	TH/H/U
APE RACCORDERIE Raccordi a pressare		18	TH	TH	TH
		26-32	TH/H-ML	TH	TH/H
		40	-	U	U
APE RACCORDERIE Raccordi a pressare		50-63	-	U	U
	ATLAS COPCO Airnet	15	M	M	M
		28	M	-	M
35		-	-	M	
ATLAS COPCO Airnet	42-54-76,1-88,9-107	-	-	M	

B

BAMPI Balpex		14-16-18-20-26-32	TH	TH	TH
		40	-	TH	TH
		50	-	-	TH
BARBI Easypress		12-16-20-25-32	RF-P/U	RF/U	H/U
BARBI Multipex		16-20 x 2,0-25-26-32	RF-P/U/TH	RF/U/TH	TH/H/U
		18 - 20 x 2,5	U/RF-P	U/RF	H/U
		40	-	U	U
BARBI Multipex		50-63	-	-	U
	BRASELLI Pressfitting PE-X	16-20-25-32	RF-P	RF	-
		BRASELLI Pressfitting Multicapa	16-18-20-25-32	U	U
40			-	U	U
BRASELLI Pressfitting Multicapa	50		-	-	U
	BRASS & FITTING RetiPRESS	16-32	RF-P	-	-
		BRASS & FITTING MultiPRESS	16-32	U	U
40-50-63			-	-	U
BROEN Ballifix Press			15-18-22	M/V	V
BROSETTE Eurobasic		12-16-20-25	RF-P	RF	H
BUCCHI Tech MP		14-16-20-26-32	TH	TH	TH

System	*	Ø (mm)			
--------	---	--------	--	--	--

C

CEDEO Altech (Comap)		12-16-20-25	RF-P	RF	H
CEDEO Altech (IBP B Press)		12-14-15-16-18-22-28	V	V	V
		35-42-54	-	-	V
COES Coesklima		14	U	-	U
		16-18-20-25-32	U	U	U
COES Coesklima (K-Fit)		40	-	U	U
		50	-	-	U
		63-75	-	-	U CHAINES
COMAP PexPress		12-16-20-25	RF-P	RF	H
COMAP SkinPress		14-16-18-20-26-32	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH
COMAP Multiskin		16-20-26-32	TH/U	TH/U	TH/H/U
		40	TH/U	TH/U	TH/H/U
COMAP SudoPress Cu		50-63	-	-	TH/U
		12-14-15-16-18-22-28	V	V	V
		35-42-54	-	-	V
COMAP Xpress		12-15-18-22	M	-	M
		28	M	-	M
		35-42-54	-	-	M
COMAP Xpress		15-18-22	M	M	M
		28	M	-	M
		35-42-54	-	-	M
COMISA Press		14-16-18-20-26-32	H-ML/TH	TH	H/TH
		25	TH	TH	TH
		40	-	TH	TH
COMPTOIR DE PICARDIE Multiquick		50-63	-	-	TH
		16-20	U/TH	U/TH	U/TH
		26	TH	TH	TH
COMPTOIR DE PICARDIE Quick plomberie		16-20	H-ML/TH/U	TH/U	H/TH/U
		26	H-ML/TH	TH	TH/H
CONEL Connect multi		16-20-32	TH/H-ML/U	TH/U	TH/H/U
		26	TH/H-ML	TH	TH/H
CORUS Forcas		28	M	M	M
		35	-	-	M

D

DALPEX Laser multi Dalpex		14-16-18-20-26-32	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH
DIWA Flex Systems		14-16-18-20-26-32	TH	TH	TH
		40	-	TH	TH
DUOFIL Maximetal		16-20-32	RF-P/U	RF/U	U
DW VERBUNDROHR Multitubo		16-20-25-32	U	U	U
		40	-	U	U
		50	-	-	U
DW VERBUNDROHR Multitubo		63-75	-	-	U CHAINES

E

EBRILLE Monflex		16-18-20-25-32	U	U	U
		40	-	U	U
		50-63-75	-	-	U
EBRILLE Monflex (F5)		16-18-20-25-32	U	U	U
		40	-	U	U
		50-63-75	-	-	U
EBRILLE Monflex (F8)		16-20-25-26-32	U	U	U
EBRILLE Monflex (F9)		16-20-25-26-32	TH	TH	TH
EBRILLE Monflex (F18)		16-20-25	TH/U	TH/U	TH/H/U
		26	TH	TH	TH/H
		32	TH/U	TH/U	TH/H/U
EFFEBI Prestige		15-18-22-28	M/V	V	M/V
		35	-	-	M/V
EFFEBI Tof Multipinza		16-18-20-32	TH/H-ML/U	TH/U	TH/H/U
		25	TH/U	TH/U	TH/H/U
		26	TH/H-ML	TH	TH/H

ALLE MIT DEN VIRAX EINSÄTZEN UND ZANGEN KOMPATIBLEN SYSTEME



*Material	Stahl / Kohlenstoffstahl	Mehrschichtig / Kupfer PE-RT	PEX / PB / PER / PE	Kupfer	Messing / Bronze	Edelstahl
-----------	--------------------------	------------------------------	---------------------	--------	------------------	-----------

System	*	Ø (mm)			
EFFEBI Press Carbon	Stahl / Kohlenstoffstahl	12-15-18-22-28	M	M	M
		28	M	-	M
		35	-	-	M
EFFEBI Press Inox	Edelstahl	12-15-18-22-28	M	M	M
		28	M	-	M
		35	-	-	M
EMCAL C-Stahl	Stahl / Kohlenstoffstahl	15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
EMCAL Perfect Aqua	Edelstahl	16-20-25-32	U	U	U
		40	-	U	U
		50	-	-	U
EMCAL Presso	Edelstahl	16-20-26-32	TH	TH	TH
		40	-	TH	TH
		15-18-22-28	M	M	M
EMCAL Presso Nox	Edelstahl	28	M	-	M
		35	-	-	M
		14-16-18-20-26-32	TH	TH	TH
EMMETI Gerpex-Fivpress Easytec	Edelstahl	40	-	TH	TH
		50	-	-	TH
		15-18-22	M	M	M
ESTA ROHR Simplesta	Edelstahl	28	M	-	M
		35	-	-	M
		12-15-18-22	M	M	M
EUROTUBI EUROPA Pressfitting System	Edelstahl	28	M	-	M
		35	-	-	M

F

FAR RUBINETTERIE Raccords Pressfar	Edelstahl	14	H-ML/TH/U	TH	H/TH/U
		16-18-20-32	H-ML/TH/U	TH/U	H/TH/U
		25	TH/U	TH/U	H/TH/U
		26	H-ML/TH	TH	H/TH
		40	-	TH/U	H/TH/U
FBQ BARONIO BQ Press carbon steel	Stahl / Kohlenstoffstahl	15-18-22-28	V	V	V
		35-42-54	-	-	V
		12-14-15-16-18-22-28	V	V	V
FBQ BARONIO BQ Press rame	Kupfer	35-42-54	-	-	V
		16-20-25-32	RF-P/TH/U	RF/TH/U	TH/U
FERCOFLOOR Duo Press Ferco Pex	PEX / PB / PER / PE	16-20-25-32	RF-P/TH/U	RF/TH/U	TH/U
		18	TH/U	TH/U	TH/U
FG INOX	Edelstahl	15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
FILTUBE Installpress	Stahl / Kohlenstoffstahl	12-15-18-22	M	M	M
		28	M	-	M
		35-42-54	-	-	M
FILTUBE Installpress	Edelstahl	15-18-22	M	M	M
		28	M	-	M
		35-42-54	-	-	M
FITTINGS ESTANDAR Eco-Press	PEX / PB / PER / PE	16-20-25-32	RF-P	RF	-
FITTINGS ESTANDAR PEX-A	PEX / PB / PER / PE	16-20-25-32	RF-P/U	RF/U	U
FITTINGS ESTANDAR Multicapa	Edelstahl	16-20-25-32	RF-P/U	RF/U	U
		18	U	U	U
FORNARA SPA	Edelstahl	16-20-26-32	TH	TH	TH
FRABO Frabopress C-Steel	Stahl / Kohlenstoffstahl	15-18-22-28	V	V	V
		35-42-54	-	-	V
FRABO Frabopress H20	Kupfer	12-15-18-22-28	V	V	V
		35-42-54	-	-	V
FRABO Frabopress 316	Edelstahl	15-18-22-28	V	V	V
		35-42-54	-	-	V
FRABO Multi-Brass	Kupfer	16-20	TH/U	TH/U	TH/U
		26-32	TH	TH	TH
FRABO Multi-Plus	Edelstahl	16-20-32	H-ML/U	U	H/U
		26	H-ML	-	H
FRANKISCHE Alpex Duo-Alpex L	Edelstahl	16-20-26-32	TH	TH	TH
FRANKISCHE Alpex Duo XS	Edelstahl	16-20-26-32	TH	TH	TH

System	*	Ø (mm)			
FRANKISCHE Turatec System	Edelstahl	16-20-26-32	TH	TH	TH
		16-20-26-32	H-ML	-	H
FRIATEC Friatherm Uni	Edelstahl	40	-	-	H
		50-63	-	-	TH

G

GEBERIT MAPRESS	Stahl / Kohlenstoffstahl	12-15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
GEBERIT MAPRESS	Kupfer	14-16	-	-	M
		12-15-18-22-28	M	-	M
		35	-	-	M
		42-54	-	-	M 3 ELTS
GEBERIT MAPRESS	Edelstahl	12-15-18-22-28	M	-	M
GEBERIT Volex	Edelstahl	16-20	TH/U	TH/U	TH/U
		26	TH	TH	TH
GEBERIT Mepla	Edelstahl	16-20-26-32	G	G	G
		40	-	G	G
		50	-	-	G
GENERAL FITTINGS Série 5000	Edelstahl	14	H-ML/TH/U	TH	H/TH/U
		16-18-20-32	H-ML/TH/U	TH/U	H/TH/U
		25	TH/U	TH/U	H/TH/U
		26	H-ML/TH	TH	H/TH
		40	-	U	H/U
GIACOMINI Raccords RM	Edelstahl	16-20-32	H-ML/TH/U	TH/U	H/TH/U
		26	H-ML/TH	TH	H/TH
		40	-	TH/U	TH/U
		50	-	-	TH/U
		63	-	-	TH
GLOBAL PIPING SYSTEM Ac-Fix Press	PEX / PB / PER / PE	12-16-20-25-32	RF-P/U	RF/U	H/U
		16-18-20-25-32	RF-P/H-ML/U	RF/U	H/U
GLOBAL PIPING SYSTEM Ac-Fix Press	Edelstahl	40	-	U	U
		50-60	-	-	U
GALE TRADE Aqualpress System	Edelstahl	16-20-25-32	U	U	U
GOLAN	Edelstahl	16-18-20-25-32	U	U	U
		40	-	U	U
GOLAN	Edelstahl	50-63	-	-	U

H

HAKA GERODUR Hakathen-L	Edelstahl	14-16-18-20-26-32	TH	TH	TH
HAMMEL ROBINETTERIE	Kupfer	12-14-15-16-18-22-28	V	V	V
		35-42-54	-	-	V
HAMMEL ROBINETTERIE	Edelstahl	16-20-26-32	TH	TH	TH
HAMMEL ROBINETTERIE	PEX / PB / PER / PE	12-16-20-25	RF-P	RF	H
HEIMA Press-Fittings	Edelstahl	16-20-26-32	TH	TH	TH
		40	-	TH	TH
		50	-	-	TH
HELIROMA Klimapress	Edelstahl	16-18-20-25-32	U	U	U
		40	-	U	U
		50-63-75	-	-	U
HELIROMA Romapress	PEX / PB / PER / PE	16-20-25-32	RF-P	RF	-
HENCO - PE-Xc/AL/Pe-Xc (Raccords Lation ou PVDF)	Edelstahl	14-16-18-20-26	TH	TH	TH
HENCO HPL	Edelstahl	16-20	TH/H-ML/U	TH/U	TH/H/U
		26	TH/U	TH/U	TH/U
		32	TH/H-ML/U	TH/U	TH/H/U
HEROTEC Tempuss-Press	Edelstahl	14-16-20-26-32	TH	TH	TH
		40	-	TH	TH
HERZ Pipefix	Edelstahl	14-16-18-20-25-26-32	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH

ALLE MIT DEN VIRAX EINSÄTZEN UND ZANGEN KOMPATIBLEN SYSTEME



*Material	Stahl / Kohlenstoffstahl	Mehrschichtig / Kupfer PE-RT	PEX / PB / PER / PE	Kupfer	Messing / Bronze	Edelstahl
-----------	--------------------------	------------------------------	---------------------	--------	------------------	-----------

System	*	Ø (mm)			
--------	---	--------	--	--	--

IBP CONEX/BANNINGER >B<Flex		12-16-20-25-32	RF-P	RF	H
		16-18-20-25-32	U	U	U
		40 50-63-75	- -	U -	U U
IBP CONEX/BANNINGER >B<Flex (F5)		16-20-25-32	U	U	U
IBP CONEX/BANNINGER >B<Flex (F8)		16-20-25-32	U	U	U
IBP CONEX/BANNINGER >B<Flex (F9)		16-20-25-26-32	TH	TH	TH
IBP CONEX/BANNINGER >B<Flex (F18)		16-20-25	TH/U	TH/U	TH/H/U
		26	TH	TH	TH/H
		32	TH/U	TH/U	TH/H/U
IBP CONEX/BANNINGER >B<MaxiPro		1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 - 1.1/8	R	-	R
		1.3/8"	-	-	R
		12-14-15-16-18-22-28	V	V	V
IBP CONEX/BANNINGER >B<Press		35	-	-	V
		42-54	-	-	V
		15-18-22-28	V	V	V
IBP CONEX/BANNINGER >B<Press		35	-	-	V
		42-54	-	-	V
		15-18-22-28	V	V	V
IBP CONEX/BANNINGER >B<Press		35	-	-	V
		42-54	-	-	V
		16-18-20-26-32	TH	TH	TH
IDROSANITARIA BONOMI Idropress		40	-	TH	TH
		50-63	-	-	TH
		15-18-22-28	M	-	M
ILTA INOX Chibro Pressfitting		35	-	-	M
INDUSTRIAL BLANSOL Multipep		16	U/H-ML/RF-P/TH	U/RF/TH	U/H/TH
		18	U/H-ML	U/RF	U/H
		20x2,5	U/H-ML/RF-P	U/RF	U/H
		20x2	U/H-ML/RF-P/TH	U/RF/TH	U/H/TH
		25	U/RF-P/TH	U/RF/TH	U/H/TH
		26	H-ML/TH	RF/TH	H/TH
		32	U/H-ML/RF-P/TH	U/RF/TH	U/H/TH
		40	-	U	U PINCE
	50-63	-	-	U PINCE	
INSTALPRESS Carbon steel		12-15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
IPA Ipalpex		14-16-18-20-26-32	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH
ISOLTUBEX Isolpex		16-20-25-32	RF-P	RF	-
ISOLTUBEX		16-20-25-32	RF-P/U	RF/U	U
		18	U	U	U
		63	-	-	U CHAINES
ISOTUBI Numeppress		15-18-22	M	M	M
		28	M	-	M
IVAR Multi-Press		16-18-20-25-32	TH/H-ML/U	TH/U	TH/H/U
		26	TH/H-ML	TH	TH/H
		40	-	TH/U	TH/U
		50-63	-	-	U CHAINES
IVAR Plastic Multi-Press		16-20-32	TH/H-ML/U	TH/U	TH/H/U
		25	TH/U	TH/U	TH/H/U
		26	TH/H-ML	TH	TH/H

J JANSEN AG Jansen Comisa Ravani Prima		16-20-26-32	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH

K KAN Kan-Therm		16-20-25-32	TH/U	TH/U	TH/U
		26	TH	TH	TH
		40	-	TH/U	TH/U
	50-63	-	-	TH	

System	*	Ø (mm)			
--------	---	--------	--	--	--

KAN Kan-Therm LBP		16-20-25-32	TH/U	TH/U	TH/U
		26	TH	TH	TH
		40	-	TH/U	TH/U
	50-63	-	-	TH	
KAN Kan-Therm		15-18-22	M	M	M
		28	M	-	M
		35-42-54	-	-	M
KAN Kan-Therm		15-18-22	M	M	M
		28	M	-	M
		35-42-54	-	-	M
KE KELIT Kelax		16-20-25-32	U	U	U
		40	-	U	U
		50-63	-	-	U
		75	-	-	U CHAINE
KE KELIT Steelfix		15-18-22	M	M	M
		28	M	-	M
		35-42-54	-	-	M
KE KELIT Steelfix		15-18-22-28	M	-	M
		35-42-54	-	-	M
KME Q-Tec		14-16-20-26	TH	TH	TH
		16-20-26	HA	-	HA
KOHLER Inox Press		15-18-22	M	M	M
		28	M	-	M
		35	-	-	M

N	*	Ø (mm)			
---	---	--------	--	--	--

NICOLL Fluxo		16-20-26-32	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH
NINGBO Press-ID		12-16-20-25-32	RF-P	RF	H
NINGBO Press-ID Carbon		15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
		42-54	-	-	M 3 ELMITS
NINGBO Press-ID Inox		15-18-22	M/V	M/V	M/V
		28	M/V	V	M/V
		35	-	-	M/V
		42-54	-	-	M/V
NOYON & THIEBAULT Raccord F5		16-18-20-25-32	U	U	U
		40	-	U	U
		50-63-75	-	-	U
NOYON & THIEBAULT Raccord F9		16-20-25-26-32	TH	TH	TH
NOYON & THIEBAULT Raccord F17		16-20-25-32	U/TH/H-ML	U/TH	U/TH/H
		26	TH/H-ML	TH	TH/H
NOYON & THIEBAULT Multicouche à sertir		16-20	H-ML/TH/U	TH/U	H/TH/U
		26	H-ML/TH	TH	TH/H
N.T.M. Winny-Al		14	TH/U	TH	TH/U
		16-18-20-25-32	TH/U	TH/U	TH/U
		26	TH	TH	TH
		40	-	TH/U	TH/U
		50	-	-	TH/U
		63	-	-	U
NUPI INDUSTRIE ITALIANE Multinupi		14	U	U	U
		16-18-20-32	U/TH	U/TH	U/TH/H
		26	TH	TH	H/TH
		40	-	U	U
		50-63	-	-	U

O OVENTROP Cofit P		16-20-26-32	HA	-	HA
		40	-	-	HA
		50	-	-	U
		63	-	-	U

ALLE MIT DEN VIRAX EINSÄTZEN UND ZANGEN KOMPATIBLEN SYSTEME



*Material	Stahl / Kohlenstoffstahl	Mehrschichtig / Kupfer PE-RT	PEX / PB / PER / PE	Kupfer	Messing / Bronze	Edelstahl
-----------	--------------------------	------------------------------	---------------------	--------	------------------	-----------

System	*	Ø (mm)			
--------	---	--------	--	--	--

P

PB TUB Sertipress		12-16-20-25	RF-P	RF	H
PB TUB Serti-steel		12-15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
		42-54	-	-	M 3 ELMTS
PB TUB Alpex duo & Turatec		16-20-26-32	TH	TH	TH
PEGLER YORKSHIRE Xpress		12-14-15-18-22	M	M	M
		16	-	-	M
		28	M	-	M
		35	-	-	M
PEGLER YORKSHIRE Sudo Press cuivre visu control		12-14-15-16-18-22-28	V	V	V
		35	-	-	V
		42-54	-	-	V
PERFILTUBO Perfialupex		16-18-20-25-32	U	U	U
		40	-	U	U
		50-63	-	-	U
PERFILTUBO Perfipress		15-18-22	M	M	M
		28	M	-	M
		35-42-54	-	-	M
PEXTUBE Pextube		16-20-25-32	RF-P	RF	-
PIETRO RAVANI		16-18-20-26-32	TH	TH	TH
PIPELIFE Radopress		16-18-20-26-32	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH
POLYSAN Rainbow		16-18-20-25-32	U	U	U
		40	-	U	U
		50-63	-	-	U
PRANDELLI Multyrama (PF)		16-20-26-32	H-ML	-	H
		40	-	U	U
		50	-	-	U
PRANDELLI Multyrama (PFM)		16-20	H-ML/TH/U	TH/U	H/TH/U
		26	H-ML/TH	TH	H/TH
		32	H-ML/TH/U	TH/U	H/TH/U
		40	-	TH/U	TH/U
		50	-	-	TH/U
	63	-	-	U	

R

RACCORDERIE METALLICHE (RM) Steelpres		15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
		42-54	-	-	M 3 ELTS
RACCORDERIE METALLICHE (RM) Inoxpres		15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
		42-54	-	-	M 3 ELTS
RBM Tita-fix		14	TH/H-ML/U	TH	TH/H/U
		16-18-20	TH/H-ML/U	TH/U	TH/H/U
		26	TH/H-ML	TH	TH/H
		32	TH/H-ML	TH	TH/H
		40	-	TH	TH
	50-63	-	-	TH	
RIFENG Raccords F5		16-18-20-25-32	U	U	U
		40	-	U	U
		50-63-75	-	-	U
RIFENG Raccords F8		16-20-25-26-32	U	U	U
RIFENG Raccords F9		16-20-25-32	TH	TH	TH
RIFENG Raccords F18		16-20-25	TH/U	TH/U	TH/H/U
		26	TH	TH	TH/H
		32	TH/U	TH/U	TH/H/U
RIFENG Raccords F17		16-20-25-32	U/TH/H-ML	U/TH	U/TH/H
		26	TH/H-ML	TH	TH/H
RIQUIER A sertir		12-16-20-25	RF-P	RF	H

System	*	Ø (mm)			
--------	---	--------	--	--	--

RUBINETTERIE BRESCIANE BONOMI Turbo Cu-Ni		15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
RUBINETTERIE BRESCIANE BONOMI Turbo inox		15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
RUBINETTERIE BRESCIANE BONOMI Turbo Steel		15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
RUBINETTERIE BRESCIANE BONOMI Turbo Press		14	TH/H-ML/U	TH	TH/H/U
		16-18-20-32	TH/H-ML/U	TH/U	TH/H/U
		26	TH/H-ML	TH	TH/H
		40	-	TH	TH
		50-63	-	-	TH
RUBINETTERIE BRESCIANE BONOMI - Turbo Press LBP		16-20-26-32	TH	TH	TH
RUBINETTERIE BRESCIANE BONOMI Evenes System		16-20-26-32	TH	TH	TH
		40	-	TH	TH
		50	-	-	TH

S

SANHA Multifit-Flex		16-20-32	TH/U	TH/U	TH/U
		26	TH	TH	TH
		40	-	TH	TH
		50	-	-	TH
SANHA Pressfittings		12-14-15-16-18-22-28	V	V	V/M
		35	-	-	V/M
		42-54	-	-	V
SANHA NiroSan Press		15-18-22-28	V/M	V	V/M
		35	-	-	V/M
		42-54	-	-	V
SANHA Therm		12-15-18-22-28	V/M	V	V/M
		35	-	-	V/M
		42-54	-	-	V
SCHWER Aquapress		15-18-22	M	M	M
		28	M	-	M
		35-42-54	-	-	M
SESTA Sistema multistrato		16-20	H-ML/TH/U	TH/U	H/TH/U
		18-26-32	TH	TH	TH
SOMATHERM Fixomultix (F5)		16-18-20-25-32	U	U	U
		40	-	U	U
		50-63-75	-	-	U
SOMATHERM Fixomultix (F9)		16-20-25-26-32	TH	TH	TH
SOMATHERM Fixomultix (F17)		16-20-25-32	U/TH/H-ML	U/TH	U/TH/H
		26	TH/H-ML	TH	TH/H
SOMATHERM Pronorm Pressfitting		12-14-16-18-22-28	V	V	V
		35	-	-	V
SOMATHERM Soma multi (duofil)		16-20-32	RF-P/U	RF/U	U
SOMATHERM Somapress		12	RF-P	RF	H
		16-20-25-32	RF-P/U	RF/U	H/U
STPC Sopalpex Fit		16-20-26	TH	TH	TH
STELBI Polikraft		14-16-18-20-26-32	TH	TH	TH
		40	-	TH	TH
		50	-	-	TH
SYSTEM Woprex		14-16-20-26-32	HA	-	HA

T

TERMICALINE Termiplex		16-20-32	TH/U	TH/U	TH/U
		26	TH	TH	TH
THERMADOR		14-16	V	V	V/M
		12-15-18-22-28	V/M	V	V/M
		35	-	-	V/M
		42-54	-	-	V
TIEMME Cobra-Pex série 1700		16-20-25-32	RF-P	RF	-

ALLE MIT DEN VIRAX EINSÄTZEN UND ZANGEN KOMPATIBLEN SYSTEME



*Material	Stahl / Kohlenstoffstahl	Mehrschichtig / Kupfer PE-RT	PEX / PB / PER / PE	Kupfer	Messing / Bronze	Edelstahl
-----------	--------------------------	------------------------------	---------------------	--------	------------------	-----------

System	*	Ø (mm)			
TIEMME Cobrapress	■	14-16-18-20-25-26-32	TH	TH	TH
		40	-	TH	TH
		50	-	-	TH
TRA Multitrapress	■	16-20-25-32	U	U	U
		40	-	U	U
		50-63	-	-	U
TRA Trapress	■	12-16-20-25-32	RF-P	RF	H
TWEETOP	■	16-18-20-25-32	U	U	U
		40	-	U	U
		50-63-75	-	-	U

U

UNICAL Max Multiplex	■	16-20-32	U	U	U
		26	HM-L	-	H
UNIDELTA Deltall	■	16-20-32	TH/H-ML/U	TH/U	TH/H/U
		26	TH/H-ML	TH	TH/H
		40	-	TH/U	TH/H/U
UPONOR Système Multicouche	■	16-20-25-32	U	U	U
		40	-	U	U
		50	-	-	U
		63-75-90-110	-	-	U CHAINES

V

VALSIR Bravopress PPSU	■	16-20	H-ML/TH/U	TH/U	H/TH/U
		26	H-ML/TH	TH	H/TH
		32	H-ML/TH/U	TH/U	H/TH/U
		40-50-63	-	TH/U	TH/U
VALSIR Raccords laiton	■	14	H-ML	-	H
		16-20	H-ML/TH/U	TH/U	H/TH/U
		26	H-ML/TH	TH	H/TH
		32	H-ML/TH/U	TH/U	H/TH/U
		40	-	TH/U	TH/U
		50-63	-	-	TH/U
		75	-	-	U
90	-	-	U		
VAN MARCKE Tubipex	■	16-18-20-26-32	TH	TH	TH
VAN MARCKE Tubipex	■	16-20-26-32	TH	TH	TH
		40-50-63-75	-	-	TH
VIEGA Prestabo	■	12-15-18-22-28	V	V	V
		35-42-54	-	-	V
VIEGA Profipress	■	12-14-15-16-18-22-28	V	V	V
		35-42-54	-	-	V
VIEGA Sanpress	■	12-14-15-16-18-22-28	V	V	V
		35-42-54	-	-	V
VIEGA Sanpress Inox	■	15-18-22-28	V	V	V
		35-42-54	-	-	V
VSH Skinpress	■	14-16-18-20-26-32	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH
VSH Sudopress	■	12-15-18-22-28	V	V	V
		35-42-54	-	-	V
VSH Xpress	■	12-15-18-22	M	M	M
		28	M	-	M
		35-42-54	-	-	M
VSH Xpress	■	12-15-18-22	M	M	M
		28	M	-	M
		35-42-54	-	-	M
VSH Xpress	■	12-15-18-22	M	M	M
		28	M	-	M
		35-42-54	-	-	M

System	*	Ø (mm)			
W					
WAVIN Tigris M1	■	16-20-25-32	U	U	U
		40	-	U	U
WAVIN Tigris M5	■	16-20-25-32-40	H/TH/U	H/TH/U	H/TH/U
		50-63	-	-	U
WIEDLAND Cuprotherm CTX	■	14-16-20	TH	TH	TH

Z

ZETAESSE Europex Isolex	■	14	TH/U	TH	TH/U
		16-20	TH/U	TH/U	TH/U
		26-32	TH	TH	TH
ZETAESSE HydroSan / ThermoSan	■	14	TH/U	TH	TH/U
		16-20	TH/U	TH/U	TH/U
ZEWOTHERM	■	14-16-20-26-32	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH