

ALL SYSTEMS COMPATIBLE WITH VIRAX INSERTS AND JAWS



*Material	Steel / Carbon Steel	Multi-layer / Copper PE-RT	PEX / PB / PER / PE	Copper	Brass / Bronze	SS
-----------	----------------------	----------------------------	---------------------	--------	----------------	----

System	*	Ø (mm)			
--------	---	--------	--	--	--

A

ACOME Acome MT		12-16-20-25	RF-P	RF	H
ACOME - Acopex Alu		16-20-32	TH/H-ML/U	TH/U	TH/H/U
		26	TH/H-ML	TH	TH/H/U
		40-50-63	-	-	TH/H/U
AC-FIX Press		12-16-20-25-32	RF-P/U	RF/U	H/U
AC-FIX Press Multi		16-18-20-25-32	RF-P/H-ML/U	RF/U	H/U
		40	-	U	U
		50-60	-	-	U
AHLSELL A-Press elforzinkad		12-15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
AHLSELL A-Press koppar		12-15-18-22-28	V	V	V
		35-42-54	-	-	V
		42-54	-	-	M
AHLSELL A-Press rostfritt		12-15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
AIRBEL Pressclim		12-15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
AIRBEL Sertinox		15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
ALB Sistema Multicapa		14-16-18-20-32	H-ML/TH/U	TH/U	H/TH/U
		26	H-ML/TH	TH	H/TH
		42-54	-	-	M
ANQUIER Aser		12-16-20-25	RF-P	RF	H
APE RACCORDERIE Raccordi a pressare		16-20	TH/H-ML/U	TH/U	TH/H/U
		18	TH	TH	TH
		26-32	TH/H-ML	TH	TH/H
		40	-	U	U
ATLAS COPCO Airnet		15	M	M	M
		28	M	-	M
		35	-	-	M
		42-54-76,1-88,9-107	-	-	M

B

BAMPI Balpex		14-16-18-20-26-32	TH	TH	TH
		40	-	TH	TH
		50	-	-	TH
BARBI Easypress		12-16-20-25-32	RF-P/U	RF/U	H/U
BARBI Multipex		16-20 x 2,0-25-26-32	RF-P/U/TH	RF/U/TH	TH/H/U
		18 - 20 x 2,5	U/RF-P	U/RF	H/U
		40	-	U	U
BRASELLI Pressfitting PE-X		16-20-25-32	RF-P	RF	-
		40	-	-	-
		50	-	-	U
BRASELLI Pressfitting Multicapa		16-18-20-25-32	U	U	U
		40	-	U	U
		50	-	-	U
BRASS & FITTING RetiPRESS		16-32	RF-P	-	-
BRASS & FITTING MultiPRESS		16-32	U	U	U
		40-50-63	-	-	U
BROEN Ballifix Press		15-18-22	M/V	V	M/V
BROSETTE Eurobasic		12-16-20-25	RF-P	RF	H
BUCCHI Tech MP		14-16-20-26-32	TH	TH	TH

System	*	Ø (mm)			
--------	---	--------	--	--	--

C

CEDEO Altech (Comap)		12-16-20-25	RF-P	RF	H
CEDEO Altech (IBP B Press)		12-14-15-16-18-22-28	V	V	V
		35-42-54	-	-	V
COES Coesklima		14	U	-	U
		16-18-20-25-32	U	U	U
COES Coesklima (K-Fit)		40	-	U	U
		50	-	-	U
		63-75	-	-	U CHAINES
COMAP PexPress		12-16-20-25	RF-P	RF	H
COMAP SkinPress		14-16-18-20-26-32	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH
COMAP Multiskin		16-20-26-32	TH/U	TH/U	TH/H/U
		40	-	TH/U	TH/U
COMAP SudoPress Cu		12-14-15-16-18-22-28	V	V	V
		35-42-54	-	-	V
COMAP Xpress		12-15-18-22	M	-	M
		28	M	-	M
		35-42-54	-	-	M
COMAP Xpress		15-18-22	M	M	M
		28	M	-	M
COMISA Press		14-16-18-20-26-32	H-ML/TH	TH	H/TH
		25	TH	TH	TH
		40	-	TH	TH
COMPTOIR DE PICARDIE Multiquick		16-20	U/TH	U/TH	U/TH
		26	TH	TH	TH
		40	-	-	TH
COMPTOIR DE PICARDIE Quick plomberie		16-20	H-ML/TH/U	TH/U	H/TH/U
		26	H-ML/TH	TH	TH/H
CONEL Connect multi		16-20-32	TH/H-ML/U	TH/U	TH/H/U
		26	TH/H-ML	TH	TH/H
CORUS Forcas		28	M	M	M
		35	-	-	M

D

DALPEX Laser multi Dalpex		14-16-18-20-26-32	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH
DIWA Flex Systems		14-16-18-20-26-32	TH	TH	TH
		40	-	TH	TH
DUOFIL Maximetal		16-20-32	RF-P/U	RF/U	U
DW VERBUNDROHR Multitubo		16-20-25-32	U	U	U
		40	-	U	U
		50	-	-	U
		63-75	-	-	U CHAINES

E

EBRILLE Monflex		16-18-20-25-32	U	U	U
		40	-	U	U
		50-63-75	-	-	U
EBRILLE Monflex (F5)		16-18-20-25-32	U	U	U
		40	-	U	U
		50-63-75	-	-	U
EBRILLE Monflex (F8)		16-20-25-26-32	U	U	U
EBRILLE Monflex (F9)		16-20-25-26-32	TH	TH	TH
EBRILLE Monflex (F18)		16-20-25	TH/U	TH/U	TH/H/U
		26	TH	TH	TH/H
		32	TH/U	TH/U	TH/H/U
EFFEBI Prestige		15-18-22-28	M/V	V	M/V
		35	-	-	M/V
EFFEBI Tof Multipinza		16-18-20-32	TH/H-ML/U	TH/U	TH/H/U
		25	TH/U	TH/U	TH/H/U
		26	TH/H-ML	TH	TH/H

ALL SYSTEMS COMPATIBLE WITH VIRAX INSERTS AND JAWS



*Material	Steel / Carbon Steel	Multi-layer / Copper PE-RT	PEX / PB / PER / PE	Copper	Brass / Bronze	SS
-----------	----------------------	----------------------------	---------------------	--------	----------------	----

System	*	Ø (mm)			
EFFEBI Press Carbon	Steel / Carbon Steel	12-15-18-22-28	M	M	M
		28	M	-	M
		35	-	-	M
EFFEBI Press Inox	Multi-layer / Copper PE-RT	12-15-18-22-28	M	M	M
		28	M	-	M
		35	-	-	M
EMCAL C-Stahl	Steel / Carbon Steel	15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
EMCAL Perfect Aqua	Multi-layer / Copper PE-RT	16-20-25-32	U	U	U
		40	-	U	U
		50	-	-	U
EMCAL Presso	Multi-layer / Copper PE-RT	16-20-26-32	TH	TH	TH
		40	-	TH	TH
		15-18-22-28	M	M	M
EMCAL Presso Nox	Multi-layer / Copper PE-RT	28	M	-	M
		35	-	-	M
		14-16-18-20-26-32	TH	TH	TH
EMMETI Gerpex-Fivpress Easytec	Multi-layer / Copper PE-RT	40	-	TH	TH
		50	-	-	TH
		15-18-22	M	M	M
ESTA ROHR Simplesta	Multi-layer / Copper PE-RT	28	M	-	M
		35	-	-	M
		12-15-18-22	M	M	M
EUROTUBI EUROPA Pressfitting System	Steel / Carbon Steel	28	M	-	M
		35	-	-	M

F

FAR RUBINETTERIE Raccords Pressfar	Multi-layer / Copper PE-RT	14	H-ML/TH/U	TH	H/TH/U
		16-18-20-32	H-ML/TH/U	TH/U	H/TH/U
		25	TH/U	TH/U	H/TH/U
		26	H-ML/TH	TH	H/TH
		40	-	TH/U	H/TH/U
FBQ BARONIO BQ Press carbon steel	Steel / Carbon Steel	15-18-22-28	V	V	V
		35-42-54	-	-	V
		12-14-15-16-18-22-28	V	V	V
FBQ BARONIO BQ Press rame	Copper	35-42-54	-	-	V
		16-20-25-32	RF-P/TH/U	RF/TH/U	TH/U
FERCOFLOOR Duo Press Ferco Pex	PEX / PB / PER / PE	16-20-25-32	RF-P/TH/U	RF/TH/U	TH/U
		18	TH/U	TH/U	TH/U
FG INOX	Multi-layer / Copper PE-RT	15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
FILTUBE Installpress	Steel / Carbon Steel	12-15-18-22	M	M	M
		28	M	-	M
		35-42-54	-	-	M
FILTUBE Installpress	Multi-layer / Copper PE-RT	15-18-22	M	M	M
		28	M	-	M
		35-42-54	-	-	M
FITTINGS ESTANDAR Eco-Press	PEX / PB / PER / PE	16-20-25-32	RF-P	RF	-
FITTINGS ESTANDAR PEX-A	PEX / PB / PER / PE	16-20-25-32	RF-P/U	RF/U	U
FITTINGS ESTANDAR Multicapa	Multi-layer / Copper PE-RT	16-20-25-32	RF-P/U	RF/U	U
		18	U	U	U
FORNARA SPA	Multi-layer / Copper PE-RT	16-20-26-32	TH	TH	TH
FRABO Frabopress C-Steel	Steel / Carbon Steel	15-18-22-28	V	V	V
		35-42-54	-	-	V
FRABO Frabopress H20	Copper	12-15-18-22-28	V	V	V
		35-42-54	-	-	V
FRABO Frabopress 316	Multi-layer / Copper PE-RT	15-18-22-28	V	V	V
		35-42-54	-	-	V
FRABO Multi-Brass	Copper	16-20	TH/U	TH/U	TH/U
		26-32	TH	TH	TH
FRABO Multi-Plus	Multi-layer / Copper PE-RT	16-20-32	H-ML/U	U	H/U
		26	H-ML	-	H
FRANKISCHE Alpex Duo-Alpex L	Multi-layer / Copper PE-RT	16-20-26-32	TH	TH	TH
FRANKISCHE Alpex Duo XS	Multi-layer / Copper PE-RT	16-20-26-32	TH	TH	TH

System	*	Ø (mm)			
FRANKISCHE Turatec System	Multi-layer / Copper PE-RT	16-20-26-32	TH	TH	TH
FRIATEC Friatherm Uni	Multi-layer / Copper PE-RT	16-20-26-32	H-ML	-	H
		40	-	-	H
		50-63	-	-	TH

G

GEBERIT MAPRESS	Steel / Carbon Steel	12-15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
GEBERIT MAPRESS	Copper	14-16	-	-	M
		12-15-18-22-28	M	-	M
		35	-	-	M
		42-54	-	-	M 3 ELTS
GEBERIT MAPRESS	Multi-layer / Copper PE-RT	12-15-18-22-28	M	-	M
		35	-	-	M
GEBERIT Volex	Multi-layer / Copper PE-RT	16-20	TH/U	TH/U	TH/U
		26	TH	TH	TH
GEBERIT Mepla	Multi-layer / Copper PE-RT	16-20-26-32	G	G	G
		40	-	G	G
		50	-	-	G
GENERAL FITTINGS Série 5000	Multi-layer / Copper PE-RT	14	H-ML/TH/U	TH	H/TH/U
		16-18-20-32	H-ML/TH/U	TH/U	H/TH/U
		25	TH/U	TH/U	H/TH/U
		26	H-ML/TH	TH	H/TH
		40	-	U	H/U
GIACOMINI Raccords RM	Multi-layer / Copper PE-RT	50	-	-	TH/U
		63	-	-	TH
		75-90	-	-	U
		16-20-32	H-ML/TH/U	TH/U	H/TH/U
		26	H-ML/TH	TH	H/TH
		40	-	TH/U	TH/U
GLOBAL PIPING SYSTEM Ac-Fix Press	PEX / PB / PER / PE	12-16-20-25-32	RF-P/U	RF/U	H/U
		16-18-20-25-32	RF-P/H-ML/U	RF/U	H/U
GLOBAL PIPING SYSTEM Ac-Fix Press	Copper	40	-	U	U
		50-60	-	-	U
GLOBALE TRADE Aqualpress System	Multi-layer / Copper PE-RT	16-20-25-32	U	U	U
GOLAN	Multi-layer / Copper PE-RT	16-18-20-25-32	U	U	U
		40	-	U	U
		50-63	-	-	U

H

HAKA GERODUR Hakathen-L	Multi-layer / Copper PE-RT	14-16-18-20-26-32	TH	TH	TH
HAMMEL ROBINETTERIE	Copper	12-14-15-16-18-22-28	V	V	V
		35-42-54	-	-	V
HAMMEL ROBINETTERIE	Multi-layer / Copper PE-RT	16-20-26-32	TH	TH	TH
HAMMEL ROBINETTERIE	PEX / PB / PER / PE	12-16-20-25	RF-P	RF	H
		16-20-26-32	TH	TH	TH
HEIMA Press-Fittings	Multi-layer / Copper PE-RT	40	-	TH	TH
		50	-	-	TH
		16-18-20-25-32	U	U	U
HELIROMA Klimapress	Multi-layer / Copper PE-RT	40	-	U	U
		50-63-75	-	-	U
		16-20-25-32	RF-P	RF	-
HENCO - PE-Xc/AL/Pe-Xc (Raccords Lation ou PVDF)	Multi-layer / Copper PE-RT	14-16-18-20-26	TH	TH	TH
HENCO HPL	Copper	16-20	TH/H-ML/U	TH/U	TH/H/U
		26	TH/U	TH/U	TH/U
		32	TH/H-ML/U	TH/U	TH/H/U
HEROTEC Tempuss-Press	Multi-layer / Copper PE-RT	14-16-20-26-32	TH	TH	TH
		40	-	TH	TH
HERZ Pipefix	Multi-layer / Copper PE-RT	14-16-18-20-25-26-32	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH

ALL SYSTEMS COMPATIBLE WITH VIRAX INSERTS AND JAWS



*Material	Steel / Carbon Steel	Multi-layer / Copper PE-RT	PEX / PB / PER / PE	Copper	Brass / Bronze	SS
-----------	----------------------	----------------------------	---------------------	--------	----------------	----

System	*	Ø (mm)			
IBP CONEX/BANNINGER >B<Flex		12-16-20-25-32	RF-P	RF	H
		16-18-20-25-32	U	U	U
IBP CONEX/BANNINGER >B<Flex (F5)		40	-	U	U
		50-63-75	-	-	U
IBP CONEX/BANNINGER >B<Flex (F8)		16-20-25-32	U	U	U
IBP CONEX/BANNINGER >B<Flex (F9)		16-20-25-26-32	TH	TH	TH
IBP CONEX/BANNINGER >B<Flex (F18)		16-20-25	TH/U	TH/U	TH/H/U
		26	TH	TH	TH/H
		32	TH/U	TH/U	TH/H/U
IBP CONEX/BANNINGER >B<MaxiPro		1/4" - 3/8" - 1/2" - 5/8" - 3/4" - 7/8" - 1"	R	-	R
		1.1/8" - 1.3/8"	-	-	R
IBP CONEX/BANNINGER >B<Press		12-14-15-16-18-22-28	V	V	V
		35	-	-	V
		42-54	-	-	V
IBP CONEX/BANNINGER >B<Press		15-18-22-28	V	V	V
		35	-	-	V
		42-54	-	-	V
IBP CONEX/BANNINGER >B<Press		15-18-22-28	V	V	V
		35	-	-	V
		42-54	-	-	V
IDROSANITARIA BONOMI Idropress		16-18-20-26-32	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH
ILTA INOX Chibro Pressfitting		15-18-22-28	M	-	M
		35	-	-	M
INDUSTRIAL BLANSOL Multipep		16	U/H-ML/RF-P/TH	U/RF/TH	U/H/TH
		18	U/H-ML	U/RF	U/H
		20x2,5	U/H-ML/RF-P	U/RF	U/H
		20x2	U/H-ML/RF-P/TH	U/RF/TH	U/H/TH
		25	U/RF-P/TH	U/RF/TH	U/H/TH
		26	H-ML/TH	RF/TH	H/TH
		32	U/H-ML/RF-P/TH	U/RF/TH	U/H/TH
	40	-	U	U PINCE	
	50-63	-	-	U PINCE	
INSTALPRESS Carbon steel		12-15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
IPA Ipalpex		14-16-18-20-26-32	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH
ISOLTUBEX Isolpex		16-20-25-32	RF-P	RF	-
ISOLTUBEX		16-20-25-32	RF-P/U	RF/U	U
		18	U	U	U
		63	-	-	U CHAINES
ISOTUBI Numepress		15-18-22	M	M	M
		28	M	-	M
IVAR Multi-Press		16-18-20-25-32	TH/H-ML/U	TH/U	TH/H/U
		26	TH/H-ML	TH	TH/H
		40	-	TH/U	TH/U
		50-63	-	-	U CHAINES
IVAR Plastic Multi-Press		16-20-32	TH/H-ML/U	TH/U	TH/H/U
		25	TH/U	TH/U	TH/H/U
		26	TH/H-ML	TH	TH/H

J

JANSEN AG Jansen Comisa Ravani Prima		16-20-26-32	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH

K

KAN Kan-Therm		16-20-25-32	TH/U	TH/U	TH/U
		26	TH	TH	TH
		40	-	TH/U	TH/U
		50-63	-	-	TH

System	*	Ø (mm)			
KAN Kan-Therm LBP		16-20-25-32	TH/U	TH/U	TH/U
		26	TH	TH	TH
		40	-	TH/U	TH/U
		50-63	-	-	TH
KAN Kan-Therm		15-18-22	M	M	M
		28	M	-	M
		35-42-54	-	-	M
KAN Kan-Therm		15-18-22	M	M	M
		28	M	-	M
		35-42-54	-	-	M
KE KELIT Kelax		16-20-25-32	U	U	U
		40	-	U	U
		50-63	-	-	U
		75	-	-	U CHAINE
KE KELIT Steelfix		15-18-22	M	M	M
		28	M	-	M
		35-42-54	-	-	M
KE KELIT Steelfix		15-18-22-28	M	-	M
		35-42-54	-	-	M
KME Q-Tec		14-16-20-26	TH	TH	TH
		16-20-26	HA	-	HA
KOHLER Inox Press		15-18-22	M	M	M
		28	M	-	M
		35	-	-	M

N

NICOLL Fluxo		16-20-26-32	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH
NINGBO Press-ID		12-16-20-25-32	RF-P	RF	H
NINGBO Press-ID Carbon		15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
		42-54	-	-	M 3 ELMITS
NINGBO Press-ID Inox		15-18-22	M/V	M/V	M/V
		28	M/V	V	M/V
		35	-	-	M/V
		42-54	-	-	M/V
NOYON & THIEBAULT Raccord F5		16-18-20-25-32	U	U	U
		40	-	U	U
		50-63-75	-	-	U
NOYON & THIEBAULT Raccord F9		16-20-25-26-32	TH	TH	TH
NOYON & THIEBAULT Raccord F17		16-20-25-32	U/TH/H-ML	U/TH	U/TH/H
		26	TH/H-ML	TH	TH/H
NOYON & THIEBAULT Multicouche à sertir		16-20	H-ML/TH/U	TH/U	H/TH/U
		26	H-ML/TH	TH	TH/H
N.T.M. Winny-Al		14	TH/U	TH	TH/U
		16-18-20-25-32	TH/U	TH/U	TH/U
		26	TH	TH	TH
		40	-	TH/U	TH/U
		50	-	-	TH/U
		63	-	-	U
NUPI INDUSTRIE ITALIANE Multinupi		14	U	U	U
		16-18-20-32	U/TH	U/TH	U/TH/H
		26	TH	TH	H/TH
		40	-	U	U
		50-63	-	-	U

O

OVENTROP Cofit P		16-20-26-32	HA	-	HA
		40	-	-	HA
		50	-	-	U
		63	-	-	U

ALL SYSTEMS COMPATIBLE WITH VIRAX INSERTS AND JAWS



*Material	Steel / Carbon Steel	Multi-layer / Copper PE-RT	PEX / PB / PER / PE	Copper	Brass / Bronze	SS
-----------	----------------------	----------------------------	---------------------	--------	----------------	----

System	*	Ø (mm)			
--------	---	--------	--	--	--

P

PB TUB SertiPress		12-16-20-25	RF-P	RF	H
PB TUB Serti-steel		12-15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
		42-54	-	-	M 3 ELMTS
PB TUB Alplex duo & Turatec		16-20-26-32	TH	TH	TH
PEGLER YORKSHIRE Xpress		12-14-15-18-22	M	M	M
		16	-	-	M
		28	M	-	M
		35	-	-	M
PEGLER YORKSHIRE Sudo Press cuivre visu control		12-14-15-16-18-22-28	V	V	V
		35	-	-	V
		42-54	-	-	V
PERFILTUBO Perfialupex		16-18-20-25-32	U	U	U
		40	-	U	U
		50-63	-	-	U
PERFILTUBO Perfipress		15-18-22	M	M	M
		28	M	-	M
		35-42-54	-	-	M
PEXTUBE Pextube		16-20-25-32	RF-P	RF	-
PIETRO RAVANI		16-18-20-26-32	TH	TH	TH
PIPELIFE Radopress		16-18-20-26-32	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH
POLYSAN Rainbow		16-18-20-25-32	U	U	U
		40	-	U	U
		50-63	-	-	U
PRANDELLI Multyrama (PF)		16-20-26-32	H-ML	-	H
		40	-	U	U
		50	-	-	U
PRANDELLI Multyrama (PFM)		16-20	H-ML/TH/U	TH/U	H/TH/U
		26	H-ML/TH	TH	H/TH
		32	H-ML/TH/U	TH/U	H/TH/U
		40	-	TH/U	TH/U
		50	-	-	TH/U
	63	-	-	U	

R

RACCORDERIE METALLICHE (RM) Steelpres		15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
		42-54	-	-	M 3 ELTS
RACCORDERIE METALLICHE (RM) Inoxpres		15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
		42-54	-	-	M 3 ELTS
RBM Tita-fix		14	TH/H-ML/U	TH	TH/H/U
		16-18-20	TH/H-ML/U	TH/U	TH/H/U
		26	TH/H-ML	TH	TH/H
		32	TH/H-ML	TH	TH/H
		40	-	TH	TH
		50-63	-	-	TH
RIFENG Raccords F5		16-18-20-25-32	U	U	U
		40	-	U	U
		50-63-75	-	-	U
RIFENG Raccords F8		16-20-25-26-32	U	U	U
RIFENG Raccords F9		16-20-25-32	TH	TH	TH
RIFENG Raccords F18		16-20-25	TH/U	TH/U	TH/H/U
		26	TH	TH	TH/H
		32	TH/U	TH/U	TH/H/U
RIFENG Raccords F17		16-20-25-32	U/TH/H-ML	U/TH	U/TH/H
		26	TH/H-ML	TH	TH/H
RIQUIER A serti		12-16-20-25	RF-P	RF	H

System	*	Ø (mm)			
--------	---	--------	--	--	--

RUBINETTERIE BRESCIANE BONOMI Turbo Cu-Ni		15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
RUBINETTERIE BRESCIANE BONOMI Turbo inox		15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
RUBINETTERIE BRESCIANE BONOMI Turbo Steel		15-18-22	M	M	M
		28	M	-	M
		35	-	-	M
RUBINETTERIE BRESCIANE BONOMI Turbo Press		14	TH/H-ML/U	TH	TH/H/U
		16-18-20-32	TH/H-ML/U	TH/U	TH/H/U
		26	TH/H-ML	TH	TH/H
		40	-	TH	TH
		50-63	-	-	TH
RUBINETTERIE BRESCIANE BONOMI - Turbo Press LBP		16-20-26-32	TH	TH	TH
RUBINETTERIE BRESCIANE BONOMI Evenes System		16-20-26-32	TH	TH	TH
		40	-	TH	TH
		50	-	-	TH

S

SANHA Multifit-Flex		16-20-32	TH/U	TH/U	TH/U
		26	TH	TH	TH
		40	-	TH	TH
		50	-	-	TH
SANHA Pressfittings		12-14-15-16-18-22-28	V	V	V/M
		35	-	-	V/M
		42-54	-	-	V
SANHA NiroSan Press		15-18-22-28	V/M	V	V/M
		35	-	-	V/M
		42-54	-	-	V
SANHA Therm		12-15-18-22-28	V/M	V	V/M
		35	-	-	V/M
		42-54	-	-	V
SCHWER Aquapress		15-18-22	M	M	M
		28	M	-	M
		35-42-54	-	-	M
SESTA Sistema multistrato		16-20	H-ML/TH/U	TH/U	H/TH/U
		18-26-32	TH	TH	TH
SOMATHERM Fixomultix (F5)		16-18-20-25-32	U	U	U
		40	-	U	U
		50-63-75	-	-	U
SOMATHERM Fixomultix (F9)		16-20-25-26-32	TH	TH	TH
SOMATHERM Fixomultix (F17)		16-20-25-32	U/TH/H-ML	U/TH	U/TH/H
		26	TH/H-ML	TH	TH/H
SOMATHERM Pronorm Pressfitting		12-14-16-18-22-28	V	V	V
		35	-	-	V
SOMATHERM Soma multi (duofil)		16-20-32	RF-P/U	RF/U	U
SOMATHERM Somapress		12	RF-P	RF	H
		16-20-25-32	RF-P/U	RF/U	H/U
STPC Sopalplex Fit		16-20-26	TH	TH	TH
STELBI Polikraft		14-16-18-20-26-32	TH	TH	TH
		40	-	TH	TH
		50	-	-	TH
SYSTEM Woprex		14-16-20-26-32	HA	-	HA

T

TERMICALINE TermiPLEX		16-20-32	TH/U	TH/U	TH/U
		26	TH	TH	TH
THERMADOR		14-16	V	V	V/M
		12-15-18-22-28	V/M	V	V/M
		35	-	-	V/M
		42-54	-	-	V
TIEMME Cobra-Pex série 1700		16-20-25-32	RF-P	RF	-

ALL SYSTEMS COMPATIBLE WITH VIRAX INSERTS AND JAWS



*Material	Steel / Carbon Steel	Multi-layer / Copper PE-RT	PEX / PB / PER / PE	Copper	Brass / Bronze	SS
-----------	----------------------	----------------------------	---------------------	--------	----------------	----

System	*	Ø (mm)			
TIEMME Cobrapress		14-16-18-20-25-26-32	TH	TH	TH
		40	-	TH	TH
		50	-	-	TH
		63-75	-	-	TH
TRA Multitrapress		16-20-25-32	U	U	U
		40	-	U	U
		50-63	-	-	U
TRA Trapress		12-16-20-25-32	RF-P	RF	H
TWEETOP		16-18-20-25-32	U	U	U
		40	-	U	U
		50-63-75	-	-	U

U

UNICAL Max Multiplex		16-20-32	U	U	U
		26	HM-L	-	H
UNIDELTA Deltall		16-20-32	TH/H-ML/U	TH/U	TH/H/U
		26	TH/H-ML	TH	TH/H
		40	-	TH/U	TH/H/U
		50-63	-	-	TH/U
UPONOR Système Multicouche		16-20-25-32	U	U	U
		40	-	U	U
		50	-	-	U
		63-75-90-110	-	-	U CHAINES

V

VALSIR Bravopress PPSU		16-20	H-ML/TH/U	TH/U	H/TH/U
		26	H-ML/TH	TH	H/TH
		32	H-ML/TH/U	TH/U	H/TH/U
		40-50-63	-	TH/U	TH/U
VALSIR Raccords laiton		14	H-ML	-	H
		16-20	H-ML/TH/U	TH/U	H/TH/U
		26	H-ML/TH	TH	H/TH
		32	H-ML/TH/U	TH/U	H/TH/U
		40	-	TH/U	TH/U
		50-63	-	-	TH/U
		75	-	-	U
	90	-	-	U	
VAN MARCKE Tubipex		16-18-20-26-32	TH	TH	TH
VAN MARCKE Tubipex		16-20-26-32	TH	TH	TH
		40-50-63-75	-	-	TH
VIEGA Prestabo		12-15-18-22-28	V	V	V
		35-42-54	-	-	V
VIEGA Profipress		12-14-15-16-18-22-28	V	V	V
		35-42-54	-	-	V
VIEGA Sanpress		12-14-15-16-18-22-28	V	V	V
		35-42-54	-	-	V
VIEGA Sanpress Inox		15-18-22-28	V	V	V
		35-42-54	-	-	V
VSH Skinpress		14-16-18-20-26-32	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH
VSH Sudopress		12-15-18-22-28	V	V	V
		35-42-54	-	-	V
VSH Xpress		12-15-18-22	M	M	M
		28	M	-	M
		35-42-54	-	-	M
VSH Xpress		12-15-18-22	M	M	M
		28	M	-	M
		35-42-54	-	-	M
VSH Xpress		12-15-18-22	M	M	M
		28	M	-	M
		35-42-54	-	-	M

System	*	Ø (mm)			
WAVIN Tigris M1		16-20-25-32	U	U	U
		40	-	U	U
		50-63	-	-	U
WAVIN Tigris M5		16-20-25-32-40	H/TH/U	H/TH/U	H/TH/U
WIEDLAND Cuprotherm CTX		14-16-20	TH	TH	TH

Z

ZETAESSE Europex Isolex		14	TH/U	TH	TH/U
		16-20	TH/U	TH/U	TH/U
		26-32	TH	TH	TH
ZETAESSE HydroSan / ThermoSan		14	TH/U	TH	TH/U
		16-20	TH/U	TH/U	TH/U
ZEWOTHERM		14-16-20-26-32	TH	TH	TH
		40	-	TH	TH
		50-63	-	-	TH